NRMP DATA APRIL 1986

National Resident Matching Program 1 American Plaza Evanston IL 60201

All rights reserved. Permission to use, copy and/or distribute any documentation and/or related images from this publication shall be expressly obtained from the NRMP.

FORWARD

This report summarizes participation by teaching hospitals and applicants in the National Match conducted by the National Resident Matching Program (NRMP). The data presented are for the Match in March 1986.

The material may be used, with appropriate attribution, by those studying medical education and health manpower.

John S. Graettinger, M.D. Executive Vice President


April 1986

Copyright © National Resident Matching Program 1986.
ALL RIGHTS RESERVED


TABLE OF CONTENTS

applicants and Positions	.5	2
Positions Per Active Applicant		4
Types of Applicants Unmatched		5
Fraduation Dates of Foreign Graduates		6
		7
Filling of Positions	•	Ŕ
Choices and Unmatched U.S. Seniors		0
Advanced Specialties		9
Advanced Programs for Students		9
Couples		9
		. 10
Grouped Programs		12
Tahles		


POSITIONS AND APPLICANTS



NON US SENIORS ENROLLED



POSITIONS AND TOTAL APPLICANTS



Thirty years ago the number of internship positions, shown in squares in Fig. 1, was about 11,000 and the number of U.S. graduating seniors, shown in crosses, about 7,000 (Table 1). By 1973 the numbers were 19,000 positions for just over 10,000 graduates, almost 2:1. Following the demise of the internship in 1975, the positions dropped to 16,000 They have gradually risen to somewhat over 18,000 and have varied only slightly in recent years. In the 1986 Match there were 18,770 positions (Table 2), an increase of about 135 over 1985, primarily in internal medicine. U.S. seniors have increased in number only slightly since 1980, and will be about 16,300 this spring. The ratio of positions per U.S. senior student initially enrolled was 1.1 in 1985 and 1.2 in this match (Table 1). Thus about 2800 more positions were offered in the Match than there were U.S. seniors enrolled. If the estimated 1,500 positions not offered through NRMP - mainly military programs - are added to bring the total to about 20,000, there is an excess of PGY-1 positions over U.S. seniors of about 3,700.

Many applicants other than U.S. seniors seek positions (Table 3). In 1976, significant numbers of other applicants began seeking residencies in competition with our senior students (Fig 2). Previous years graduates of U.S. medical schools - who were in transitional PGY 1 years or who want to change program type - numbered 200 to 300 a year until 1982. They have Although physicians, in increased more than five-fold to 1,757 in 1986. contrast to students, can be appointed legitimately outside the Match, program directors, faced with increasing numbers of qualified seniors, have increasingly been requiring physician candidates to be in the Match. A hundred or so Canadian students seek positions each year. citizens also include osteopaths seeking alopathic residencies. about 200 their number increased to 631 last year and 774 in 1986 as a consequence of failure of osteopathic internships and specialty programs to keep pace with the increased number of graduates from osteopathic U.S. citizens who attended schools in other countries and colleges. subsequently had a year supervised by a U.S. medical school faculty -Fifth Pathway - are decreasing. Next are the U.S. citizens who enrolled in the unaccredited, proprietary schools ringing the Caribbean Sea. In 1981, there were 785 in the Match; in 1982, almost twice as many and in 1984 a maximum of 2,922; a four-fold increase had occurred in three years. In the last two years their numbers have decreased by one-third to 1984. All of these four groups of U.S.-Canadian citizens presumably seek residencies and practice in the United States.

Foreign-born graduates of foreign schools have made up the largest group of non-U.S. seniors. In 1976, when total applicants reached 20,000, there were nearly 6,000 foreign-born FMG's. The number dropped after the Visa Qualifying examination was established by the Health Manpower Act of 1976, but then began to increase to reach 7,143 in 1984. This number has decreased by one-fifth since 1984. In Fig. 3 positions are again shown in squares and total applicants in crosses. There were 26,610 total applicants in 1986, a decrease of 6 percentage points, from 1985 for 18,770 positions, a ratio of 0.7 positions per total applicant.

After enrollment, prior to the actual Match, a number of applicants withdraw from the Match. In 1986 about 7.7 percent of the U.S. seniors compared with 8.2 percent in 1985, withdrew to enter obligated positions in the armed forces or to accept offers outside the Match (Table 3). The ratios of positions to active applicants are show in Fig. 4. For U.S. seniors, shown in the top line by boxes, the ratio decreased from almost 2 in 1973 to 1.4 in 1976, 1.2 percent last year but increased to 1.3 this year. For total U.S. citizens, shown in the middle line as crosses, it was about 1.3 through 1980 dropped to 1.0 in 1985, but also increased in 1986. For total active applicants this year the ratio was 0.9 positions per applicant, 90 percent as many positions as applicants, an increase over 1985.

POSITIONS PER ACTIVE APPLICANT




Fig. 4

YEAR	NUMBER OF POSITIONS	U.S.	POSITIONS PER ACTIVE USS CO	active u.s. itizens	POSITIONS PER ACTIVE USC		POSITIONS PER ACTIV TOTAL
1971	16515	8417	2.0	8643	1.9	9004	1.8
1972	17283	8758	2.0	8958	1.9	9542	1.8
1973	18721	9525	2.0	9822	1.9	11286	1.7
1974	17403	9860	1.8	10162	1.7	12798	1.4
1975	15691	10802	1.5	11079	1.4	14153	1.1
1976	16112	11735	1.4	12151	1.3	16728	1.0
1977	16574	11898	1.4	12443	1.3	15854	1.0
1978		12666	1.4	13279	1.3	15354	1.1
1979		13036	1.4	13727	1.3	14985	1.2
1980		13322	1.4	13986	1.3	15129	1.2
1981	18331	13705	1.3	14977	1.2	16104	1.1
1982		14144	1.3	16018	1.1	18410	1.0
1983	=	13969		16426	1.1	20044	0.9
1984		14741	1.3	17840	1.0	22052	
1985		14849	1.2	18130	1.0	22386	0.8
1986		14737		17695	1.1	21357	0.9

*APPLICANTS WHO WITHDREW OR MADE NO ACTIVE CHOICES EXCLUDED

Obviously not all applicants can be matched. In Fig. 5 the fate of types of applicants, or put another way, the preference of program directors, is examined. The positions per active applicant, expressed as percentages, are shown in the top line as boxes. In 1976 and again since 1983, the percentage has been below 100, or 1 position per applicant. The percentages of unmatched applicants are shown in the other lines (Table In the bottom line, for U.S. seniors shown in X's, the percentage unmatched has been below 8 percent in these 15 years with the exception of 1976; it was 7.8 percent in 1984, dropped to 7.4 percent last year and 6.7 percent in 1986 - in other words U.S. students are most preferred by program directors and their matching success is essentially undisturbed by the numbers of other applicants. The next line up shows the percentage of unmatched Fifth Pathway students in triangles, 23.3% this year. They and Canadian graduates (not shown) are thus the next most preferred group. U.S. physicians and osteopaths, (not shown), have an unmatch percentage of 40 to 50 percent (Table 3). The unmatched rate of other USFMG has risen from 30 to 61 percent; this year only 39 percent obtained a position and they are thus less preferred and increasingly have not matched even though The fourth line from the bottom shows, in their number is decreasing. crosses, the unmatched percentage of foreign-born FMG. During the past three years, as in 1976, when the position/applicant percentage was less than 100, over 70 percent went unmatched. This year 76.0 percent of ALFMG went unmatched; only about 1 in 4 obtained a position in the Match. Their unmatch rate is clearly inversely related to the percentage of positions to applicants.





Fig. 5

YEAR	POSITIONS	ACTIVE	POSET PER	UNATCHED	UNMATCHED	UNMATCHED	UNMATCHED
21.00	IN NRP	TOTAL	ACTIVE	uss	5th PWY	us fag	ALIEN FMG
			APPLICANT				
			•				
1971	16515	9004	183.4	3.7			16.6
1972	17283	9542	181.1	4.2			16.1
1973	18721	11286	165.9	5.8	8.3	*****	31.4
1974	17403	12798	136.0	6.5	11.5	******	56.3
1975	15691	14153	110.9	7-4	12.2		65.6
1976	16112	16728	96.3	8.1	9.9		75.9
1977	16574	15854		∵″ ′ 6. 1′	7.9		66.9
1978	- •	15354		6.2	17.9		50.8
1979		14985		6.9	13.8		10.9
1980		15129		7.2	15.1	******	43.6
1981	18331	16104		7.2	17.1	32.5	54.7
1982		18410		7.9	24.9	43.2	68.6
1983		20044		7.8	26.0	50.7	73.8
1984		22052		7.8	22.4	55.6	78.1
1985		22386		7.4	18.8	60.3	78.4
1986		21357		6.7	23.3	61.4	76.0
.,,,,,,	.0110			·			

Figure 6 shows the consequences of several years failure of sizeable MG's, both U.S. citizens and foreign-born, to obtain The graduation dates from medical school of the 1986 numbers of FMG's, applicants are plotted with USFMG in the left of each pair of bars and foreign-born FMG's shown in the right. Note the mode year for foreign-Only 27.7 percent graduated born is 1982 when 17.7 percent graduated. after 1982. Sixty percent gradutated in the years prior to 1982, some Of USMFG's 65 percent graduated after 1982 and oneeven prior to 1965. third in 1982 and earlier years. Many foreign medical graduates have been in the Match several times in previous years. A sizeable pool of FMG's is thus accumulating who cannot obtain the residencies prerequisite for licensure in all states. This situation bodes ill for medical care in the United States since these unlicensed physicians from unaccredited schools - particularly the U.S. citizens - clearly have anticipated practice in the United States.



YEAR OF	U S	FMG	Non-us	FMG
GRADUATION				
OHAD OHILON	NO.	% .	NO.	\$
1966	51	2.6	115	2.0
1967	.11	0.6	28	0.5
1968	5	0.3	24	0.4
1969	12	0.6	36	0.6
1970	16	0.8	53	0.9
1971	16	0.8	54	0.9
1972	14	0.7	99	1.7
1973	19	1.0	107	1.9
1974	29	1.5	136	2.4
1975	30	1.5	210	3.7
1976	28	1.4	235	4.1
1977	36	1.8	292	5.1
1978	29	1.5	412	7.2
1979	42	2.1	458	8.0
1980	64	3.3	576	10.1
1981	96	4.9	624	10.9
1982	183	9.4	722	12.7
1983	244	12.5	642	11.3
1984	268	13.7	436	7.6
1985	317	16.2	318	5.6
	44.4 311		128	2.2
1986	44.4	22.7	120	c • 6

1954 100.0

5705 100.0

The overall filling of positions decreased by two percentage points in 1986 to 86 percent, and the filling by U.S. seniors decreased by 0.9 percentage point from 74.2 to 73.3 percent (Table 4). In Fig. percentage filling by U.S. seniors in specialties is shown in the lower portion of the bars. Over 90 percent filling of positions occurred in obstetrics/gynecology, orthopedic surgery, emergency medicine The specialties that filled at or above the 73.3 percent radiology. average with U.S. seniors were the same specialties plus physical medicine and transitional programs. Family Practice, pediatrics, psychiatry and pathology filled 70 percent or fewer of their positions with U.S. seniors. Compared with recent years these 1986 results show less interest in family practice and pathology (Table 5-7). The filling of positions in psychiatry by U.S. seniors has increased 13 percentage points since 1984. Pediatrics and psychiatry matched the highest percentages of non-U.S. seniors and anesthesiology the lowest.




Fig. 7

In the Match approximately three-quarters of U.S. seniors list choices of programs for only one type of specialty, 18 percent for two and 5 percent for three; only 0.8 percent listed four or more types. The specialty choices and applicants per position in each specialty are shown in Table 8.

The percentage unmatched to any position in any specialty varied markedly among types of specialties and number of types listed. For the more competitive specialties (those with a lower positions per active applicant ratio) the unmatch rate was lower when two specialties had been listed because the applicant matched into his/her second choice of specialty type.

Of the 76 percent of students whose choices were all for one type of specialty, the percentages who failed to match into their first choice of specialty in the 1986 Match are shown in Fig. 8. Although the overall unmatch rate was 6.7 percent in 1986, only 6.3 percent who ranked programs in only one specialty failed to match in their specialty. Among those who preferred obstetrics/gynecology 10 percent went unmatched, in transitional programs 11.7 percent, in emergency medicine 22.2 percent, in orthopaedic surgery 23.4 percent, and, in physical medicine, 40 percent. The importance of these data in counselling students is obvious.




Fig. 8

U S SENIORS WHO MADE CHOICES FOR ONE TYPE OF SPECIALTY IN 1986*

:.	MATCHED	UMATCHED	TOTAL	PERCENT	PERCENT UNMATCHED
FAMPRC	1475	59	1534	13.6	3.8
INT MD	3970	74	4044	36.0	1.8
PEDIAT	1241	30	1271	11.3	2.4
OB/GYN	743	83	826	7.3	10.0
PSYCH	560	15	575	5.1	2.6
MEDSPC					
DERMAT	. 0	1	1	.0	100.0
NEURCL		0	12		0.0
OPHITHM	6	0	6	0.1	0.0
CEN SC	1448	297	1745	15.5	17.0
SURGSP)				
NEURSC	22	0	22		0.0
ORTHOP	151	46	197		23.4
OTOLAR		0	35	_	" 0.0
UROLOG	60	0	60		0.0
PLSTSC	0	0	0	0.0	. 0.0
SUPPSE	•				
ANESTE	-	4	89		4.5
EMER4	-	26	117		22.2
PATHOL		3	186		1.6
PHYSM		14	35	-	40.0
PREVM		0	C		0.0
DX RAI		20	179		11.2
RX RAI	3	1	2	.0	25.0
TRANS	: 272	36	. 308	3 2.7	11.7
TOTAL	10537	709	11246	0 ر100	6.3
				_	:

76 PERCENT OF SENIORS

The zero unmatched percentages in those specialties that have early, non-NRMP matches, ophthalmology, neurology, neurological surgery, otorhinolaryngology and urology, most likely represent "sham matching"; the students that were matched to PGY-2 programs in these specialties in the fall of 1985 were assured a match for the PGY-1 year by the program directors if they would simply list certain, appropriate programs in NRMP. Of the 135 students who listed only these specialties, not only did all match, but all but two obtained their first choice. Further evidence of "sham matching" is the phenomenon that of the 110 programs that offered 227 PGY-1 positions in these specialties, the number of candidates on their rank order lists was equal to or less than the number of positions offered in 82 percent.

After the Match in this, as in previous years, unmatched students will be placed in positions, the great majority within 24 hours, but not all can be placed in their first choice of specialty.

The percentage of U.S. seniors who obtained particular choices has changed little in the history of the Match, namely 57 percent first choices, 16 percent second, 10 percent third, 6 percent fourth and 11 percent are matched in their fifth or lower choices of program.

First year residency positions in dermatology are offered to residents for the PGY-2 year in a NRMP Specialty Match in the fall. In September 1985 there were 546 applicants for 223 positions in dermatology of whom 217 matched to fill 97 percent of the positions.


In neurology and ophthalmology R 1 positions for the PGY-2 year are offered outside NRMP to senior students prior to the National Match. Data on positions in these two specialties are thus not available.

Similarly, neurological surgery and otolaryngology R 1 positions - commonly entered after a year of general surgery - are offered to students to be entered in their PGY 2 years outside and prior to the National Match.

The NRMP mechanism for matching students to PGY-2 programs and an appropriate preliminary program - Advanced Programs for Students - was used by 65 programs with 240 positions in this year. In diagnostic radiology 49 programs offered 180 PGY-2 positions of which 72 percent filled with U S seniors and another 9 percent with former graduates. Most of these successful applicants were also matched to PGY-1 positions in the same match.

In 1986, 360 couples applied to the Match. Of the 720 individuals, 93 percent were matched. The choices they obtained were similar to those obtained by individual students.

1986



GROUPED PROGRAMS - 1986

GROUP PERCENT USS	PROG- RAMS	POSIT- IONS	- 1	LCME		ON-LCME	TOTAL	PERCENT		PTY SITIONS
									***	~~~~~~
GROUP A			NO.	PERCENT	NO.	PERCENT		•	NO.	PERCENT
75-100\$	1835 60.4	12260 65.3	11857 83.0	96.7	213 11.6	1.7	12070 74.8	98.5	190 7.2	1.5
GROUP B										
50-74\$	440 14.5	2552 13.6	1693 11.8	66.3	253 13.8	9.9	1946 12.1	76.3	606 23.0	23.7
GROUP C		•		•						
0-49\$	761 25.1	3958 21.1	749 5.2	18.9	1371 74.6	34.6	2120 13.1	53.6	1838 69.8	46.4
TOTAL	3036 100.0	18770 100.0	14299 100.0	76.2	1837	9.8	16136 100.0	86.0	2634 100.0	14.0

NOTE: An additional 182 applicants matched to 240 Advanced (PGY-2) positions were from LCME accredited schools.

All specialties have competitive programs that are sought after by U.S. seniors both in the Match and after the Match and some programs not sought by U.S. seniors. In Fig. 9 the filling of groups of programs is examined. In the left bar are shown the 18,770 positions, 76.6 percent which were filled by LCME graduates, another 9.8 percent by non-LCME graduates, and the 2,634 (14.0 percent) that were unfilled in the Match.

The programs are then divided into three groups, A, B, and C, based on their filling by U.S. senior students.

In the second bar, labelled Group A, are shown the 12,260 positions, 65.3 percent of the total, that were in the 60.4 percent of programs that filled 75 to 100 percent of their positions with U.S. seniors. The mean filling of these programs by LCME graduates was 96.7 percent, 1.7 percent filled with non-LCME graduates and only 1.5 percent of their positions remained empty. These programs contained 83.0 percent of the LCME graduates who matched, only 11.6 percent of non-LCME graduates who matched, and only 190 (7.2 percent) of the empty positions.

Per contra, in the last bar on the right, labelled Group C are shown the 3,958 positions, 21.1 percent of the total that were in the 25.1 percent of programs that filled 0 to 49 percent of their positions with U.S. seniors. The mean filling of these programs by LCME graduates was only 18.9 percent, and another 34.6 percent of their positions were filled by others leaving 46.4 percent (1838) of their positions empty. These programs attracted only 5.2 percent of the LCME graduates who matched, 74.6 percent of non-LCME graduates, primarily foreign graduates, and contained 69.8 percent of the positions that did not fill.

On the basis of follow up studies it can confidently be predicted that of the 981 unmatched seniors the great majority have been placed in Group A and B programs and only some 200 in Group C programs. Some positions for unmatched students will have been created in Group A programs. The Group C programs, therefore, are not entered by many LCME graduates in or after the Match. Furthermore, after unmatched students have been placed, the empty positions in these programs serve as a vacuum into which unmatched foreign graduates flow. Considerable differences exist regionally and among specialties. These data make clear that adjustments in numbers of positions should not be made "across the board" and only after careful study.

The distribution of applicants among each type of program track and their filling is shown in Table 9.

For each of the larger specialties, the numbers of applicants of various catagories matched in each state are shown in Table 10.

Tables

4	77 (7 (2))	Page
1.	U.S. Graduates, U.S. Citizens, and Positions	13
2.	Positions Offered in Match - 1977-86	14
3.	Applicants - 1976-86	
4.		15
	Filling of Positions by Specialty - 1979-86	16
5.	Total Applicants Matched by Specialty - 1977-86	17
ь.	U.S. Graduates Matched by Specialty - 1977-86	18
7.	Foreign Graduates Matched by Specialty - 1978-86	
8.	Choices of U.S. Seniors in 1986	19
	Desired of 0.5. Seniors in 1986	20
9.	Positions and Applicants by Program Type	21
10.	Applicants Matched - By Specialty and State	22

Table 1

U S GRADUATES, U S CITIZENS AND POSITIONS

YEAR	GRAD- UATES	MEN	WOMEN	PERCENT WOMEN	POSTITION IN NRMP	S CRADS ENROLLED	POSIT PE USS	r other us Canadians		OSIT PER USC	TOTAL ALFMG	TOTAL APPLIC	POSIT PER TOT APPL
•					-							4-0-	
1952	6089				10414				6089	1.7		6089	1.7
1953	6668				10971				6668	1.6		6668	1.6
1954	6861				10729				6861	1.6		6861	1.6
1955	6977				11075				6977	1.6	;	6977	1.6
1956	6845				11459				6845	1.7		6845	1.7
1957	6796				1180				6796	1.7		6796 6861	1.7
1958	6861				11958				6861 6860	1.7 1.8		6860	1.7 1.8
1959	6860				12250							7081	1.7
1960	7081	6676	405	5.7					7081 6994	1.7 1.8		6994	1.8
1961	6994		*		12686				7168	1.8		7168	
1962	7168				12705				7264	1.7		7264	
1963	7264				12456				7336	1.7		7336	1.7
1964	<i>7</i> 336				12601				7409	1.8		7409	
1965	7409	6906	503	6.8	13038	5			7574	1.8		7574	
1966	7574				13463				7743	1.8		7743	
1967	7743				14178				7973	1.8		7973	
1968	7973				14566				8059	1.9		8059	
1969	8059				15045		1.9	209	8536	1.8		8536	1.8
1970	8367	7667	700						9222	1.8	624	9846	1.7
1971	8974	8147	827					_	9818	1.8	947	10765	
1972	9551	8691	860						10424	1.8	2091	12640	
1973	10391	9467	924						11438	1.5	3603	15041	
1974	11613	10349	1264						12568	1.2	3968	16536	0.9
1975	12714	11008	1706						13843	1.2	5953	19796	
1976	13561	11361	2200						14184	1.2	4814	18998	
1977	13607	10996	2611						15242	1.1	3059	18301	
1978	14393	11307	3086 3445						15856	1.1	2027	17883	
1979	14966	11521	3497	-					16140	1.1	1853	17993	
1980	15135	11638	3892	-					17424	1.1	1731	19155	
1981	15667	11775	3991						18622	1.0	3504	22126	
1982 1983	15985 15802	11994 11570	4232		_				19478	0.9	5422	24900	
1903 1984	16343	11711	4632						21506	0.9	7143	28649	0.6
1985	16318	11414	4032							0.9	6943	2845	
1986	16300	1 (4 (4	7,70	. يور	1877				20905	0.9	5705		
1700	10000				,								

GRADUATES ESTIMATED, MARCH 1986

NOTE: FROM 1952-69 USG ENFOLLED USED FOR USC-C

Table 2

POSITIONS OFFERED IN MATCH

		1977		1978		1979		1980		1981	·. •	1982		1983	. 1	1984	1	1985	1	986
-	. 10.	3	NO.	1,	NO.	\$	110.	1	NO.	×	NO.	\$	NO.	3	NO.	3	Ю.	4	NO.	4
FAMPRC CENPRC	1874 55	11.3	2111 35	12.3	19	0.1	0		0	12.9	2362 0	12.9	2353 0	13.1	2359 0	12.8	2372 0	12.8	2390 0	12.7
INT NO PEDIAT CB/GYN	5351 1652 865	32.3 10.0 5.2	5571 1776 897	32.4 10.3 5.2	5829 1833 966	32.7 10.3 5.4	6043 1808 981		6129 1833 1008	33.4 10.0 5.5	6260 1810 1035	34.2 9.9 5.7	6276 1795 1010	35.0 10.0 5.6	6579 1915 1014	35.6 10.4 5.5	6736 1899 1021	36.3 10.2 5.5	6912 1944 1048	36.8 10.4 5.6
PSYCH	870	5.2	33 5	5.5	966	5.4	933	5.2	923	5.0	922	5.0	867	4.8	879	4.8	902	4.9	932	5.0
MEDSPC DERMAT NEUROL OPHILM	127 9 77 41	0.8	135 8 86 41	0.8	108 8 73 27	0.6	117 11 74 32	0.6	109 . 8 74 27	0.6	109 9 72 28	0.6	97 6 67 24	0.5	90 6 59 25	0.5	91 5 59 27	0.5	80 9 50 21	0.4
CEN SG	2349	14.2	2310	13.4	2393	13.4	2369	13.1	2407	13.1	2340	12.8	2274	12.7	2330	12.6	2310	12.5	2322	12.4
SURGEP NEUREG ORTHOP OTCLAR URCLOG PLSTEG	338 27 198 51 62	2.0	409 37 242 49 81	. 2.4	402 39 240 44 79	2.3	434 41 257 46 90	2.4	431 45 250 52 84	2.4	553 40 305 96 107 5	3.0	554 48 318 81 104 3	3.1	532 35 334 47 111 5	2.9	530 35 329 46 112 8	2.9	504 31 342 42 83 6	2.7
SUPPSP ANESIH EMEMD PATHOL PHYSMD PREMD	1521 392 585 66	9.2	1593 448 582 88	9.3	1623 466 612 89	9.1	1649 518 573 116	9.1	1672 526 574 105	9.1	1566 507 557 92	8.6	1558 437 190 484 92	8.7	1546 427 209 479 105 2	8.4	1468 375 234 468 87 6	7.9	1449 330 270 477 78 8	7 . 7
DX RAD RX RAD NUC MD	412 66	•	397. 78		373 83		369 73		383 84	,	336 72 2		292 52 11		291 30 3		263 33 2		265 21 0	
TRANS	1572	9.5	1443	8.4	1434	8.0	1381	7.6	1449	7.9	1343	7.3	1168	6.5	1213	6.6	1206	6.5	1189	6.3
TOTAL	16574	100.0	17219	100.0	17824	100.0	18055	100.0	18331	100.0	18300	100.0	17952	100.0	18457	100.0	18535	100.0	18770	100.0

(AN ADDITIONAL 240 PGY-2 POSITIONS WERE OFFERED IN 1986)

1986
THROUGH
1976
PROGRAM
HATCHING
IN THE
APPLICANTS I

1916 1916 1916 1917 1919
1907 1918 1919 1910 1911 1910 1911 1912 1910 1911 1912 1913 1914 1915
1902 1918 1919 1919 1910 1911 1911 1912 1913 1914 1915 1914 1915 1914 1915
1975 1979 1980 1981 1982 1983 1984 1985 1984 1985 1984 1985 1986
1979 1980 1981 1980 1981 1982 1983 1984 1985 1984 1985 1986 1985 1986
1979 1986
1906 1906 1901 1902 1903 1903 1904 1905 1906 1905 1906
1986 1981 1982 1983 1984 1985 1986 1986 1986 1986 1986 1986 1986 1886
1986 1981 1982 1983 1984 1985 1986
1981
1982 1983 1984 1985 1986
1982 1983 1984 1985 1986 1985 1986 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886 1886
1982 1983 1984 1985 1986 1985 1986
1983 1984 1985 1986 x NO. x NO. x NO. x NO. x NO. x NO. x NO. x NO. <t< td=""></t<>
1983 1984 1985 1986
1984 1985 1986
1985 1985 1986
1985 1986
1986 1986
1986 1986 1022 1022 1022 1022 13756 13756 13756 13757 103756
8
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

POSITIONS CFFERED AND FILLED BY US GRADUATES AND TOTAL APPLICANTS

					-	10-					
	TOL	0.1888 13.88 2.92 2.92 2.92 2.92 2.92 2.92 2.92 2	85 6-	82.0 7.0 7.0 7.0 7.0	86 6	888 <u>8888</u> 5000	\$28 8 P 8 8 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8	3,80	86.0	88.0	
1986	ROSITIONS FILLED GEFERED SUS \$130	72.3 72.3 82.6	8.69	8 8 3 8 6 6 6 6	133	88 88 88 88 88 88 88 88 88 88 88 88 88	228 H 8 H 8 H 8 H 8 H 8 H 8 H 8 H 8 H 8		75.9	73.3	
-	POSITION OFFERED	2390 1941 1048	88	ន ិ ន ន	222	\$ # X 3 8 %	388£60		1189	18770	
1	88	7 6			N		***			₩	
 -	l a B	0 n 0 0	6	هٔ هٔ ۲۰۰۰	οί.	ဝ်က်ထံဝံက်ဝဲ	F	~ & Q	o,	0	
, 1	POSTITIONS FILLED GFFERED FIES FLOT	8 8 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	5 81.9	2 73.6 0 180.0 3 62.7 2 82.6	6.88.9	28 88 80 6 28 88 80 73 75 75 75 75 75 75 75 75 75 75 75 75 75	28 88 88 88 88 88 88 88 88 88 88 88 88 8		6 90.0	2 88.0	
1985	1305 F3 F3 F3 F3 F3 F3 F3 F3 F3 F3 F3 F3 F3 F	68.5 14.2 18.1 11.1	88.5	69.2 59.3 85.3	90.6	28 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5823E8		80.6	74.2	
	POSUTI(2372 0 6736 1899 1021	8	28°2	2310	8 8 8 3 5 5 0	菱茂垒落 800°	884	1206	18535	
,	9 10	88 88 6 0.00 6.00	75.0	71.0 83.0 61.0 92.0	90.0	828.00 0.00 0.00 0.00 0.00	0.0000000000000000000000000000000000000	8.50 8.00 9.00	87.0	87.0	
1984	POSITIONS FILLED OFFERED FUS FIV	83.0 83.0	57.0	88.0 91.0 0.0	79.0	8.58.28.88 6.6.6.6.6.6	488K80 000000		76.0	74.0	
\$1	POSITION	2359 7 0 5579 7 1915 6	879 5	84848	230 1	8 K ₩ ₩ = E v	55 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		1213 7		
	1 2 8	81 82 to 15	w		R		Dagar	CQ.	₹ <u>7</u>	18457	
	l, ë	91999	o,	9000	Q	000000	99999	000	o.	0	
· 67	POSITIONS FILLED THERED FUS FIND	8 8 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.07 0	0 88.0 0.00 83.0	0.88.0	0.000000000000000000000000000000000000		0.03 0.0 0.0	0.8 C	8.0	
1983	S G	0.52	57.0	59.0 100.0 71.0	75.0	888 97.000 97.000		8 7 0	74.0	72.0	
	POSUTI	253 0 676 1736 010	199	おからお	#1/22	坚弱器空草。	经基础	882=	1168	17952	
								٠			
	eg i	22.58	₹.9	8 8 8 8 8 5 6 6	87.4	888888 -00880	20 10 10 10 10 10 10 10 10 10 10 10 10 10	88.7 23.2	85.6	81.7	
<u>\$</u>	COLLEGE FILLED COLLEGE STORY S	74. 1 7. 1 8. 1 8. 1 8. 1 8. 1 8. 1 8. 1 8. 1 8	58.7	3.82 8 0.44 6	75.9	828888	56.3 67.7 67.7 12.4 39.1	25.05 20.08	74.4	71.2	
	COSTITION OF THE PRESENT OF THE PRES	28 28 28 51 51 51 51 51 51 51 51 51 51 51 51 51	SZ.	ర్థ్యా	₽	យិឌស័ឌឪ្		98 Kr	13/13	18300	
	1 % 8	4 0			•		•		_	#	
•	e p	78.4 79.9 76.3 91.3	9.95	42.2 75.0 35.1	83.6	87.9 97.6 97.6 65.5	57.4 61.4 45.6 45.7	35.0 35.0	79.3	77.2	
2	POSITIONS FILLED GREEKED FIE \$TOT										
1981	E GE	-	3 53.0	27 80 85 4 27 25 50 4 21.9	7 73.5	2004 204 204 204 204 204 204 204 204 204		3 76.0 4 17.9	74.7	1 69.4	
	POSITIO CEFERED	2370 6129 1833 1608	Ø	\$ * # 15	2401	ខ្មាន	58 F 5	ద్ది జే	1449	18331	
	ı #										
	A STOT	7.7 81.5 73.0	47.8	882 4664	80.2	85 87 88 8.0 4. 12. 6.		7.8 15.1	78.7	75.4	
88	335 FILL	72.8 73.4 65.3 78.6	13.8	88.52 6.0 9.0 9.0	72.2	25.25 25.45 25.55	15.0 15.0 38.2 29.3	독 다 다	72.6	68.5	
	POSITIONS FILLED GRENED FUS IN	5 0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	833	#=# 8	2369	\$=1238	518 518 573 116	ర్జ్ <u>ట</u>	1381	18055	æ
	1 6 0						·		•-	*	CADIN
	Eg. Stot	88.78.88	6.64	48888 60 60 60 60 60 60	74.9	85 4 2 6 8 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	51.5 47.2 49.7 25.8	25.1 24.1	73.4	6,3	52 52
1979	RESTRUCE FILLED GFERED ALL STA	75.1 8 0.0 2 74.1 8 67.6 3	45.7	25 24 28 6 77 75 6 17 77 70 70	67.1 7	\$2.00 \$2.00 \$2.00 \$2.00 \$2.00 \$2.00 \$2.00 \$2.00 \$2.00 \$2.00 \$3.00				17824 68.1 75.3	S DE
57	POSITION GFFFRED							3 21.7 3 21.7	4 65.2	89	0 0
	8 8	2	8		2333	3 E 5 3 E	2 2 2 2 2 2 8 3 8 8	ች " E ይ	1434	1782	(PERCENTS MAY NOT ALD TO 100 DUE TO ROUNDING)
		FANTLY PRACTICE GENERAL PRACTICE INTERNAL PEDICINE PEDIATRICS GESTETRICS/CON		PEDICAL SPECIALIY DETWINGOS NEJROOS CPHIMINGOS		SURCICAL SPECIALTY NEUROSURCERY OFFICEBOIC SURG OFFICEBOIC SURG URCLOST URCLOST PLASTIC SURCEN	SUPPORT SPECIALLY ANESHESICLOSY BYENESICY NED PATRICIS PRINCICAL NEDICINE PRESINA	DIACNOSTIC RADIOL THERAPEUTIC RAD. NOCLEAR MEDICINE	ور		IV NO
e.		FANTLY PRACTICE CENERAL PRACTIC INTERNAL PEDICTI PEDIATRICS CESTETRICS/CEN	CATTRY	EDICAL SPECIA DERVATOLOSY NEUROLOSY OPHINALOSY	E SUB	UNTICAL SPECIAL. NEUROSINGERI COCHOPEDIC SUN OTCARNICACOLORI UNCLOSI	ANESTHESTICACY EMERICACY EMERCICACY PATHCACY PRESICAL MEDIC FRESICAL MEDIC	OSTIC PEUTIN	TTOWN		20
		FAMILY PRA CENTRAL PRA INTERNAL M PEDIATHICS CESTETHICS	PSYCHIATRY	HEDICAL SPI DERMATOLO NEURALOSY OPPITHALIVI	CENTRAL SURCES	STREECAL NEJROSSI OCCHOPE OTCLARED URCLOSSI	AVESTHEST AVESTHEST EVERCENCY PATHOLOGY PHYSICAL I PHESY	DIACN THERA NUCLE	TRANSTITIONAL.	TOTAL	FEC
			-*	****	`		V)		£⊷4	\$ -4	نب

TOTAL APPLICANTS MATCHED BY STECLALTY

	1986	-	12.1	37.1	6.0	3	0	12.4	<u></u>	7.1		•	6.3	8	
	*	Ğ.	960	23. c	1723 974	782	突ら改復	<u>₹</u>	ተደ ጀ ያ ጀ ያ ድ ጐ	<u>8</u> 8	8 12 88 m	` <u>₹</u> ≉°	<u> 5</u>	16136	
	1985	*	11.6	37.4	10. 10. 10.	4. R.	a. 0	12.6	m.	7.			6.7	동	
	\$1	Q	1898	, & , &	8 8 8	739	8325	8023	8្ត ក ស្ត្រ នគ្គ ទ	11.05 5.05 5.05 5.05 5.05 5.05 5.05 5.05) # E m	800	1086	16306	
	1984	-	12.5	35.8	10.4 6.1	7.	₹. 0	13.0	8. 2.	7.9			9.9	8	
	₹.	8.	2011	5767	1683 979	961	ቋ _心 % ఏ	2032	ក្នុងស្គីង្គនិក	8 38 8 8	8 % E 0	E=-	1061	16112	
	1983	1	12.5	35.6	6.3	4.0	₹ 0	13.2	် လ က	8.1			₽°9	8	
	₹:	ğ	98	7 <u>7</u> 2	1519 963	609	3,80,8	2011	2883458	<u>\$</u>	हु [%] द ०	28	9779	15218	
	1982	*	13.0	33.1	9.9 4.9	4.0	a. 0	13.7	3.5	9.9			1.	8	
	~	8	₹ 9	72 22 28 28	55 %	83	Ro8	2045	# # 8 8 8 # # # # # # # # # # # # # # #	\$ 8	25 o	2	1109	11993	
7	1981	**	13.1	34.6	6.0	3.7	0.3	14:2	2.2	6.8			8.1	8	
141747 X	4	č.	1858	, 55 55 50 50 50 50 50 50 50 50 50 50 50 5	£ 8	223	3084	2012	25 E E E B 33	88	850	β _Z	1149	14144	
1	1980	~	13.3	36.2	9.7	33	÷ 0	14.0	2.6	6.2			8.0	8	1986)
	-	ğ	1818	1928	Z Z	9111	55 78 74	1900	ងឧន្តម	S6 843	# # °	- 5 <u>8</u>	1087	13619	TOTO IN
	1979	26	13.4	35.8	6.3	3.6	ਰ o	13.4	2.5	6.2			7.8	8	2 POST
		œ.	\$5 70	4812	₹ 2 2 2 2 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3	짫	4 % 4 29	1733	\$888 \$88	R R	ង្គីលទ	କ୍ଷ୍ଣ ସ	1052	13430	70 PCZ-
	1978		₽°0	36.2	70.7 5.6	3.9	7.0	12.9	es vi	6.1			8.3	8	KTOED
	-	MO.	£7±	848 848 848	2 E	516	ጸዳዮጸ	1732	2000年2000年3000日	918 051	273 174 0	ន្ត ព	1110	13376	N SEEDER S
	1977	24	11.8	36.6	5.6	3.8	7.0	13.7	ν. ∞	0.9			8.9	8	LICANI
	-	Q	<u>8</u> t	579	<u>8</u> 2	#8#	まっため	1753	ម្លិ _ឆ មិ _្ ម	769 192	5 th 3	£ 28 28	1131	12760	182 APP
			,									•		•	TICHE
			FAPRO	ON THE	CO CON	PSYCH	MELSEN DERMIT NEUTING ORIGINA	GEN SS	SURCE NEURSC ORCHOP OTCLAR URCLOS PLSTSS	SUPPOSP ANESTIA BYGEN-D	PATHOL PREVAD	TX RAD RX RAD RXCRED	TRANS	TOTAL	(AN ADDITIONAL 182 APPLICANTS WERE MATCHED TO POT-2 POSITIONS IN 1986)

Table 6

U S GRADUATES MATCHED EX SPECIALIY

1986	ક્લ	5.5 6.9 6.9 6.9	7	0.3	5.1	e.	£.	9.9	100.0
	8	086 1366 1366 888	<u>12</u>	≇ ~ 8 ⊏	1796	82288E0	242 242 197 197 198 198 0	8	13756
1985	*	36.3 9.4 6.0	⊅ .	0.5	13.5	न ्	7.7	1.	100.0
-	ß.	1626 0 1287 828	8	ቈ _心 ፞፞፞፞፞፞፞፞፞፞ <mark></mark> ፚ	1862	\$ 88 85 °	65 8 8 8 8 8 8 8 9 8 8 9 8 8 9 8 8 9 8 8 9 8 8 9 8 8 9 9 8 9 9 8 9	972	13753
198	84	35.2 5.2 4.6	3.7	₹	13.5	3.5	ຜູ້	6.7	8
	Q	E 。	161	8 m 8 2	1831	ដូ ៷≌ឩឨ៝៷	Ē簽藝紹命。然在-	916	13588
1983	84	13.0 0.0 0.0 0.0 0.0	3.9	ਜ∙ 0	£.	် <u>ဆ</u> ဲ့ က		1.9	92
	S.	1681 1511 1182 807	₹	なる単す	1711	\$2 \$ \$ \$ \$ 0	8 8 8 8 8 8 8 8 € ¥ €	820	12874
282	84.	13. 45. 4. 45. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	2.2	≒. 0	13.6	3.8	8.8	7.7	6
-	δ	155 25 25 25 25 25 25 25 25 25 25 25 25 2	<u>₹</u>	a 유 우 유 章	1771	82 28 26 24	2 % % % % £	86	13023
1981	70	34.0 9.8 6.4	က္	0.3	13.9	ر. ح	6.9	8.5	92
	Q.	1727 0 1327 1241 810	684	47.00年	1769	新成成	器型 量20型元	1083	12724
1980	84	13.8 35.9 6.2	e. G	4.0	13.8	2.7	5.2	8.1	8
***	W.	1703 0 14136 11780	6	작~본동	1711	ង្គីនម្លិនភិ	273 279 279 279 279	1002	100 12135 100 12371 TO FOX-2 PROCREMS IN 1986)
1979	₩ .	13.9 35.6 10.2 6.2	3.6	† 0	13.2	, 5	# 9	1.7	100 CRANS I
-	Ŏ.	1691 0 1240 1240 750	#	出る。	1506	8223233	# K K K K K K K K K K K K K K K K K K K	322	12135 IZ-2 PRO
1978 .	54	13.8 0.50 0.52 0.53 0.53	3.9	0.7	12.8	رن تن	0.9	7.9	
•	6	164.1 1207 1207 683	991	82°8	弦	88883	52 第8025	32	11875 MATCHE
1977	64	12.6 0.0 37.6 10.4 5.6	9.0	0.8	13. 1	0	0.9	∞ -	100.0 TE ALSO
•	8	5 5 5 5 6 6 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	137	8548	1460	<u> </u>	88 82 40	8	11172 100.0 11875 ICORS WERE ALSO MATCH
		FAMPRC GENERIC INT MD PEDIAT	PSYCH	MEDISPC DEPART NEUFRCL OPHERM	SS	SURSE OCINO	SUPER- AVESTH PATICA. PATICA. PREMO DX RAD RX RAD RX RAD RX RAD RX RAD	TRANS	TOTAL 11172 100.0 11875 (166 SENUCIES NETES ALSO MATCHED

[able

FOREIGN GRADUATES MATCHED BY SPECIALITY

1986	W	7.2	9.91	8 ~	7.2	- C	r 5		9 #	4.0					5.2							5.t	100.0	
ξ	Ø.	₹.	₹	8 8	\$	v	ວິທ	~ ~	₹	٤n	~	mc	0	0	72	ب	- E	=	w	0	0	Б	1382	
1985	*	9.1	11.91	20,5	6.8	0			4.9	0.3					5.3							1.7	8	
	8	∄ °	737	% &	108	+-	0 -	0	78	Ŋ	0	ભ ←		0	କ୍ଷ	w e	a (C	œ.	***	0	o	15	1589	
1984	54	9.3	41.0	8°.	7.7	6.0	•		7.8	0.2					ħ.7							6.0	8	
¥**	8	हि ०	687	3,8	8	17	- O M	•	130	<i>22</i> 7	0 1	m c	•	0	78	ð r	› ይ	9	9	0	0	8	1 <i>67</i> 4	
1983	84	8.8	11.1	3.7	5.6	0	?		4.6	9.0					5.8							6.3	8	
₩.	ã	140	93°	<u>қ</u> г	8	4	0 m	*	द्ध	6	 (77 A	ım		ĸ	8 4	9 2	ß	ß	ω	0	8	1593	
1982	w	8.5	10.8	3.6 3.6	3.5	4.0	•		13.4	0.5					₩.9							6.1	8	
5.	8	€ 6	, K	216 E 5	£5	. Kn	010	o [']	173	-	 +	- 0	m		8	88	Ж	ሶን	4	9	0	78	1287	
1981	w	8.1	43.7	11.8 6.2	1.7	0.2	•		16.4	0.9					6.9							4.0	8	
19	Ğ.	120	38.	∯.¥	75	Ċ	0 (1	0	143	ω	mc	> ~~	≈ T	•	8	R	Ħ	겉	ស	ဖ		83	872	
1980	20	7.0	12.5	12.7 5.9	3.7	0.3			13.6	0.3					7.6							π·9	2	
\$	ő.	ည္ ဝ	274	88	₹	N	o •	-	88	~	c	0	·		<u>\$</u>	R	ದ		_	Ø		14	645	
1979	×	5.8	38.4	 1.3	2.6	0.3			14.4	ħ*0					5.0							ф°6	8	ants
19	. .	ដឹក	8	윤	19	C)	O N :	0	101	m •	· •	۰0	y		33	2	82		9	Ŋ		22	743	, Applife
1978	54	1:0	#. K	3.7	 	9.0			13.3	9.0					8.3		,					12.3	8	Pathsay
\$	iQi	84 0	38	- eg	₹	ø	o m .		136	9+	«	ı •'	N		æ :	<u> </u>	28	ದ	₽,	٥		1 2	<u>18</u>	ng 5th
		FAPPIC	DIT ND	00 (GIV	PSZCH	MEDISPO	NEUROL	N H	EN SS	SURCE	CHIECO	OTOLAR		H.N.S.	SUPPSP	DEST	PATHOL	PREWD	CON XC	A RAD	MOCENT	TRANS	TOTAL	* Excluding 5th Pativay Applicants

Table 8

W.

FIRST CANICES OF U.S. SANCES* NRAP 1986

j	<u>8</u>								
POSITIONS	PER IST CHOICE	444T	~	0 0 t	1.2	1.00	2.0 2.0 3.0 3.0 6.0 6.0	1,5	<u>.</u>
POS	Q.	2390 1944 1048	88	282	2323	24380	330 270 277 777 78 8 8 265 212	1189	18770
HOLLOWS		33.0 9.4 6.6	4.6	0.00	13.3	0 # 0 0 0 0 0 0 0 0 0 0 0 0	4 4 4 0 . 4 0 4 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	5.3	100.0
TOTAL CHOICES	œ.	55 55 55 55 55 56 56 56 56 56 56 56 56 5	989	888	1927	33 d € € 53 d € 69 d €	88 88 55 1 1 1 1 2 8	781	14652
	. 84	7 1 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2.2	0.0	32.9	0.0000	0 0 0 0 0 0 0 0 4 0 + 8 6	6.8	100.0
	TOTAL	8328	23		314	03000	8545-80	B	瑟
r uran	15T/3	WW	0	00-	***	05000	00-00	Q	17
akias a unaided	1SI/2	ဥ္ ဣဝ 🛪	ø	0 0	16	0 24 0 0 8	277022	83	춙
ದ.	Z GALZ	8428	Ð	00	237	၀ ထု ၀ ၀ ၀	4 % w # o % -	38	705
	54	72.0 34.0 6.8 5.8	4.8	0.00	11.9	0 W 0 0 0 0 W W W W	000000 000000	5.2	100.0
CLUCKED	TOTAL	\$5 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2	629	288	1633	នខឧស្ល្រីជ	38838 450 450 450 450 450 450 450 450 450 450	716	13698
CHOICES OF MATCHED	1517.3	ងខិត្តអ	ĸ	2482	æ	0%	₩₹~80₽°	₫	899
CHOILD	151/2	± 82 € £ £	76	ნ-დ	菡	က ည _{်း} သည်	136 167 114 0 0 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	8	24 23 23
	OII V	25 3970 124 154 154	88	០ជីក	1448	<u> ឧទី</u> មិន១	æ <u>ឧស៊ី</u> ្ឌ០&្ជី្	272	10537
		FAMPIC INT NO FEDIAT OB/CON	PONCH	NEDSEC DEPART NEUROL OPERIM-	GEN SC	SURCEP NEUROS ORTHOP ORTICAR URALCA PLSTSS	SUPER-ANESTH BAESTH BAESTH PATHAL PHENAD DX RAD DX RAD FR RAD	TRANS	TOTAL

* Of the 99 percent who included one, two or three types of specialties on their rank order lists. second and third choices of specialty are not included in this Table.

œ
0
_
۵
85
_

																											-												
	* carrier		83	8	8 S	5. 1	£ 8	8 8	3 2	3 %	3 F	1 ER	æ	ま	17.	83	8 8	8 'Я	¥ 5	బే	8	ī	끍	8	ਕ	B	84	8 88	?	88		~	. ®	0	ಹ (<u>3</u> °	83	ł	Ð
	HIGH-		1960	89	5	<u>.</u>	ر در وزر	<u>8</u>	₹ ₹	1 % 1 %	<u>,</u>	8	₽	1249	35	ଅ :	¥ ≥	3 €	÷ .c	8	8	230	m	m	88	ហ	₹ ₹	育		16136		c	*	0	Ö,	o o	E	ş	8
/ iday	POSI - MITCH- TION ED	-	6.9	6	9	2		ာ် လ	; ;	7 -	5.0	1.6	2.6	13.0	- - :	ا ان	υ. Σ. τ	1	16.8	5.7	11.9		ะค่	ຕຸ: == 0	φ (φ x	x =	. O.		က် ကိ		70	m L	0.0	ເບ ຜ່າ	ນ ຕ ດີ	7.9	4	i
	APPLIA.	ž.	16516	49219	8 8	200	1587 1587	7500 1000 1000 1000 1000 1000 1000 1000	1,608	2679	7	: 8 3	K	17220	1028 1028	₽;	= 8 X	3 5	5	1873	88	2633	ထ္က	to į	£,	2 }	8 8	8321	,	159045	- SZ	ev 1	<u>ھ</u>	0	& #	ប្ 🛪	1416	1640	2 <u>1</u>
TOTAL APPLICANTS	POSTITORS OFFERED	ROX-1 PROCERANS	2390	23.8	1147	76.	5 5	<u> </u>	2 4.5 2 a 10.1	3 5	ا م	· &	72	1321	1001	m {	£ 2	¥ &	3 0	330	270	194	 -	ന	е С	~ (£ 5	1189	•	18770	POY-2 PROGRAM		· 81	***	1 2 v	c) ex	, 2	ç	₹
8	M # CF PROCHANS	84	369	#13 113	25	€ (8 5	219	n ş	6 1	2 ==	80	-	270	198	<u>ئ</u>	3 23	8 =	, =	F	14	167	-		<u>بر</u>	= †	£ &	<u> </u>		3036	2.	^	i .ar		ហេ	NO	. 2	ų	ទ
	PROCEAM CODE PE		8	ر ا	7-1 1	5	유 상 상	8 3 3	R) 8	3 5	3	ر د د	£	513	P-18	ار	<u>۾</u> د ک	8 2	Ęį	T	, m	S S	8	हुन ट्रेन	£	Ŧ	5 5 5	ĵį	: •			5	, g	5	g (3 5	3		
	PROCEAM		FAMERO	DATE	DATE (PREL)	DATED (PRIM)	INNED(PEDS)	PEDIAT	PEDIAT(PRIM)	UN GIN	DERGT	MENEC	OPIETA	(E2) SS	(EN SO(PREL)	MEURSS MEURSS	ORTHOP		of the second	ANESTH	B/EN D	PATHAL.	PATHOL (AN)	PATHCL(CL)	PHYSID	PREMO	5	TRANSIT		TOTALS	-	HISTORY	DERD	NEURSG	OFFERE	PHYSO	DXRAD	a succession	TOTALS
																																						-	
																														٠.									
	, FILLED		Ę	3 5	2 &	8 &	; F	. 2	. <u>e</u>	웞	69	K	# 8	∂ å	\$ \$	5 &	8	8	æ	8	55 6	Z) S	2 €	ָץ נְ	3 &	3 5	₫ ಪ	19	5	p			0 (g (⊃ <u>~</u>	8	οʻę	2	S
	MATCH ED ED		4600	2 Y	<u> </u>	į	7 2	133	; K	38	651	വ	81	<u>) </u>	<u> </u>	3 5	307	8	7	9	89	25.5	<u>,</u>	ሳ ሰ	ოც	3 *	8	<u>E</u>	g	13756			O (<u>+</u> (⊃ <u>(</u>	ص ر	133	3	166
ROGRAM TYPE S	MPH/ POST- N		· .=	n +		· α	, r.	, m	12.0	4.6	3.4	5.1	9.0	ب ئ	o o	, c	13.3	-	0.1	14.0	4.5	10.2	# V	0 n	, v	, u) =T	8	'n.	6.1			0	က ဇ) 	. 2	0 8	;	بر ش
BY PROCINAL DENTS	APPLI-	22		25635	12.5	565		8,50	, <u>r</u>	1 2g	318	9₽	유 :	₽ {	, <u>K</u>	<u> </u>	1 E	유	83	ౙ	225	26.25	<u> </u>	<u>o</u> ≈	# 65 # 65	3 =	1951	82	6017	113780	Ø		- 1	<u></u>	2 c 0	<u>.</u>	1382 282
RESTRICTS AND APPLICACIONS BY P. U S SERIOR STUDENT	POSITIONS OFFERED	PCY-1 PROCRAMS		3 & & & & & & & & & & & & & & & & & & &	1127	107	¥ &	<u> </u>	£ 2	158 3	932	σ	ន ន	2	<u> </u>	3 %	357	일	æ	છ	ස	202	40,	f	ηę		265	77	1189	18770	PCY-2 PROCRAWS		- - ;	81 .	- Æ	<u>.</u> ω	180	8	용
AND AFF	# # GF 1	돲										t	ี เ	-	2 8		, &	ଝ	17	#	E!	14	<u>,</u>		£	ጸ <i>=</i>	r &	ŗ	22	3036 1	82		C4	⇒ •	u	, cv	N g		65
POSITICAES	PROGRAM OCDE PR		8	3 ¥	۲ ت ټر	5 5	9	3 %	3 K	r B	Ī	<u>ئ</u>	ج ا	<u>بر</u>	ء ج ج	2 2	, % J	, , ,	ŧ	C-43	ب	က ငီ	Q Y	8 8 5 c	<u>ر</u> د ک	<u> </u>	ij	J	T-14 .				52	<u> </u>	<u> </u>	88	4 3	, <i>1</i>	
1986	PROCEAN			FATTA	TATALET (PRET)	WING (PRIM)	TXT-ED (PEDS)	PEDITET	PEDIAT(PRIM)	OB/GRIV	PSYCH	DERGI	heund.	OPHITIM		MEN SALFRED	ORTHOP	ONCLAR	URGLOG	PLAS SG	ANESTH	Delay	PATHOL	PATHOL (AN)	FAIHL(CL)		DX RAD	RX RAD	TRANSIT	TOTALS			ANESTH	PARRO		PHESO	H) N	THE WITH	TOTALS

30	IN NRMP
Š	Z
	FILLED
	QNA
3101.0GY	OFFERED
ANESTHES	POSITIONS OFFERED

701%	:	75.0	100.0	100.0	78.6	100.0	80.0	100.0	100.0	100.0	90.9	100.0	100.0	100.0	75.0	100.0	50.0	0.00	83.3	66.7	26.7	75.5	70.8	100.0	52.9	100.0	91.3	100.0	100.0	100.0	66.7	83.1	
%use	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50.0	100.0	100.0	64.3	100.0	80.0	8.0	92.9	100.0	86.4	88.9	0.001	100,0	75.0	100.0	50.0	0.00	83.3	66.7	26.7	71,4	66,7	0.001	52.9	100.0	87.0	100.0	100.0	91.7	66.7	79.8	*
ALFMG							0																									. 6	* * * * * * * * * * * * * * * * * * * *
CANADA		٥	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	٥	0	٥	0	٥	0	0	0	0	0	0	٥	0	1 1 1 1 1
OSTEO (1 1 1 1	0	0	0	0	0	Ò	0	0	o	٥	0	٥	٥	0	0	0	0	0	0	0	-	•	0	0	0	0	0	0	0	0	2	******
USFMG		0	٥	0	•	٥	0	٥	* *	٥	0	0	0	0	0	0	o	0	0	0	٥	-	0	0	0	0	٥	0	0	0	٥	. 6	
57 11₽₩	:	0	0	0	٥	0	0	0	0	0	0	0	0	o	0	0	0	0	0	Φ	٥	0	0	٥	0	0	0	0	0	0	0	0	
USMD	\$ • •	-	0	٥	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	o	0	0	o	4	* * * * * *
USG	;	8	9	4	ָס	ın.	4	œ	ũ	യ	19	00	'n	φ	က	8	-	7	ß	9	4	ខ្លួ	16	9	Φ	7	04	83	7	=	4	268	+++++
POSITIONS		4	9	**	**	ı	ເກ	e 00	7	80	22	Φ	យ	ø	*	~	~	7	φ.	o,	ເດ	49	24	φ	1	7	46	90	7	2	go .	337	
-			œ	~	≪		o		⋖	∢	ن	2	>-	~	≪ :	w :		,	_		_	_		J.		٠,٠			_		. :		:

EMERGENCY MEDICINE - 1986 POSITIONS OFFERED AND FILLED IN NRMP

705G 710T		2																					0.0 0.0)
ALFMG	*	0	0	-	C	, C											0							;
O CANADA	1 1 1 1 1						o	0									0							
JSFMG OSTEO			0				0	0									0							, ,
3	1 1 1 1 1 1	0	0	0	0	0	0	0	0	-	٥	0	0	0	0	0	0	٥	0	٥	Φ	0	0	
USMD	l F I	•	0	8	0	4	0	0	0	O	o	0	73	0	0	0	٥	0	ij	0	-	0	0	ū
USG	:	ო	4	ស្	Øì	ß	~	រា	ო	25	7.	1	31	4	Ç	*	4	e	38	ტ	39	4	0	256
POSITIONS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	4	S C	Ξ	õ	80	ល	m	27	7	7	8 8	4	ဖ	*	4	ייט	44	က	32	4	4	293
ST	ŀ	œ	7	ర	ç	ပ္	a G	'n,	ð	ĭ	Z	¥	ï	Z	9	ပ္	3	ž	Ŧ	č	۲ ا	S	×	

						11 TELED 114 1400				
FS 1	POSITIONS	nse.	CMSU	STHPW	USFMG	OSTED CANADA	V C	ALFMG	%use	%TOT
بي	st st	45	0		1	-		0	9	81.0
α	9	6	ო	٥	0	•-	0		63.3	
	000	200	0	0	0	7	0	0	ຕ່.	8
4 0	3 6	2 2	₽.	w (. 2	4	Ce o	(ď,	
-	9 4	5 0	- 0	0 (۰ د	۰.	→	> (ζ.	3 5
۔ د	, ű	ספ	۰ د	٥ (- 1	- 4	 (> (D &	0.0
, u	2 ;	ne	4 (5 (0	>	٠ د	> •	<u>.</u>	86.7
.	- t	æ ç	0 0	0	ο.	•	0	0	∵.	8
	4 (· C.	Φ.	m	ילט	۰,	د م	b .	80.
۷.	4 4	4 1	4	0	0	0	0	0	19.4	88.4
4 (in a	37	ო	***	٥	ស	0	۵	•	85.2
0	တ		0	0	0	0	0	0	100.0	100.0
	136	82 '-	m	0	6	თ	0	õ	57.4	80.1
z	73	ស្	0	0	0	-	0	-	75.3	78.1
v	9	23	7	٥	٥	-	0	0	65.7	74.3
>	26	£3	0	0	c	c	0		73.1	73.1
4	4 10	26	٥	c	· c		, C			× 7.5
4	46	14	+	0	c	c	·		8,7	6
۵	25	13	7	. •-	¢	· c	c			
¥	22	1	,	· c	0	· -	· -	٠		
హ	80	60	c	, -	۳	- α	c			777
Z	16	89	٥	· c	c			c		
õ	4	27		0	0	. ლ		0	67.5	77.5
S.	7	ā	0	0	٥	-	0			100
ÿ	49	23	က	0	-	0	0			94.0
9	48	ø	0	0	0	٥	٥		33.3	33.3
ш 2	25		0	0		٥	٥		56.0	68.0
_	72	4	o	6	4	4	0		61.1	90.3
Į.	60	y	۲,	٥	0	0	٥	0	75.0	0.00
	m	c	0	0	0	-	0		66.7	80.0
ž	127	67	ო	ເກ	~	61	o			76.4
퍔	133	94	က	0		2	0		70.7	75.9
š	4. 10.	58	-	0	0	0	0			66.7
~	7	ဖ	-	0	0	0	0		85.7	80.0
_	176	102	ო	4	83	4	7			76.7
¥	ũ	-	0	٥	٥	0	0			91.7
	62	54	-	0	-	0	٥		87,1	90.3
	60	00	0	0	٥	٥	٥	0	100.0	
	O i	6 C	0	0	ю		٥			76.0
	155		က	-	0	es	0		71.6	78.1
	9		C+	0	0	0	٥	0		
⊄ }	Ď.	4 G	•••	0	0	t,	•	0	67.3	
		7	٠ به	0	0	0	0	0		
	2	9	-	Ö	0	0	0	0	97.1	•
ر د ج		4 4 20 t	ო	0 (in i	ი -	0	٠.		85.9
> ? = 3	47	<u> </u>	٥.	0	0	0	0	0		
. ;	4.	7 i	٥	0	٥	0	٥	0	0.00	0.001
	2390	1680	67	22	r.	84			1	
						3		c C	5	?

1986	IN NRMP
1	FILLED
	AND
.0GY	OFFERED
DERMATOL	POSITIONS OFFERED

701%	100.0	0.00	0.0	100.0	55.6
%usa	100.0	100.0	0,0	100.0	55.6
ALFMG	0	٥	٥	٥	٥
OSTEO CANADA	٥	0	0	0	0 0 0
03160	0	0	٥	0	0
USFMG	0	0	٥	٥	0
MdH1S	0	0	0	٥	0
USMD	0	0	0	0	0
usc	8	-	0	7	រភ
POSITIONS	84	_	₹	он 2	
St	ΑR	Z	ž	Ŧ :	

1986	IN NRMP
•	FILLED
L MEDICINE	FFERED AND
INTERNAL	POSITIONS 0

NEUROLOGY - 1986 POSITIONS OFFERED AND FILLED IN NRMP

%101	•	82.4	88.0	94.4	91.7	98.4	85.3	70.2	92.9	8.0	90.9	90.0	100.0	33.3	82.7	88.3	95.5	90.9	64.7	о С	79.7	100.0	78.4	8	83.1	80.0	0.0	28.6	95	00.0	73.9	90.0	9	, 0	7 C C C C	0.00	85.9	83.3	87.7	100.0	83.3			6.	96	9:	50	ъ Г	9.1	86.6
%nse	1	80.9	88.0	88.7	84.1	97.6	56.5	65.6	85.7	0,78	86.9	85.0	91.1	33.3	54.6	85.0	93.2	90.9	63.0	85.3	57.2	80.0	59.2	95.8	.70.5	89.5	97.7	28.6	86.8	94.7	47.8	8 6	5.5		78.2	90.3	71.8	77.8	75.4	0.0	83	57 ·	7 7	8.77	92.5	8:	82.7	79.3	58.3	72.3
ALFMG		•	0	-	1,1	,	õ	4	•••	თ		٥							0								-	0				0 0					4		~	ò	0	- 1	n •	-	-	O 4	O I	۲,	-	421
ANADA		0	0	-	r	o	٥	- -	0	0	-	0	o.	0	-	0	0	0	٥	4		0	0	-	0	0	0	0	0	0	0	0 0	o r	٧.	- c	o	-	0	0	0	0	٥,	0 (.	0 1	٥.	- - (0	٥	17
OSTEO C	1 1 1	0	0	٥	'n	0	φ.	0	0	-	•~	0	ო	0	ហ	0	-	0	0	ur ·	Φ	0	_	0	e	0	0	0	0	٥	თ	0 -	ې	÷ •	o C	4	25	0	~	0	0	۰ د	· ·	D (0	o (0 (0	0	112
USFMG	1	0	0	0	ó	0	52	0	0	•	0	0	0	٥	17	0	0	0	-	N	12	٥	2		t~-	0	0	0	0	0	m **	00	3 5		r C	0	23	0	- -	0	0	4 -	- 0	o (۰ ب	۰ ۵	о.	- (0	223
STHPW	1	o	0	-	9	0	8)	N	0	0	0	.0	0	٥	ស	0	0	0	٥	CV ·	m	Φ.	0	0	0	0	0	0	0	٥	ın	00	þ	ų	o c	0	-	0		0	0	٥	0 0	Э,	 1	0 (0 1	0 (٥	107
USMD	1 1 1	٥	0	-	2	7	Φ	٥	٥	•-	-	-	0	O	œ	N	0	0	-	φ.		0	-,	ო	~	2	~	O		-	ო	0 0	9	<u>.</u>	4 (4	~	1	٥	ო	0	0	- 1	n c	٥ (7	۰ ۵	~	r (0	=
nse		5 5 5	22	63	535	20	108	66	ŭ	122	86	17	4	64	259	ů,	4	9	ů,	326	107	Ø.	148	115	111	1.3	125	~	33	6	1	9 ;	4 6	200	2 4	50.0	362	4	49	4-	េ	9 :	217	21	60	2 5	27 (65	21	4994
POSITIONS) · 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	68	25	7.	636	54	161	151	4	134	66	50	45	Ф	474	9	44	99	64	382	187	6	250	120	166	<u></u>	128	٠.	38	<u>т</u>	243	- 6	2000	5771	220	62	504	48	eg eg	4	φ !	747	10 to	7 1	107	72 (ម្ចា ភាព	3 3	98	6912
ST	:	¥	¥	¥	ð	8	Ç	ខ្ព	30		ð	Ï	Z.	2	ĭ	z	×	¥	3	T.	9 !	u Y	ĭ	Z	9	Š	ž	2	Z :	Į	2	¥ 3	2 2	2 2	š	S	Ą	7	**	ပ္တ	os:	Z ;	<u> </u>	5 :	S !	-	4 (n :	2	

1386	IN NRMP
•	FILLED
SURGENY	ED AND
GICAL	OFFER
NEURCLOGICAL	POSITIONS

		POS	ITIONS	POSITIONS OFFERED AND	AND FI	FILLED IN NRMP	AMAM A			
t	POSITIONS	USG	USMD	STHPW	USFMG	OSTEO	CANADA	ALFMG	%use	701%
•		1	1			1 4 5	1 1 1 1	1 1		
•	9	Φ.	٥	٥	0	0	0	0	ó, ó,	0.00
3	er.	*	٥	Φ	0	0	¢	*	66.7	0.0
•	8	-	0	0	0	0	0	-	50.0	0.00
-	~	ď	0	٥	0	0	0	٥	0.001	100.0
z	ო	ო	0	o	0	0	0	0	8	100.0
Q	-	-	0	0	0	Ö	0	0	0.001	0.00
Ų	m	ო	0	0	0	0	0	0	0.001	0.00
r	•	4	0	0	0	0	0	0	000	100.0
•		o	٥	0	0	0	0	٥	0	0.0
×	~	N	0	٥	٥	٥	0	0	0.00	0.001
<	~	0	0	Ö	0	0	٥	0	0.0	0.0
4	d	cı	0	0	0	0	0	0	0.0	0.00
9	***		0	0	0	٥	0	0	100.0	100
	32	27	٥	0	٥	٥	0	2	84.4	90.6

PRETTING	5511	CHV	RTHOW	110.0160	CATED	ACAMA"	A 1 C M 2	43107	FOF
1 1 1 1 1 1 1 1) 	,						2 1	2 !
c		0	٥	-	٥	0	0	50.0	100.0
-		٥	٥	0	٥	0	0	80.0	0.00
_	-	0	٥	٥	٥	0	0	0.001	000
8	٥	0	0	0	0	٥	0	0.0	0
ю	0	0	0	0	0	0	٥	0.0	0.0
0	0	0	0	0	0	Φ	0	0.0	0.0
7	cv	0	0	Ο,	٥	٥	0	100.0	100.0
ო	m	0	0	o	0	0	٥	0.001	0.00
ψĐ	0	0	٥	o	0	0	•	0.0	20.0
m	ო	0	0	0	o	٥	٥	0.00	0.00
m	-	0	0	0	0	0	0	33.3	33.3
t.	0	0	0	0	٥	0	0	0.0	0.0
**	0	0	o	0	0	0	٥	0.0	0.0
	•	0	0	0	٥	0	0	0.00	0.0
7	64	0	0	0	oʻ	0	٥	0.001	0.00
4	8	0	0	0	0	o	0	50.0	50.0
~	64	0	0	φ	0	0	0	0.00	0.0
4	0	-	0	0	-	٥	r	0	0.00
124	۲,	0	٥	0	0	٥	0	100.0	0.001
ur	-	٥	0	0	0	0	-	20.0	40.0
90	22	-	0	-		0	4	44.0	58.0

1986	IN NRMP
۱ ۲	FILLED
COLOG	AND
OBSTETRICS-GYNECOLOGY -	OFFERED
OBSTETRI	SILLIONS

%10T	; ; (, c	, ec	0	0	φ	0	en en	0	0	0	ω,	o	0	o	o.	0	00	o.	o	0	C.	o.	2)	, o	s,	o.	o	-	m	ò	0	6	Q	0	٥	7	0	o	0	o	٥	D)	0	. 01	i
		3 5	3 5	9 6	8	92	9	00	83	8	8	8	46	õ	Š	8	Š	8	93	Š	82	8	96	8	95	8	87	8	8	80	96	8	ğ	87	8	8	Ó	ន ច	8	8	8	8	\$	6	90	92.	
ЖUSG		2 2 2 3 3 5 4	2 6	6	91.7	80.0	87.8	0.00	90.3	2.5	0.00	83.3	82.0	83.3	0.0	90.0	93.	87.1	71.9	20.0	65.6	76,9	88.5	80.0	83.3	0 0 0	79.3	8	50.0	68.0	77.8	100.0	Š .0	80.3	<u>\$</u>	500.0	0.0	95.7	89.7	75.0	95.0	0.0	8	71.4	80.0	82.6	
ALFMG	•	> 0	> 0	· c	0	0	0	0	0	0	0	٥	ō	0	0	0	-	0	-	٥	<u>က</u>	-	_	0	0	0	0	Φ	٥	-	_	0	0	,- -	0	0	0	0	 .	0	0	0	0	7	0	15	111111
CANADA		9	c	0	0	Φ	0	٥	¢	٥	0	0	0	o	0	0	¢	0	0	0	0 1	0	0	0	0	0	0+	0	0	0	Φ.	0	O,	0	0	0	٥	ο.	0	0	٥	Φ.	0	0	٥	0	111111
OSTEO	ļ	,	c	0	0	-	0	٥	٥	o	0	0	8	0	0	0	0	-	0	0 1	m (>	٥	> (0 (0	0 (o	0	-	m (0	o ·	~ (٥ ،	٥	3	0 (0	0	٥.	0 (۰ د	0	0	5	1 1 1 1 1 1
USFMG	c	> C	0		Ö	+	-	0	0	0	0	0	#	0	0	0	0 (8	۲۷ -	(٥ د	> <	> <	٥ (0 0	۰ د	> c)	0 (m (> 0	0	٠.	~ (۰ د	۰ د	0	> c	.	٥.	- (0 (5 (0	0	4	1 1 1 1
STHPW	c	> c	0	0	0	٥	0	0	0	0	٥	0		0	0	0	٥	0	4	0 (> 0	> <	> c	o (0 (\$.	0	7	0	> (o (٥ (٥ (0	0	0 (0 (0 (0 (o (> (0	0	7	
USMD	Ċ	> c	· -	4		•••	ო	0	<u>-</u>	7	0	-	N	~	0	0		-	0	٥.	7 6	N	,	o (m	0	~ (0	-	15	9	O (0	N (0	0 (0 (0 (φ	- ,	٥	0	٥.	-	- :	9	1 1 1 1 1 1
USG	*	- *	4	7.9	#	20	24	4	28	22	4	រវា	20	0	7	on :	27	27	23		9	2 1	23	n į	50	۰	ត្ន រ	n	•	102	4.	OD (ø	ភូ	ភ	9 9	١	22	.	e i	6	r) i	n ș	9	80	866	1 1 1 1 1 1 1 1
POSITIONS	•	- 4	ř	80	12	25	29	4	ě	24	4	g	61	12	7	<u>o</u> :	53	3	32	М ;	φ.	2	10 1 10 1	ຄ ;	24	Þ	V 1	מ		150	30 44 (30 (۽ م	đ,	n (2 (7	23	80	→ ;	0,1	r) 1	n :	4	0	1048	* * * * * * * * * * * * * * * * * * * *

POSITIONS USG USHOLOGY C - 1986 POSITIONS USG USHO STHPW USFMG OSTEO CANADA ALEN 5		· · · · · · · · · · · · · · · · · · ·	N NRMP	CANADA ALFMG %USG %TOT	1	83,3						0.0 0.0 0	C 00 C +0 - C
OPHTHALMOLOGY POSITIONS OFFERR BOSITIONS OFFERR S 5 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0	45 ;	ः १	ANDEFILLED	USFING OSTEO	*****	0	0	0	0	0	0	0	C
		COPHIMAL MOLOGY	TONS OFFERE	USWD STHP		0	0	0	0	0	0	0	0
		-5° į	. V	S	101	e G	60	2		e e	*	2 0	21 17

OSTED CANADA

POSITIONS

OTOLARYNGOLDGY - 1986 POSITIONS OFFERED AND FILLED IN NRMP

7

818. 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000

USW 0

115111111146111111111111111111111111111		
1001111		
1 1 1		

7101	6.	33.3	50.0	53.8	33,3		50.0	69.2	71.4	60.0	100.0	66.7	42.9	6.0	42.9	25.0	72.2	.0.00	31.6	85.7	63.2	33.3	6 0.0	0.0	00.0	66.7	33.00	3 5	, e.	50.0	8	58.3	50.0	0.0		50.0	48.4	9.0	0.00	0.0	80.0	18.2	0.0	* * 1 1 1
7,USG	9.1	33.3	25.0	٠.	0.0	40.0	25.0	46.2	71.4	0.0	80.0	25.0	42.9	57.1	42.9	0.0	61.1	\$0.0	31.6	78.6	52.6	33.3	100.0	0.0	8	0.9	33.3	2 4	2 8	0	0.0	33.3	0.0	100.0	0.00	37.	29.0	66.7	87.5	0.00	60.0	1 8.2	o o	
ALFMG	0	0	•••	Ψ-	0	ო		ч	0	64	-	ψ	0	01	0	0	•	٥	0	-	CI						0 0			0	7	4	٥	٥	0	-	7	-		0	٥	0	0	1 1 1 1 1 1
CANADA	0	0	0	0	٥	0	0	0	0	0	٥	0	0	0	0	0	o	٥	0	0	0	0	0	٥	0	0	0 0	> <	> C	0	0	0	0	٥	0	0	0	0	0	0	0	٥	0	
OSTEO C	0	0	٥	0	0		0	0	0	0	0	0	0	0	0	0	ò	0	0	0	o	٥	o	0	0	0 1	0 (۰ د		٥	٥	0	-	0	0	0	C+	٥	0	0	0	٥	0	1 1 1 1 1 1
USFMG	0	0	0	0	0	0	0	_	0	0	0	ო	0	٥	0	0	٥	0	0	0	0	0	0	0	0	0 1	0 0) (, c	0	0	7	٥	0	0	0	٥	0	٥	0	0	0	٥	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
STHPW	0	0	0	0	٥	0	٥	0	0	0	0	0	0	-	0	0	0	o	٥	0	0	0	0	0	0	0	0 0	> +	- c	0	0	0	0	0	0	0	0	0	0	0	٥	0	0	******
USMD	0	0	0	-	-	0	-	0	¢	o	0	- ~	0	0	0	N	-	0	0	٥	0	0	0	0	0	01 0	o c	0 0	> ~	-	0	0	-	0	¢		7	0	٥	o		٥	¢	
usg	-	-	•	70	Φ	4	N	φ	ឆ	0	₹	ф	ო	4	e	٥	-	œ	ø	-	5		7	0	4	۰ ب	N 7	* 0	e ec	0	٥	60	0	ល		9	œ.	7		ო	m	7	0	
POSITIONS	=	m	*	52	m	ō	eo	t E	۴-	64	មា	24	7	r~	~	œ	Φ.	80	£9	4	6+	m	2	•	* \$* 1	m e	D ¥	4 Ç	26	7	લ	24	4	ns.		9	94	ო	00	m	ល	=	4	**********
ST.	ÄĽ	AR	42	3	8	5	ပ္ပ	ال. خا	SA SA	ï	I.A.	ᆵ	z	S	Υ	∢,	4	Ğ,	Ħ	Z	Q.	S	o Z	õ	۳ :	Į:	2 2	E >	E	ž	æ	4	~;	ပ္တ	6	Z	×	<u></u>	₹ :	-	⋖	Ş	\$:

		POSI	ORTHOPEDI POSITIONS O	IC SURGERY OFFERED AN	ERY AND FI	- 1986 LLED IN NRMP			
ST	POSITIONS	DSO	USMD	STHPW	USFMG	OSTED CANADA	ALFMG	%nse	701%
4	7	7	0	٥	0		0	100.0	100.0
¥	4	4	0	0	0	0	0	100.0	100.0
Z.Y	4	4	0	٥	0		0	100.0	100.0
ర	33	53	n	0	-	0	•-	87.9	100.0
8	4	m		٥	٥	0	٥	75.0	100.0
5	ę,	ស	٥	o	0	0	0	60.0	100.0
ပ္ပ	4	4	0	0	0	0	0	100.0	100.0
	63	7	-	0	0	0	٥	87.5	100.0
Ą	7	φ	0	0	0	-	0	85.7	100.0
Ï	-	0	0	0	٥	0	o	0.0	0.0
¥	4	বা	0	٥	0	0	٥	0.001	100.0
Ħ	3.	25	φ	0	0	0	0	80.6	100.0
z	ιn	ជ	٥	0	0	0	0	0.00	0.00
X	æ	ហ	-	0	0	0	0	83.3	100.0
×	m	71	-	0	0	ó	0	. 66.7	100.0
3	o.	Ö	0	0	0	0	0	00.0	0.00
¥	29	24	മ	0	٥	0	0	82.8	0.00
¥	17.	9	0	٥	0	0	-	94.1	100.0
ş	က	ო	0	0	0	0	0	0.00	0.001
¥	m	က	0	0	0	0	0	100.0	0.001
ž	5	16	0	0	0	0	0	500.0	0.00
¥	7	7	٥	0	٥	0	0	0.001	0.00
2	₩.	8 0	0	٥	0	0	٥	0.0	0.00
Ž	es	'n	0	0	0	0	•	0.001	0.00
ž	34	32	8	0	0	0	0	94.1	100.0
5	33	27	9	0	0	0	0	81.8	100.0
Š	4	4	0	Ö	O	0	0	100.0	100.0
č	-	-	0	0	0	0	0	500.0	100.0
¥	9	î.	-	0	0	0	0	93.8	±00.0
Š	in	4		0	0	0	0	80.0	0.00
Z	7.	ល	7	0	o	0	0	71.4	100.0
×	23	50		0	0	0	٥	87.0	6,16
5	4	4	0	o	0	0	٥	100.0	100.0
*	tr)	ល	0	0	0	0	0	100.0	100.0
¥.	e	2	-	0	0	0	0	66.7	100.0
S	თ	თ	o	0	0	0	٥	0	0.001
?	ო	m	0	0	0	0	0	\$ 0.	100.0
•		320	3.4	c	-	0 +		4.68	99.2
	2) 4	,	>			1		

1986	IN NRWP
•	AND FILLED
cs	ERED
PEDIATRI	POSITIONS OFF

701%	44.3	2	89.7	87.4	0.00	0.00	83.0	87.5	84.	96.0	0	6 88	98.7	0.00	27.3	72.2	54.1	97.0	95.3	0.001	71.7	100.0	93.8	66.7	91.3	66.7	25.0	89.1	100.0	95.9	92.4	74.2	100.001	92.6	100.0	76.5	88.5	77.3	500.0	91.2	100.0	100.0	86.2	33.3	* * * * * * * * * * * * * * * * * * * *	989
%n26	4.4	2 5	82.8	77.2	0.00	70.3	76.6	62.5	63.5	88.0	83.5	4.08	9.53	0.00	27.3	66.7	54.1	95.5	83.7	100.0	48.3	92.0	91.7	66.7	84.8	66.7	25.0	14.5	20:0	56.2	80:0	71.0	100.0	78.9	83.3	76.5	84.6	69.5	60.00	85.3	100,0	100	75.9	33.3		3 :
ALFMG		00																					0										0	m	0	0	0	9	0	÷.	٥	0	C4	0		DO
CANADA		0 (oc	4	· c	c	C	c	0	· C	c		o c	C	٥	a	٥	0	0	0	0	٥	0	0	0	o	0	0	0	0	0	0	0	- -	Ó	0	0	0	0	0	٥	0	0	0		7
OSTEO		0	> c		c	c	c	c	,	· c	0	, -	۰ ،	c	٥	o	0	0	-	0	8	8	0	0	0	0	0	77	0	Ð	٥	٥	0	7	0	0	0	0	0	0	٥	٥	0	0		77
USFMG		> <	o c	m	c	۸ (•	c	m	•	-	c	· -	С	٥	c	0	0	0	0	9	0	0	0	٥	0	0	6	0	46	٥	0	0	4***	-	0	0	8	0	0	٥	0	O	0	: : : : :	2 :
STHP¥	:	0	> -	•	c	c	c	¢	, ~	¢	0.0	c	• C	C	0	o	0	0	0	o	o	0	0	٥		0	0	4	0	σ	0	0	0	0	0	0	0	٥	0	0	0	o	0	0		2 !
USMD	:	•	o c	4	· c	· -	· c	c	¢	,		, ,	-	o	0		0	0	N	٥	***	0	,	0	-	0	o			n	6	0	0	0	+	9	-	8	0	•	0	o	•	0		27
USG	: :	. :	2.4	166	σ	90	98	វា	6	, ,	ţ.	7	r on	22	e	12	50	63	36	m	58	23	4	9	33	œ	-	œ	4	190	84	22	7	75	õ	<u>m</u>	22	or ex	**	50	4	11	22	4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200
POSITIONS		* *	2 0	215	2	3.2	47	· c	63	4	ď	. ~	110	22	-	18	37	. 99	43	'n	9	25	48	ō,	46	12	*	ay RD	œ	338	105	31		95	ũ	17	36	128	=	34	4	17	29	12	* * * * * * * * * * * * * * * * * * * *	****
ST	: 2		6	ð	8	1	č	90	1	4	ī	1	1	Z	×	ž	3	Ĭ	Q	¥	¥	Z	ջ	SE	ÿ	¥	Į	3	Z	ž	7	š	ä	٨d	R	ပ္ပ	z	ĭ	5	×	5	₩.	SA	≩		•

1986	IN NRMP
ro	FILLED
	AND
JICINE &	OFFERED
PHYS WE	POSITIONS OFFERED

	,			1	500%	501%
0	0	0	0		83,3	91.7
0	0	0	0	0	0.0	0.0
0	0	0	٥	0	87.5	87.5
0	0	0	0	0	0,00	9
0	0	0	0	0	75.0	75.0
	0	Ó	٥	0	75.0	75.0
	0	0	0	0	100.0	0.00
	0	0	0	0	0.00	0.00
	0	0	0	0	100.0	0.00
	7	0	c		58.3	91.7
	o	0	0	0	80.0	80.0
	0	0	0	0	75.0	75.0
	0	ö	0	٥	0	80.0
	0	o	0	٥	83.3	83.3
	0	٥	o	٥	0	0.0
	0	0	0	٥	100.0	0.00
	٥	0	0	٥	100.0	0.00
· · · · · · · · · · · · · · · · · · ·		c	c		82.4	+ 60
	0000000 +	* * *	0000000	0000000	0000000	0000000

1986	IN NEWP
•	FILLED
	AND
TRY	OFFERED
PSYCHIATRY	POSITIONS

7707 100.0 25.0 100.0 62.5

XUSG 50.0 0.0 0.0

ALFMG

SS : + 0 0

ST POSITIONS
CA 2
IL 4
IN 2

PREV MEO/PUBLIC HEALTH - 1986 POSITIONS OFFERED AND FILLED IN NRMP

LFMG XUSG X101 0 100.0 100.0 0 100.0 100.0 0 100.0 100.0 0 100.0 100.0

ALFMG 0 0

ST POSITIONS
CA 3
MI H

0000

0

0

PLASTIC SURGERY
POSITIONS OFFERED AND FILLED IN NRMP

%T0T	1 1 1	72.7	0.08	60.0	9.16	000	0.00	77.8	000	000	0.00	8		88.9	90.0	0.00	85.7	73.3	0.00	0.00	61.0	0 001	0.96	75.0	78.8	100.0	71.4	0.001	50.0	6.00	83.5	54 5	25.0	100.0	82.5	0.0	94.4	50.0	83.0	100.0	76.5	80.0	100.0	0.00	100.0	83.2	;
%use	+ + +	54.5	0.00	60.09	74.7	0.001	95, 5	72.2	88.2	0.00	100.0	0.00	76.6	77 8	90.0	93.8	78.6	73.3	92.3	0.00	46 3	92.3	60.0	75.0	75.8	33.3	42.9	0.00	25.0	100.0	57.1	52.3	12.5	100.0	61.9	60.09	88.9	50.0	67.9	9.0	70.6	80.0	00.00	73.3	100.0	69.3	, , , , , ,
ALFMG	; ; ;						0		0	0	0	¢		-	0	0	***	0	0	٥	S										<u>~</u>		0	0	ო	0	-	٥	មា	0	٥	0	o	-	0	61	
NADA	****	O	0	0	-	0	0	O	0	٥	0	٥	0	0	0	0	0	0	0	0	٥	٥	0	0	0	o	0	0	0	0	0	0	0	0	٥	0	0	o	0	0	0	٥	0	٥	٥	-	
OSTEO CA		٥	٥	0	0	0	0	0		٥	0	0	0	0	ò	0	0	0	0	0	٥	-	0	0	٥	0	0	0	+-	0		-	0	0	4	0	0	0	0	o	0	0	¢	٥	0	6	
USFING	* * * * * * * * * * * * * * * * * * * *	o	0	Φ	٥	0	0	0	_	٥	0	0	0	0	0	-	٥	٥	-	٥	-	0	8	٥	-	٥	٥	0	٥	0	22	0	0	0	Φ	N	0	0	0	0	•	0	0		٥	33	1
STHPW	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0	٥	0	-	0	-	٥	0	0	٥	0	64	٥	0	0	0	0	0	٥	0	0	0	0	0	0	o	٥	o,	0	۲	0	0	0	0	0	0	¢	64	0	٥	o	0	٥	0	5	
USMD	\$ 7 3	0	٥	0	N	0	0	0	0	0	0	٥	0	0	0	٥	0	0	0	0	0	0	0	0	o	o	0	0	٥	٥	7	0	-	0	0	0	0	٥	-	0	0	o	0	CV	0	80	1 1 1 1 1
USG	1	ø	9	φ	7.8	4	2.1	5	ព្	6	4	មា	36	7	თ	÷.	-	Ξ	12	ტ	<u>.</u>	12	ដូ	ო	52		ო	ហ	4	æ	9.	23	-	9	39	ო	9	σι	36	*	7	₩	9	<u>-</u>	o	651	
SNOILIONS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ξ	φ	õ	98	14	22	18	11	÷ tr	4	un	47	Ø	ō	1 6	*	55	5	m	4	5	25	4	33	ო	7	Ŋ	16	60	170	44	8 0	so.	63	ID.	19	18	e S	4	<u>*</u>	រប	9	ũ	o	940	* + + + + + + + + + + + + + + + + + + +
ST P	:	A.	A R	42	40	8		ပ္ပ	ئب ئند	GA	Ŧ	₩.		Z	X.	Κ	.	МА	9	ME	ĭ	X	ç	N.	ÿ	Ş	띭	ĭ	3	¥	¥	£	Š	80	Ą	æ	SC	Z	¥	5	*	<u>+</u>	M.A	S)	>		1

		804	17 10NS	RADIOLOGY - DIAGNOSTIC POSITIONS OFFERED AND FILLED	GNDSTIC AND FI	. 19 LLED 1A	- 1986 D IN NRMP				
S	POSITIONS	nse	USMD	STHPW	USFMG	OSTEO	CANADA	ALFMG	%nsc	7,101	ST PO
; ;	1 6	; ,	:			;	: (;			
4	•	۰ م	0 (0 (21	> 0	> (5 (3	200	1 0
¥ !	•	₫ ◀	> 0	0	o (ه د	0 (÷ (200	0.68	X -
,	* 5	* 1	> -)	۰ د	> (٠ ح	>	3	3	7.
ď.	₹ *	27	•-	0	0	0	0	0	62.8	65. +	₹ 1
8	e i	n	-	0	0	0	0	0	83.3	0.00	B5
5	t.	12	8	0	0	٥	0	0	80.0	93.3	to ct
20	7	7	0	٥	0	٥	٥	0	0.00	0.00	20
7	50	9	0	0	0	0	٥	٥	95.0	95.0	DE
49	o	Ø	0	0	٥	٥	0	0	100.0	0.00	료
*	ιn	'n	0	0	o	o	c	· c	100	001	₩
-1	37	22	Ó	0	٥		o	c	i.	1 C	Ï
Z	12	-	-	o	0	o	c	c	91.7	5	41
¥	~	· (v	0	0	0	0	c	c	000	2	
¥	4	*	· c	c	¢	¢	· c	c	200	2	Z
7	9	y	0	0	0	0	¢	c	2 2		X
¥	32	56	·	0	o	· c	c	· c		5	X
0	en:	00	c	c	· c	· c	• •	0	0 0	000	4
*		,	0	0	•	0	0 0	0	9 5		3
2	34	6) c	0	0	0	0 0	0	38	3 5	
3	ŞÇ	} ç	, c	0	0	> 0	0	0	7 6	- 0	e a
í	2 5	ž į	0	> 0	0	> 0	۰ د	.	25	31	¥ ·
2	2 <	2	0) (D (، د	۰ د	0.67	0,01	Ĕ
n (N ;	N !	۰ د	o	٥	0	0	0	0.00	0.0	Z :
2	7	ĵ.	0	0	0	0	0	0	90,5	90.5	
ž	•	4	٥	٥	¢	0	0	0	0	6 6	S
ž	N	0	0	0	0	٥	0	0	0.0	0.0	S
¥	CH	N	0	0	0	0	0	0	8	0. 0.	QN.
ž	င္က	æ	4	0	0	Ċ	٥	0	60.0	73.3	NE
5	\$	õ	47	0	-	0	0	٥	55.6	83.3	₹
Š	20	۲-	0	0	٥	0	0	o	87.5	87.5	₹
∀	21	ē	0	0	0	0	٥	٥	30,5	90.5	¥Z
ပ္တ	m	ო	0	0	٥	0	0	0	0	0.00	NA.
Z	φ	ဖ	0	0	0	٥	٥	٥	0.00	0.00	XN.
×	2	4	-	0	0	0	٥	0	66.7	71.4	3
5	8	N	0	0	0	0	٥	0	8	100.0	Ж
5	φ	9	0	0	0	0	0	0	100.0	100.0	80
>	64	N	0	0	0	0	٥	0	0.00	0.0	Vd .
₹	œ	មា	0	0	0	٥	0	0	83.3	83.3	RI
Ş	600	^	o.	0	0	0	٥	0	87.5	87.5	SC
>	•••	-	o	0	0	0	0	0	90.0	9.0	2
•	******	1 + + + + + + +	1 1 1 1		1 1 1 1 1			1 5 1 1 1 1	111111		×.
	445	326	35	0		-	٥	٥	80.0	87.6	10.
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1						***

		POS	1010L0G	RADIOLOGY-THERAPEUTIC POSITIONS OFFERED AND F		EUTIC - 1986 AND FILLED IN NRMP	1986 In NRMP				
1	POSITIONS	USG	USMD	STHPW	USFMG	OSTEO	CANADA	ALFMG	2056	2101%	
	* * * * * * * *	;	1 1 1	1 1 1	1 1 1	1 1	1 1 1	1	1 ,	;	
_	-	-	0	0	0	0	0	0	9.0	100.0	
	•	_	0	0	0	0	0	Φ	.0 0.0	t00.0	
_4	e	er)	0	0	٥	0	0	0	000	100	
O		0	0	0	0	0	٥	0	0.0	0.0	
*		,	0	0	o	٥	٥	0	100.0	0.00	
*	_	,	0	٥	0	0	o	0	50.0	0.00	
	a	8	٥	٥	0	0	o	0	0.00	0.00	
v	-	" -	0	٥	0	0	٥	0	0.00	0000	
	m	0	0	0	٥	0	0	0	0.0	0.0	
	7		_	٥	0	0	0	o	50.0	0.00	
ı,	4	м	٥	٥	0	0	٥	0	50.0	50.0	
:	21			0	0	0	0	0	61.9	66.7	

							١.																																										
% T01	* *	97.0	\$0.0	0.001	90.7	96.4	83.1	96.4	100.0	96.4	0.06	9	Ç	20.00	8	000	96.3	82. t	90.4	83.9	0.00	81.7	94.9	97.4	100.0	80.0	20.0	92.3	100.0	81.7	0.001	50.0	84.3	70.8	84.6	70.8	74.6	66.7	0.00	95,6	89.2	000	0.00	100.0	86.4	8 28	83.		85,9
202	1 4	87.9	87.5	95.0	83.0	89.3	78.0	89.3	74.4	87.3	90.0	20.0	4	8.69	85.8	93	96.3	73.2	80.8	74.2	100.0	66.3	89.7	92	85.7	74.3	20.0	84.6	83.3	76.7	66.7	50.0	75.0	61.9	69.2	54.2	63.8	60.0	100.0	88.9	84.2	100.0	94.4	100.0	72.7	87.5	68.3		31.3
ALFING		0	0	0	8	0	ó	0	0	64	Ó	o	Ċ		o	0	0	0	ო	-	٥	1	-	o	0	o	· c	-	-	٥	0	0	50	***	0	٥	មា	0	0	-	'n	0	0	0	0	0	0		4
CANADA	: ! ! !	0	0	٥	n	0	٥	٥	0	Ŋ	c	0		0	¢	٥	0	٥	0	0	0	0	O	c	0	c	c	٥	0	0	0	0	-	0	0	0		0	0	0	0	0	٥	ó	-	٥	0	: .	
OSTEO	1 4 1 1	٥	0	c	0	٥	0	0	o	0	¢	c	0	~ د	· c	0	0	0	-	٥	٥	-	0	c	0	c	c	0	0	٥	0	٥	0	٥	٥	,	4	0	0	0	٥	0	0	0	0	0	0		×
USFMG	1,111	0	0	c	٥	0		0	· •	0	c	c	•	0	0	0	0	0	•	n	0	0	0	c	0	c	င်	0	0	0	0	0	14	4	0	٥	ო	0	٥	0	Φ	0		o	0	0	0		₽
57HPW	1 1 2 4 6	0	0	0	0	0	0	0	-	0	Ċ	· 	¢	- c	c	٥	٥	0	0	0	o		0	Ó	0	Ф	• 0	0	٥	0	0	0	Ç	-	0	0	-	0	0	0	0	0	٥	0	0	0	0		-
USWD	1 1 1	ø	-	-	õ	8	.04	4	0	-	0	0	4	00	0	-	0	'n	R)	7	0	7	-	2	-	~	0	0	-	ო	-	0	-	4	7	rò	æ		0	8	₹	0	•••	٥	8	5	ო	. 00	2
use		53	۲	ţ.	151	25	46	90	B	45	27	60)	12		23	14	36	4	84	46	9	69	35	33	φ	56	8	<u>-</u>	9	46	۲۷	က	315	70	Ø	Ü	118	6	22	40	101	=	34	m	9	21	5	1706	9 6
POSITIONS	1 1 1 1 1	33	60	50	182	28	53	56	7	55	စ္တ	16	16	116	24	15	27	56	104	62	9	104	36	38	7	32	4	₽.	12	9	က	φ	420	-13	<u>.</u>	24	. 581	<u>.</u>	22	43	120	Ξ	36	gn.	52	24	22	2222	4707
<u>+</u>	:	4	X	7	¥.	8	5	ဗ္ဂ	핃	긆	¥.	¥	4	=	Z	ŝ	≿	٧,	₹	ş	#	==	Z.	ş	Š	¥	9	ñ	Ţ	3	¥	≥	<u>~</u>	¥	×	æ	۲.	~ ~	ပ္က	z	×	1	4	t	Ą	Š	≥		

SURGERY - 1986 POSITIONS OFFERED AND FILLED IN NRMP

UROLOGY - 1986
POSITIONS OFFERED AND FILLED IN NRMP

\$T	POSITIONS	USG	USMD	5THPW	USFMG	OSTEO	CANADA	ALFMG	%usc	%TOT
AZ	\$	1	0	٥	0	0	0	0	100.0	100.0
CA	15	15	0	0	0	0	0	0	100.0	100.0
FL	2	2	0	0	0	0	0	0	100.0	100.0
GA	5	3	0	0	0	0	0	0	60.O	60.0
IA	3	3	0	0	0	0	0	0	100.0	100.0
IL	1	0	•	. 0	٥	0	0	0	0.0	100.0
KS	2	2	0	0	0	0	0	0	100.0	100.0
ΚY	2	2	0	0	0	0	0	O	100.0	100.0
LA	2	1	1	0	0	0	0	0	50.0	100.0
MI	6	4	1	0	0	0	0/	0	66.7	83.3
MN	5	5	0	0	0	0	0	0	100.0	100.0
MO	2	2	Ö	0	0	0	0	0	100.0	100.0
MS	1	0	1	Ó	0	0	0	0	0.0	100.0
NC	5	5	0	0	0	0	0	0	100.0	100.0
NJ	2	1	0	0	0	0	O	0	50.0	50.0
NY	4	3	Ó	0	0	1	0	0	75.0	100.0
QH	8	7 .	1	0	0	0	0	0	87.5	100.0
ОK	3	1	0	0	Q	0	0	0	33.3	33.3
PA	5	5	0	0	0	0	0	0	100.0	100.0
TX	3	3	0	Ġ.	0	0	0	0	100.0	100.0
UT	2	2	0	Q.	Q	0	0	0	100.01	100.0
WA	1	1	0	0	0	0	0	0	100.0	100.0
¥S	3	3	O	0	o	0	0	0	100.0	100.0
	83	71	5	0	0	1	0	0	85.5	92,8

TRANSITIONAL - 1986
POSITIONS OFFERED AND FILLED IN NRMP

ST	POSITIONS	usa	USMD	STHPW	USFMG	OSTEO	CANADA	ALFMG	%USG	%101
AL	26	24	Q	Q	0	0	0	0	92.3	92.3
AR	17	17	0	o	0	0	0	*0	100.0	100.0
AZ	29	26	3	0	0	0	0	0	89.7	100.0
CA	87	80	4	0	ο.	0	0	1	92.0	97.7
CO	21	20	0	0	0	0	٥	0	95.2	95.2
CT	19	19	0	0	0	0	0	0	100.0	100.0
DC	23	15	t	0	3	0	0	4	65.2	100.0
DE	2	2	0	0	0	0	0	0	100.0	100.0
GA	27	25	0	0	0	0	0	0	92.6	92.6
нт	10	8	2	0	0	0	. 0	0	. 80.0	100.0
IΑ	2	2	0	0	0	0	0	0	100.0	100.0
ΙL	89	59	0.	3	3	1	0	3	66.3	77.5
IN	35	33	1	0	1	0	0	0	94.3	100.0
L.A	32	26	1	0	O	0	0	0	81.3	84.4
MA	57	42	2	0	0	o.	0	0	73.7	77.2
MO	12	4	1	0	0	2	0	3	33.3	B3.3
MI	136	97	0	0	5	1	1	15	71.3	87.5
MN	11	11	0	0	0	0	0	0	100.0	100.0
MO	26	11	1	0	3	0	0	.0	42.3	57.7
ND	6	2	Q	0	0	0	0	0	33.3	33.3
NJ	51	35	1	0	3	0	О	7	68.6	90.2
NY	46	29	0	0	0	2	•	0	63.0	69.6
CH	72	51	0	0	0	0	8	0	70.8	81.9
OΚ	8	7	0	0	0	0	0	0	87.5	87.5
OR	7	6	1	0	0	0	0	0	85.7	100.0
PA	103	61	1	0	11	2	0	11	59.2	83.5
PR	10	2	0	0	1	0	0	0	20.0	30.0
RI	.4	3	0	0	0	0	o	0	75.0	75.0
SC	12	12	0	0	0	0	0	o	100.0	100.0
SD	16	8	0	0	0	0	. 0	0	50.0	50.0
TN	41	35	0	0	. 0	o	o	1	8.5 . 4	87.8
ŤΧ	53	50	2	0	0	0	0	0	94.3	98.1
UT	8	8	0	0	0	0	0	0	100.0	100.0
VA	22	21	1	0	0	0	0	. 0	95.5	100.0
WΑ	28	17	0	0	0	0	1	0	60.7	64.3
WS.	34	32	1	0	0	0	o	o	94.1	97.1
W٧	7	2	0	0	0	0	0	0	75.9	86.0

GRAND TOTAL							PAGE	23	
19010	13922	510	184	503	271	49	879	73.2	85.8