


NRMP DATA

March 1985



National Resident Matching Program

All rights reserved. Permission to use, copy and/or distribute any documentation and/or related images from this publication shall be expressly obtained from the NRMP.

Table of Contents

NRMP DATA

	Page
Applicants and Positions.....	3
Positions Per Active Applicant.....	4
Types of Applicants Unmatched.....	5
Graduation Dates of Foreign Graduates.....	6
Filling of Positions.....	7
Choices and Unmatched U.S. Seniors.....	8
Advanced Specialties.....	9
Advanced Programs for Students(S).....	9
Couples.....	9
Grouped Programs.....	10

AAMC/NRMP STUDIES

Gender-Ethnic Groups.....	12
Specialty Distribution of Women/Men.....	14
Specialty Distribution of Blacks/Majority.....	15
Data Tables.....	16

National Resident Matching Program

One American Plaza - Suite 807/Evanston, Illinois 60201

Applicants - Schools (312) 328-3440

Hospitals - Program Directors (312) 328-3441

Sponsoring Organizations

American Board of Medical Specialties
American Hospital Association
American Medical Association
American Medical Student Association
American Protestant Hospital Association
Association of American Medical Colleges
Catholic Health Association
Council of Medical Specialty Societies

Officers

John A.D. Cooper, M.D., Ph.D., President
H. Joseph Curt, Vice President
Richard S. Wilbur, M.D., Treasurer
Donald G. Langsley, M.D., Secretary
John S. Graettinger, M.D., Executive Vice President

FORWARD

The data in this report summarize participation in the national Match conducted by the National Resident Matching Program (NRMP) by teaching hospitals and applicants. A second part includes data on all U.S. medical school graduates assembled annually from the conjoint studies of the Association of American Medical Colleges and the NRMP.


This material may be used, with appropriate attribution, by those studying medical education and health manpower.

John S. Graettinger, M.D.

8 March 1985


APPLICANTS AND POSITIONS

Fig. 1



APPLICANTS AND POSITIONS

Fig. 2




Thirty years ago the number of internship positions, shown in squares in Fig. 1, was about 11,000 and the number of U.S. graduating seniors, shown in crosses, about 7,000 (Table 1). By 1973 the numbers were 19,000 positions for just over 10,000 graduates, almost 2:1. Following the demise of the internship in 1975, the positions dropped to 16,000 PGY-1's. They have gradually risen to somewhat over 18,000 and have varied only slightly. In the 1985 Match there were 18,535 positions (Table 2), an increase of about 100 over 1984, primarily in Internal Medicine. U.S. Seniors have increased in number only about 1% per year since 1980, and will be about 16,300 this spring. The ratio of positions per U.S. Senior student initially enrolled was 1.20 in 1978 and 1.14 in this Match (Table 1). If the estimated 1,500 positions not offered through NRMP - mainly military programs - are added to bring the total to about 20,000, there is an excess of positions over U.S. Seniors of about 3,700.

Many applicants other than U.S. Seniors seek positions (Table 3). In Fig. 2 positions and U.S. Seniors are repeated as squares and crosses. In 1976, significant numbers of other U.S. and Canadian citizens, as shown in diamonds, began seeking residencies in competition with our senior students. A hundred or so Canadian students seek positions each year. Previous years graduates of U.S. medical schools - who were in transitional PGY-1 years or who want to change program type - numbered 200-300 a year until 1982. They have increased more than 5 fold to 1547 in 1985. Although physicians, in contrast to students, can be appointed legitimately outside the Match, program directors, faced with increasing numbers of qualified seniors, have increasingly been requiring physician candidates to be in the Match. Other U.S. citizens also include osteopaths seeking allopathic residencies. From about 200 their number increased to 414 last year and 631 in 1985 as a consequence of failure of osteopathic internships to keep pace with the increased number of graduates from osteopathic colleges. U.S. citizens who attended schools in other countries and subsequently had a clinical year supervised by a U.S. medical school faculty - 5th Pathway - have numbered about 400 a year and are decreasing. Finally in this group of U.S. citizens are those who have enrolled in the unaccredited, proprietary schools ringing the Caribbean sea. In 1981, there were 785 in the Match; in 1982, almost twice as many, 1348; in 1983, 2,000; and in 1984, 2,900; a four-fold increase had occurred in three years. In the 1985 Match their number decreased by 300 to 2,600.

The top line, shown in triangles, reflects total applicants to the Match and includes, after U.S. Seniors, the largest applicant group, non-U.S. citizen graduates of foreign schools. In 1976, when total applicants reached 20,000, there were nearly 6,000 alien FMG'S. The number dropped after the Visa Qualifying examination was established by the Health Manpower Act of 1976, but then began to rise to reach 7,143 in 1984. This number decreased by 200 this year but there were 28,454 total applicants for 18,535 positions, a ratio of 0.7 positions per total applicant.

After enrollment, prior to the actual Match, a number of the non-U.S. Senior applicants withdraw from the Match. About 6% of the seniors also withdraw to enter obligated positions in the armed forces (Table 3). The ratios of positions to active applicants are shown in Fig. 3. For U.S. Seniors, shown in the top line by boxes, the ratio decreased from almost 2.0 in 1973 to 1.4 in 1976 and was 1.2 this year. For total U.S. Citizens, in the middle line as crosses, it was about 1.3 through 1980 but has dropped to 1.0. For total active applicants this year the ratio was 0.8 positions per applicant or 80% as many positions as applicants in 1985.

POSITIONS PER ACTIVE APPLICANT



POSITIONS FOR APPLICANTS ACTIVE IN THE MATCH*

YEAR	NUMBER OF POSITIONS	ACTIVE POSITIONS OF U.S. SENIORS	ACTIVE POSITIONS U.S. PER ACTIVE USS	ACTIVE POSITIONS U.S. PER ACTIVE US CITIZENS	ACTIVE POSITIONS U.S. PER ACTIVE USC	ACTIVE POSITIONS TOTAL	ACTIVE POSITIONS PER ACTIVE TOTAL
1971	16515	8417	2.0	8643	1.9	9004	1.8
1972	17283	8758	2.0	8958	1.9	9542	1.8
1973	18721	9525	2.0	9822	1.9	11285	1.7
1974	17403	9860	1.8	10162	1.7	12798	1.4
1975	15691	10802	1.5	11079	1.4	14153	1.1
1976	16112	11735	1.4	12151	1.3	16728	1.0
1977	16574	11898	1.4	12443	1.3	15854	1.0
1978	17219	12666	1.4	13279	1.3	15354	1.1
1979	17824	13036	1.4	13727	1.3	14985	1.2
1980	18055	13322	1.4	13986	1.3	15129	1.2
1981	18331	13705	1.3	14977	1.2	16104	1.1
1982	18300	14144	1.3	16018	1.1	18410	1.0
1983	17952	13969	1.3	16426	1.1	20044	0.9
1984	18457	14741	1.3	17840	1.0	22652	0.8
1985	18535	14849	1.2	18130	1.0	22386	0.8

*APPLICANTS WHO WITHDREW OR MADE NO ACTIVE CHOICES EXCLUDED

Obviously not all applicants can be matched. In Fig. 4 the fate of types of applicants, or put another way, the preference of program directors, is examined. The positions per active applicant, expressed as percentages, are shown in the top line as boxes. In 1976 and again since 1983, the percentage has been below 100, or 1 position per applicant. The percentages of unmatched applicants are shown in the other lines (Table 3). In the bottom line, for U.S. Seniors shown in X's, the percentage unmatched has been below 8% in these 15 years with the exception of 1976; it was 7.8% in 1984 and dropped to 7.4% this year - in other words U.S. students are most preferred by program directors and their matching success is essentially undisturbed by the numbers of other applicants. The next line up shows the percentage of unmatched 5th Pathway, in triangles, 18.8% this year. They and Canadian graduates are thus the next most preferred group. U.S. physicians and osteopaths, not shown, have an unmatched percentage of 40 to 50% (Table 3). The unmatched rate of other USFMB has risen from 30% to 60%; this year only 40% obtained a position and they are thus less preferred and increasingly have not matched as the percentage of positions to applicants has decreased. The 4th line from the bottom shows, in crosses, the unmatched percentage of alien FMG. Over 70% went unmatched in 1976 when the position/applicant percentage was less than 100 and again during the past three years. 78.4% of ALFMG went unmatched this year; only 1 in 5 obtained a position in the Match.

Fig. 4




Figure 5 shows the consequences of several years failure of sizeable numbers of FMG's, both U.S. and alien, to obtain positions. The graduation dates from medical school of the 1985 applicants are plotted with alien FMG's shown in the lower portion of each bar and USFMG in the upper. Note the mode year for ALFMG is 1982 when 14% graduated, only 17% graduated after 1982, and 69% in 1981 or earlier back to 1965 and before. Sixty five percent of USFMG graduated in 1983, 1984 or 1985 and one third in earlier years. Many foreign medical graduates have been in the Match in previous years. We are thus accumulating a sizeable pool of FMG's who cannot obtain the residencies prerequisite for licensure in all states. This situation bodes ill for the United States since these un-licensed physicians from un-accredited schools - particularly the U.S. citizens - clearly have anticipated practice in the United States.




Fig. 5

YEAR OF GRADUATION	U S FMG	PERCENT	ALIEN FMG	PERCENT
1985	776	29.6%	197	2.8%
1984	527	20.1%	365	5.3%
1983	410	15.7%	629	9.1%
1982	288	11.0%	951	13.7%
1981	147	5.6%	819	11.8%
1980	86	3.3%	737	10.6%
1979	46	1.8%	631	9.1%
1978	25	1.0%	542	7.8%
1977	36	1.4%	443	6.4%
1976	22	0.8%	332	4.8%
1975	35	1.3%	257	3.7%
1974	34	1.3%	190	2.7%
1973	23	0.9%	162	2.3%
1972	22	0.8%	143	2.1%
1971	14	0.5%	82	1.2%
1970	22	0.8%	92	1.3%
1969	13	0.5%	55	0.8%
1968	12	0.5%	49	0.7%
1967	12	0.5%	38	0.5%
1966	9	0.3%	37	0.5%
1965	60	2.3%	192	2.8%
	2619	100.0%	6943	100.0%

The overall filling of positions increased by one percentage point to 88%, and the filling by U.S. Seniors increased by 0.2 percentage point from 74.0 to 74.2 (Table 4). In Fig. 6 the percentage filling by U.S. Seniors in specialties is shown in the lower portion of each bar and by other applicants in the upper portion. Over 90% filling of positions is seen in Internal Medicine, Obstetrics/Gynecology, the Surgical Specialties as a group and Orthopedic Surgery and Urology in particular and in Anesthesiology and Emergency Medicine. The specialties that filled at or above the 74.2 percent average with U.S. Seniors were the same specialties plus Radiology and Transitional Programs. Family Practice, Pediatrics, Psychiatry and Pathology were less popular with U.S. Seniors. Compared with recent years these 1985 results show an accelerating decline of interest in Family Practice and Pathology and an increase in Internal Medicine (Tables 5-7). The most dramatic change in 1985 is an increase of 10% in the filling of positions in Psychiatry by U.S. Seniors.

FILLING OF POSITIONS

NRMP 1985

Fig. 6






Fig. 7



CHOICES OBTAINED BY U S SENIORS 1985 MATCH

Fig. 8



In the Match approximately three-quarters of U.S. Seniors list choices of programs for only one type of specialty, 20 percent for two and 5 percent for three; only 0.8 percent listed four or more types (Table 8). The percentage unmatched to any position in any specialty varied markedly among types of specialties and number of types listed. For the more competitive specialties (those with a lower positions per active applicant ratio) the unmatched rate was lower when two specialties had been listed because the applicant matched into his/her second choice of specialty type.

Of the 95 percent of students who listed one to three specialty types, the percentages who failed to match into their first choice of specialty in the 1984 Match are shown in Figure 7. Although the overall unmatched rate was 7.8 in 1984, 13.1 percent failed to match in their first choice specialties, over 24 percent went unmatched in their first choice specialty among those who preferred Obstetrics/Gynecology, 42 percent in the Surgical Specialties, 40 percent in Emergency Medicine and Radiology. The importance of these data in counselling students is obvious.

After the Match in this, as in previous years, unmatched students will be placed in positions, the great majority within 24 hours, but not all can be placed in their first choice of specialty.

The percentage of U.S. Seniors who obtained particular choices has changed little in the history of the Match and is shown in Figure 8 for 1985.

The advanced, narrower specialties that are commonly entered after a year in internal medicine - dermatology, neurology and ophthalmology, are not included in these data. First year residency positions in dermatology are offered to residents rather than students in a NRMP Specialty Match in the fall. In September 1984 there were 479 applicants for 202 positions in dermatology of which 200 matched to fill 99 percent of the positions. Neurology and ophthalmology R-1 positions are offered outside NRMP to senior students prior to the uniform appointment date of the National Match. Data on positions in these two specialties are thus not available.

Similarly, neurological surgery and otolaryngology R-1 positions - commonly entered after a year of general surgery - are offered to students to be entered in their PGY-2 years outside and prior to the National Match.


The NRMP mechanism for matching students to PGY-2 programs and an appropriate preliminary program - Advanced Programs for Students - was used by 20 programs with 44 positions this year.

In 1985, 371 couples applied to the Match. Of the 724 individuals, 90% were matched. The choices they obtained were similar to those obtained by individual students.

GROUPED PROGRAMS — 1985

TYPES OF APPLICANTS MATCHED

Fig. 9



GROUP	PERCENT USS	PROG- RAMS	POSIT- IONS	LCME NO. PERCENT	NON-LCME NO. PERCENT	TOTAL NO. PERCENT	EMPTY POSITIONS NO. PERCENT
GROUP A 75-100%		1836 12319 60.3% 66.3%		11937 96.9 83.8%	241 2.0 11.6%	12178 98.9 74.6%	141 1.1 6.2%
GROUP B 50-74%		423 2287 13.9% 12.3%		1516 66.3 10.6%	257 11.2 12.4%	1773 77.5 10.9%	514 22.5 22.7%
GROUP C 0-49%		784 3973 25.8% 21.4%		784 19.7 5.5%	1582 39.8 76.1%	2366 59.6 14.5%	1607 40.4 71.0%
TOTAL		3043 18579 100.0% 100.0%		14237 76.6 100.0%	2080 11.2 100.0%	16317 87.8 100.0%	2262 12.2 100.0%

Note: These data include 20 P6Y-2 "S" programs with 44 positions

All specialties have competitive programs that are sought after by U.S. Seniors both in the Match and after the Match and some programs not sought by U.S. Seniors. In Figure 9 the filling of groups of programs is examined. In the left bar are shown the 18,579 positions, 76.6% which were filled by LCME graduates, another 11.2 percent by non LCME graduates, and the 2,262, 12.2 percent that were unfilled in the Match.

The programs are then divided into three groups, A, B, and C, based on their filling by U.S. Senior students.

In the second bar, labelled Group A, are shown the 12,319 positions, 66 percent of the total, that were in the 60 percent of programs that filled 75 to 100% of their positions with U.S. Seniors. The mean filling of these programs by LCME graduates was 97 percent, 2 percent filled with non LCME graduates and only 1 percent of their positions remained empty. These programs contained 84 percent of the LCME graduates who matched, only 12 percent of non LCME graduates who matched, and only 141, 6 percent of the empty positions.

Per contra, in the last bar on the right, labelled Group C, are shown the 3,973 positions, 21 percent of the total that were in the 26 percent of programs that filled 0 to 49 percent of their positions with U.S. Seniors. The mean filling of these programs by LCME graduates was only 20 percent, and another 40 percent of their positions were filled by others leaving 40% of their positions, 1,600, empty. These programs attracted only 6 percent of the LCME graduates who matched, 76 percent of non LCME graduates, primarily foreign graduates and contained 71 percent of the positions that did not fill.

On the basis of follow-up studies it can confidently be predicted that the 1,000 unmatched seniors are placed in Group A and B programs and perhaps 2-300 in the 1,600 Group C. Some positions for unmatched students will be created in Group A programs. The Group C programs, therefore, are not much used by U.S. Seniors in or after the Match and, even after unmatched students are placed, serve as a vacuum into which unmatched foreign graduates flow. Considerable differences also exist regionally and among specialties. These data make clear that adjustments in numbers of positions should be made only after careful study.

Fig. 10





Fig. 11



The remainder of the data are from the study of all applicants in the combined AAMC/NRMP studies of all senior students, both those in the Match and the others who obtained positions after or outside of the Match. The distribution of the entire classes from 1977 through 1984 are shown in Table 10. These data may be compared with the percentage distribution of those matched shown in Table 6.

The NRMP does not gather data on gender and ethnic group but in our followup study of all seniors with the AAMC the gender-ethnic data from the AAMC student data base become available in July after each class graduates (Table 11).

In 1984, 28.3 percent, 4,545 of our graduates were women, a striking increase since 1976, as shown in Figure 10.

The proportion of the graduating class that consists of disadvantaged minorities (Figure 11) has not only failed to increase according to expectations but, in the case of Black men and Hispanic men, that is, Mexican American/Chicano and Mainland Puerto Rican, has actually been decreasing.

In the Match, the percentage unmatched varied markedly by gender and ethnic groups (Figure 12). Over 2 1/2 times as many Blacks and Hispanics failed to match as did majority, both men and women. In each ethnic group, however, a greater percentage of men go unmatched than women.




Fig. 12

The distribution of graduates by gender and ethnic background is recorded in Tables 12 and 13.

Figures 13 and 14 show the ratio of the percentages of women to men entering each specialty (Table 14). 9.8 percent of women and 4.7 percent of men, a ratio of 2.1, entered Obstetrics/Gynecology. The ratio was 2.7 for Pediatrics, and about 1.5 in Psychiatry and Pathology. The proportions were about equal in Internal Medicine and Family Practice. One half the proportion of women as men entered general surgery and one quarter the surgical specialties.

As the percentage as well as number of women graduates has increased, these proportions do not seem to be changing and, therefore, suggest that the gender makeup of these specialties will change.

Fig. 13





Fig. 14



In Figures 15 and 16 the ratios of percentages of Blacks to majority entering various specialties are shown (Table 15). A greater proportion of Blacks prefer Obstetrics/Gynecology and Pediatrics. This is only partially explained by the fact that nearly half of the Black graduates are women because Black men on their Rank Order Lists choose Obstetrics/Gynecology 2.7 times as often as majority men.




Fig. 15




Fig. 16

Tables

	Page
1. U.S. Graduates, U.S. Citizens, and Positions.....	17
2. Positions Offered in Match - 1978-85.....	18
3. Applicants - 1976-85.....	19
4. Filling of Positions by Specialty - 1978-85.....	20
5. Total Applicants Matched by Specialty - 1974-85.....	21
6. U.S. Graduates Matched by Specialty - 1978-85.....	22
7. Foreign Graduates Matched by Specialty - 1978-85.....	23
8. Choices of U.S. Seniors in 1985.....	24
9. Positions and Applicants by Program Type.....	25
10. Specialty Distribution of all U.S. Graduates.....	26
11. Gender/Ethnic Summary.....	27
12. Distribution by Ethnic Group - Numbers.....	28
13. Distribution by Ethnic Group - Percentages.....	29
14. Ratios of Women to Men.....	30
15. Ratios of Blacks to Majority.....	31

Table 1

U S GRADUATES, U S CITIZENS AND POSITIONS

YEAR	GRAD- UATES	MEN	WOMEN	PERCENT WOMEN	POSITIONS IN NRMP	GRADS ENROLLED	POSIT PER USS	OTHER US CANADIANS	TOTAL US-CAN C	POSIT PER USC	TOTAL ALFMS	TOTAL APPLIC	POSIT PER TOT APPL
1952	6089				10414				6089	1.7		6089	1.7
1953	6668				10971				6668	1.6		6668	1.6
1954	6861				10729				6861	1.6		6861	1.6
1955	6977				11075				6977	1.6		6977	1.6
1956	6845				11459				6845	1.7		6845	1.7
1957	6796				11804				6796	1.7		6796	1.7
1958	6861				11958				6861	1.7		6861	1.7
1959	6860				12250				6860	1.8		6860	1.8
1960	7081	6676	405	5.7	12390				7081	1.7		7081	1.7
1961	6994				12686				6994	1.8		6994	1.8
1962	7168				12705				7168	1.8		7168	1.8
1963	7264				12456				7264	1.7		7264	1.7
1964	7336				12601				7336	1.7		7336	1.7
1965	7409	6906	503	6.8	13038				7409	1.8		7409	1.8
1966	7574				13463				7574	1.8		7574	1.8
1967	7743				14178				7743	1.8		7743	1.8
1968	7973				14566				7973	1.8		7973	1.8
1969	8059				15045				8059	1.9		8059	1.9
1970	8367	7667	700	8.4	15567	8327	1.9	209	8536	1.8		8536	1.8
1971	8974	8147	827	9.2	16515	8858	1.9	364	9222	1.8	624	9846	1.7
1972	9551	8691	860	9.0	17283	9494	1.8	324	9818	1.8	947	10765	1.6
1973	10391	9467	924	8.9	18721	10000	1.9	424	10424	1.8	2091	12640	1.5
1974	11613	10349	1264	10.9	17403	11003	1.6	435	11438	1.5	3603	15041	1.2
1975	12714	11008	1706	13.4	15691	12166	1.3	402	12568	1.2	3968	16536	0.9
1976	13561	11361	2200	16.2	16112	13223	1.2	620	13843	1.2	5953	19796	0.8
1977	13607	10996	2611	19.2	16574	13385	1.2	799	14184	1.2	4814	18998	0.9
1978	14393	11307	3086	21.4	17219	14308	1.2	934	15242	1.1	3059	18301	0.9
1979	14966	11521	3445	23.0	17824	14792	1.2	1064	15856	1.1	2027	17883	1.0
1980	15135	11638	3497	23.1	18055	14972	1.2	1168	16140	1.1	1853	17993	1.0
1981	15667	11775	3892	24.8	18331	15496	1.2	1928	17424	1.1	1731	19155	1.0
1982	15985	11994	3991	25.0	18300	15788	1.2	2834	18622	1.0	3504	22126	0.8
1983	15739	11542	4197	26.7	17952	15553	1.2	3925	19478	0.9	5422	24900	0.7
1984	16343	11711	4632	28.3	18457	16130	1.1	5376	21506	0.9	7143	28649	0.6
1985	16400				18535	16179	1.1	5332	21511	0.9	6943	28454	0.7

NOTE: FROM 1952-69 USS ENROLLED USED FOR USC-C

* ESTIMATES, JAN 1985

Table 2

POSITIONS OFFERED IN MATCH																	
	1978		1979		1980		1981		1982		1983		1984		1985		
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	
FAMPRC	2111	12.3	2251	12.6	2340	13.0	2370	12.9	2362	12.9	2353	13.1	2359	12.8	2372	12.8	
GENFRC	35	0.2	19	0.1	0		0		0		0		0		0		
INT MD	5571	32.4	5829	32.7	6043	33.5	6129	33.4	6260	34.2	6276	35.0	6579	35.6	6736	36.3	
PEDIAT	1776	10.3	1833	10.3	1808	10.0	1833	10.0	1810	9.9	1795	10.0	1915	10.4	1899	10.2	
OB/GYN	897	5.2	966	5.4	981	5.4	1008	5.5	1035	5.7	1010	5.6	1014	5.5	1021	5.5	
PSYCH	939	5.5	966	5.4	933	5.2	923	5.0	922	5.0	867	4.8	879	4.8	902	4.9	
MEDSPC	135	0.8	108	0.6	117	0.6	109	0.6	109	0.6	97	0.5	90	0.5	91	0.5	
DERMAT	8		8		11		8		9		6		6		5		.0
NEUROL	86		73		74		74		72		67		59		59		0.3
OPHTLM	41		27		32		27		28		24		25		27		0.1
GEN SG	2310	13.4	2393	13.4	2369	13.1	2407	13.1	2340	12.8	2274	12.7	2330	12.6	2310	12.5	
SURGSF	409	2.4	402	2.3	434	2.4	431	2.4	553	3.0	554	3.1	532	2.9	530	2.9	
NEURSG	37		39		41		45		40		48		35		35		0.2
ORTHOP	242		240		257		250		305		318		334		329		1.8
OTOLAR	49		44		46		52		96		81		47		46		0.2
UROLOG	81		79		90		84		107		104		111		112		0.6
PLSTSG									5		3		5		8		.0
SUPPSP	1593	9.3	1623	9.1	1649	9.1	1672	9.1	1566	8.6	1558	8.7	1546	8.4	1468	7.9	
ANESTH	448		466		518		526		507		437		427		375		2.0
EMERMD	0		0		0		0		0		190		209		234		1.3
PATHOL	582		612		573		574		557		484		479		468		2.5
PHYSMD	88		89		116		105		92		92		105		87		0.5
PREVMD													2		6		.0
DX RAD	397		373		369		383		336		292		291		263		1.4
RX RAD	78		83		73		84		72		52		30		33		0.2
NUC MD									2		11		3		2		.0
TRANS	1443	8.4	1434	8.0	1381	7.6	1449	7.9	1343	7.3	1168	6.5	1213	6.6	1206	6.5	
TOTAL	17219	100.0	17824	100.0	18055	100.0	18331	100.0	18300	100.0	17952	100.0	18457	100.0	18535	100.0	

Table 3

APPLICANTS IN THE MATCHING PROGRAM 1976 THROUGH 1985

	1976		1977		1978		1979		1980		1981		1982		1983		1984		1985	
APPLICANTS	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
U S SENIOR STUDENTS	13223	100.0	13385	100.0	14308	100.0	14792	100.0	14972	100.0	15496	100.0	15788	100.0	15553	100.0	16130	100.0	16179	100.0
WITHDREW	850	6.4	876	6.5	944	6.6	1078	7.3	1039	6.9	1123	7.2	1036	6.6	1068	6.9	933	6.0	1004	6.2
NO RANKINGS	638	4.8	611	4.6	698	4.9	679	4.6	611	4.1	668	4.3	608	3.9	516	3.3	456	3.0	326	2.0
ACTIVE APPLICANTS	11735	100.0	11898	100.0	12666	100.0	13036	100.0	13222	100.0	13705	100.0	14144	100.0	13969	100.0	14741	100.0	14849	100.0
MATCHED	10783	91.9	11172	93.9	11975	93.9	12135	93.1	12371	93.6	12724	92.8	13023	92.1	12874	92.2	13588	92.2	13753	92.6
UNMATCHED	952	8.1	726	6.1	791	6.2	901	6.9	951	7.2	981	7.2	1121	7.9	1095	7.8	1153	7.8	1096	7.4
CANADIAN STUDENTS	87	100.0	76	100.0	100	100.0	142	100.0	112	100.0	84	100.0	98	100.0	104	100.0	188	100.0	128	100.0
WITHDREW	33	37.9	16	21.1	44	44.0	8	5.6	29	25.9	7	8.3	5	5.1	13	12.5	24	12.8	16	12.5
NO RANKINGS	*	---	12	15.8	*	---	56	39.4	33	29.5	24	28.6	46	46.9	37	35.6	73	38.8	56	43.8
ACTIVE APPLICANTS	44	100.0	48	100.0	66	100.0	78	100.0	50	100.0	53	100.0	47	100.0	54	100.0	91	100.0	56	100.0
MATCHED	31	70.5	39	81.3	56	84.8	62	79.5	39	78.0	49	92.5	36	76.6	44	81.5	74	81.3	47	83.9
UNMATCHED	13	29.5	9	18.8	10	15.2	16	20.5	11	22.0	4	7.5	11	23.4	10	18.5	17	18.7	9	16.1
U S PHYSICIANS	139	100.0	223	100.0	233	100.0	291	100.0	370	100.0	370	100.0	614	100.0	1130	100.0	1427	100.0	1547	100.0
WITHDREW	79	56.8	24	10.8	35	15.0	31	10.7	37	10.0	24	6.5	46	7.5	127	11.2	150	10.5	212	13.7
NO RANKINGS	*	---	88	39.5	*	---	111	38.1	157	42.4	165	44.6	246	40.1	246	21.8	509	35.7	502	32.4
ACTIVE APPLICANTS	60	100.0	111	100.0	98	100.0	149	100.0	176	100.0	181	100.0	322	100.0	597	100.0	768	100.0	833	100.0
MATCHED	36	60.0	79	71.2	67	68.4	104	69.8	127	72.2	110	60.8	195	60.6	342	57.3	385	50.3	426	51.1
UNMATCHED	24	40.0	32	28.8	31	31.6	45	30.2	49	27.8	71	39.2	127	39.4	255	42.7	382	49.7	407	48.9
OSTEOPATHS	97	100.0	160	100.0	198	100.0	173	100.0	180	100.0	233	100.0	246	100.0	256	100.0	414	100.0	631	100.0
WITHDREW	37	38.1	15	9.4	84	42.4	10	5.8	6	3.3	4	1.7	9	3.7	18	7.0	21	5.1	49	7.8
NO RANKINGS	*	---	38	23.8	*	---	69	39.9	47	26.1	77	33.0	105	42.7	103	40.2	187	45.2	234	37.1
ACTIVE APPLICANTS	60	100.0	107	100.0	114	100.0	94	100.0	127	100.0	152	100.0	132	100.0	135	100.0	206	100.0	348	100.0
MATCHED	37	61.7	83	77.6	82	71.9	67	71.3	88	69.3	99	65.1	85	64.4	94	69.6	127	61.7	205	58.9
UNMATCHED	23	38.3	24	22.4	32	28.1	27	28.7	39	30.7	53	35.0	47	36.0	41	30.0	79	38.0	143	41.1
5TH PATHWAY	297	100.0	340	100.0	403	100.0	458	100.0	506	100.0	456	100.0	528	100.0	447	100.0	425	100.0	407	100.0
WITHDREW	45	15.2	33	9.7	68	16.9	24	5.2	15	3.0	12	2.6	5	0.9	8	1.8	21	4.9	8	2.0
NO RANKINGS	*	---	28	8.2	*	---	64	14.0	80	15.8	94	20.6	93	17.6	73	16.3	65	15.3	47	11.5
ACTIVE APPLICANTS	252	100.0	279	100.0	335	100.0	370	100.0	411	100.0	350	100.0	430	100.0	366	100.0	339	100.0	352	100.0
MATCHED	227	90.1	257	92.1	275	82.1	319	86.2	349	84.9	290	82.9	323	75.1	271	74.0	263	78.0	286	81.3
UNMATCHED	25	9.9	22	7.9	60	17.9	51	13.8	62	15.1	60	17.1	107	24.9	95	26.0	76	22.4	66	18.8
U S FOREIGN GRADUATES											785	100.0	1348	100.0	1988	100.0	2922	100.0	2619	100.0
WITHDREW											249	31.7	52	3.9	118	5.9	300	10.3	404	15.4
NO RANKINGS											*	---	353	26.2	565	28.4	927	31.7	523	20.0
ACTIVE APPLICANTS											536	100.0	943	100.0	1305	100.0	1695	100.0	1692	100.0
MATCHED											362	67.5	536	56.8	644	49.3	752	44.4	671	39.7
UNMATCHED											174	32.5	407	43.2	661	50.7	943	55.6	1021	60.3
ALIEN FOREIGN GRADUATES	5953	100.0	4814	100.0	3059	100.0	2027	100.0	1853	100.0	1731	100.0	3504	100.0	5422	100.0	7143	100.0	6943	100.0
WITHDREW	1376	23.1	254	5.3	984	32.2	126	6.2	92	5.0	604	34.9	92	2.6	133	2.5	411	5.8	837	12.1
NO RANKINGS	*	---	1149	23.9	*	---	643	31.7	618	33.4	*	---	1020	29.1	1671	30.8	2520	35.3	1850	26.6
ACTIVE APPLICANTS	4577	100.0	3411	100.0	2075	100.0	1258	100.0	1143	100.0	1127	100.0	2392	100.0	3618	100.0	4212	100.0	4256	100.0
MATCHED	1101	24.1	1130	33.1	1021	49.2	743	59.1	645	56.4	510	45.3	751	31.4	949	26.2	922	21.9	918	21.6
UNMATCHED	3476	75.9	2281	66.9	1054	50.8	515	40.9	498	43.6	617	54.7	1641	68.6	2669	73.8	3290	78.1	3338	78.4
TOTAL APPLICANTS	19796	100.0	18998	100.0	18301	100.0	17883	100.0	17993	100.0	19155	100.0	22126	100.0	24900	100.0	28649	100.0	28454	100.0
WITHDREW	3068	15.5	1218	6.4	2947	16.1	1277	7.1	1218	6.8	1306	6.8	1245	5.6	1485	6.0	1860	6.5	2530	8.9
NO RANKINGS	*	---	1926	10.1	*	---	1621	9.1	1546	8.6	1745	9.1	2471	11.2	3211	12.9	4737	16.5	3538	12.4
ACTIVE APPLICANTS	16728	100.0	15854	100.0	15354	100.0	14985	100.0	15129	100.0	16104	100.0	18410	100.0	20044	100.0	22052	100.0	22286	100.0
MATCHED	12215	73.0	12760	80.5	13376	87.1	13430	89.6	13619	90.0	14144	87.8	14949	81.2	15218	75.9	16112	73.1	16306	72.8
UNMATCHED	4513	27.0	3094	19.5	1978	12.9	1555	10.4	1610	10.6	1960	12.2	3461	18.8	4826	24.1	5940	26.9	6080	27.2

* = COMBINED WITH "WITHDREW"

Table 4

	1978		1979		1980		1981		1982		1983		1984		1985	
	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T	POSITIONS FILLED OFFERED	XUS ZT0T
FAMILY PRACTICE	2111	77.7 83.2	2251	75.1 80.2	2340	72.8 77.7	2370	72.9 78.4	2362	74.4 82.1	2353	71.0 81.0	2359	75.0 85.0	2372	68.5 80.0
GENERAL PRACTICE	35	2.9 31.4	19	0.0 26.3	0	---	0	---	0	---	0	---	0	---	0	---
INTERNAL MEDICINE	5371	77.8 87.0	5829	74.1 82.6	6043	73.4 81.5	6129	70.6 79.9	6250	71.6 83.8	6276	72.0 86.0	6379	73.0 88.0	6736	74.2 90.5
PEDIATRICS	1776	68.0 80.5	1833	67.6 76.5	1808	65.3 73.0	1833	67.7 76.3	1810	64.5 81.5	1795	66.0 85.0	1915	66.0 88.0	1899	67.8 89.0
OBSTETRICS/GYN	897	76.1 84.2	966	77.6 88.1	981	78.6 88.4	1008	80.4 91.3	1035	81.3 92.9	1010	80.0 95.0	1014	83.0 97.0	1021	81.1 94.9
PSYCHIATRY	939	49.6 55.0	966	45.7 49.9	933	43.8 47.8	923	53.0 56.6	922	58.7 63.4	867	57.0 70.0	879	57.0 75.0	902	66.5 81.9
MEDICAL SPECIALTY	135	60.7 66.7	108	50.0 54.6	117	46.2 50.4	109	40.4 42.2	109	45.9 50.5	97	59.0 66.0	90	62.0 71.0	91	69.2 73.6
DERMATOLOGY	8	75.0 75.0	8	37.5 50.0	11	63.6 63.6	8	75.0 75.0	9	66.7 66.7	6	100.0 100.0	6	83.0 83.0	5	100.0 100.0
NEUROLOGY	86	58.1 64.0	73	46.6 52.1	74	41.9 47.3	74	32.4 35.1	72	41.7 48.6	67	51.0 57.0	59	51.0 61.0	59	59.3 62.7
OPHTHALMOLOGY	41	63.4 70.7	27	63.0 63.0	32	50.0 53.1	27	51.9 51.9	28	50.0 50.0	24	71.0 83.0	25	84.0 92.0	27	85.2 92.6
GENERAL SURGERY	2310	65.8 75.0	2393	67.1 74.9	2369	72.2 80.2	2407	73.5 83.6	2340	75.9 87.4	2274	75.0 88.0	2330	79.0 90.0	2310	80.6 88.9
SURGICAL SPECIALTY	409	72.1 75.8	402	79.4 82.6	434	77.2 80.9	431	82.6 87.9	553	88.6 93.7	554	88.0 95.0	532	88.0 96.0	530	87.0 96.0
NEUROSURGERY	37	62.2 64.9	39	69.2 74.4	41	70.7 78.0	45	75.6 86.7	40	92.5 95.0	48	83.0 89.0	35	71.0 77.0	35	82.9 88.6
ORTHOPEDIC SURG	242	82.6 85.1	240	91.3 94.6	257	91.4 93.4	250	94.8 97.6	305	94.1 99.0	318	92.0 99.0	334	98.0 97.0	329	87.2 98.8
OTOLOGY	49	65.3 69.4	44	61.4 61.4	46	56.5 56.5	52	75.0 78.8	96	90.6 93.8	81	89.0 99.0	47	91.0 96.0	46	84.3 87.0
UROLOGY	81	49.4 56.8	79	58.2 62.0	90	50.0 58.9	84	54.8 65.5	107	70.1 78.5	104	77.0 87.0	111	83.0 98.0	112	89.3 95.5
PLASTIC SURGERY									5	80.0 80.0	3	67.0 67.0	5	100.0 100.0	8	75.0 75.0
SUPPORT SPECIALTY	1593	44.6 51.4	1623	47.9 51.5	1649	46.7 51.1	1672	52.5 57.4	1566	56.3 63.5	1558	70.0 79.0	1546	74.0 83.0	1468	72.0 81.7
ANESTHESIOLOGY	448	37.1 42.4	466	43.3 47.2	518	45.0 50.2	526	55.3 61.4	507	67.7 75.5	437	76.0 83.0	427	86.0 90.0	375	90.4 93.1
EMERGENCY MED											190	88.0 99.0	209	90.0 98.0	234	94.4 99.1
PATROLOGY	582	42.1 47.9	612	46.1 49.7	573	38.2 42.1	574	42.5 45.6	557	42.4 49.9	484	55.0 67.0	479	55.0 69.0	469	40.6 60.0
PHYSICAL MEDICINE	88	29.5 46.6	89	22.5 23.8	116	29.3 37.9	105	35.2 46.7	92	39.1 44.6	92	61.0 70.0	105	62.0 70.0	87	71.3 83.9
PREVIM											2	0.0 0.0	2	0.0 0.0	6	50.0 50.0
DIAGNOSTIC RADIOLOG	397	64.7 72.0	373	68.6 72.1	369	74.5 77.8	383	76.0 79.6	336	74.7 80.7	292	86.0 93.0	291	87.0 93.0	263	83.3 89.7
DIAGNOSTIC RADIOLOG	78	20.5 29.5	83	21.7 24.1	73	12.5 15.1	84	17.9 25.0	72	20.8 29.2	52	27.0 42.0	30	43.0 47.0	33	69.7 75.8
THERAPEUTIC RADIO											11	0.0 0.0	3	33.0 33.0	2	0.0 0.0
NUCLEAR MEDICINE																
TRANSITIONAL	1443	64.8 76.9	1434	65.2 73.4	1381	72.6 78.7	1449	74.7 79.3	1343	74.4 82.6	1168	74.0 84.0	1213	76.0 87.0	1206	80.6 90.0
TOTAL	17219	69.0 77.7	17824	68.1 75.3	18053	68.5 75.4	18331	69.4 77.2	18300	71.2 81.7	17952	72.0 85.0	18457	74.0 87.0	18535	74.2 88.0

TOTAL APPLICANTS MATCHED BY SPECIALTY

	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985												
NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%											
FAMPRC	821	7.7	1113	10.3	1396	11.4	1508	11.8	1756	13.1	1805	13.4	1818	13.3	1858	13.1	1940	13.0	1896	12.5	2011	12.5	1898	11.6
GENFRC	0		5	.0	9	0.1	13	0.1	11	0.1	5	.0	0		0		0		0		0		0	0.0
INT MD	3462	32.6	4260	37.8	4513	36.9	4670	36.6	4848	36.2	4812	35.8	4928	36.2	4899	34.6	5248	35.1	5415	35.6	5767	35.8	6096	37.4
PEDIAT	1044	9.8	1189	10.5	1323	10.8	1399	11.0	1429	10.7	1403	10.4	1320	9.7	1399	9.9	1475	9.9	1519	10.0	1683	10.4	1690	10.4
OB/GYN	307	2.9	571	5.1	640	5.2	710	5.6	755	5.6	851	6.3	867	6.4	920	6.5	962	6.4	963	6.3	979	6.1	969	5.9
PSYCH	248	2.3	336	3.0	420	3.4	481	3.8	516	3.9	482	3.6	446	3.3	522	3.7	603	4.0	609	4.0	661	4.1	739	4.5
MEDSPC	11	0.1	67	0.6	82	0.7	94	0.7	90	0.7	59	0.4	59	0.4	46	0.3	55	0.4	64	0.4	64	0.0	67	0.4
DERMAT	0		9		7		7		6		4		7		6		6		6		5		5	
NEUROL	2		23		44		57		55		38		35		26		35		38		36		37	
OPHTHM	9		35		31		30		29		17		17		14		14		20		23		25	
GEN SS	1563	14.7	1802	16.0	1787	14.6	1753	13.7	1732	12.9	1793	13.4	1900	14.0	2012	14.2	2045	13.7	2011	13.2	2095	13.0	2053	12.6
SURGSP	36	0.3	143	1.3	179	1.5	232	1.8	310	2.3	332	2.5	351	2.6	379	2.7	518	3.5	528	3.5	511	0.0	509	3.1
NEURSS	3		10		14		18		24		29		32		39		38		42		27		31	
ORTHOP	23		95		116		155		206		227		240		244		302		314		325		325	
OTOLAR	2		18		24		25		34		27		26		41		90		80		45		40	
UROLOG	8		20		25		34		46		49		53		55		84		90		109		107	
PLSTSG																	4		2		5		6	
SUPPSP	304	2.9	525	4.0	665	5.4	769	6.0	819	6.1	836	6.2	843	6.2	960	6.8	994	6.6	1234	8.1	1280	0.0	1199	7.4
ANESTH	34		149		159		192		190		220		260		323		383		362		386		349	
EMERMD																			189		205		232	
PATHOL	206		233		274		301		279		304		241		262		278		326		329		281	
PHYSMD	5		19		15		24		41		23		44		49		41		64		74		73	
PREVMD	0		0		0		0		0		0		0		0		0		0		0		3	
DX RAD	58		113		203		238		286		269		287		305		271		271		271		236	
RX RAD	1		11		14		14		23		20		11		21		21		22		14		25	
NUCKED																	4				1		0	
TRANS	2826	26.6	1219	10.8	1201	9.8	1131	8.9	1110	8.3	1052	7.8	1087	8.0	1149	8.1	1109	7.4	979	6.4	1061	6.6	1086	6.7
TOTAL	10622	100	11280	100	12215	100	12760	100	13376	100	13430	100	13619	100	14144	100	14949	100	15218	100	16112	100	16306	100

Table 5

Table 6

U S GRADUATES MATCHED BY SPECIALTY

	1978		1979		1980		1981		1982		1983		1984		1985	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
FAMPRC	1641	13.8	1691	13.9	1703	13.8	1727	13.6	1757	13.5	1681	13.1	1773	13.0	1626	11.8
GENPRC	1	.0	0		0		0		0		0		0		0	
INT MD	4335	36.5	4321	35.6	4436	35.9	4327	34.0	4484	34.4	4511	35.0	4779	35.2	4997	36.3
PEDIAT	1207	10.2	1240	10.2	1180	9.5	1241	9.8	1203	9.2	1182	9.2	1271	9.4	1287	9.4
OB/GYN	683	5.8	750	6.2	771	6.2	810	6.4	841	6.5	807	6.3	844	6.2	828	6.0
PSYCH	466	3.9	441	3.6	409	3.3	489	3.8	541	4.2	496	3.9	497	3.7	600	4.4
MEDSPC	82	0.7	54	0.4	54	0.4	44	0.3	50	0.4	57	0.4	56	0.4	63	0.5
DERMAT	6		3		7		6		6		6		5		5	
NEUROL	50		34		31		24		30		34		30		35	
OPHTHM	26		17		16		14		14		17		21		23	
GEN SG	1520	12.8	1606	13.2	1711	13.8	1769	13.9	1777	13.6	1711	13.3	1831	13.5	1862	13.5
SURGSF	295	2.5	319	2.6	335	2.7	356	2.8	490	3.8	485	3.8	470	3.5	461	3.4
NEURSG	23		27		29		34		37		40		25		29	
ORTHOP	200		219		235		237		287		291		294		287	
OTOLAR	32		27		26		39		87		72		43		39	
UROLOG	40		46		45		46		75		80		103		100	
PLSTSG									4		2		5		6	
SUPPSP	710	6.0	778	6.4	770	6.2	878	6.9	881	6.8	1085	8.4	1151	8.5	1057	7.7
ANESTH	166		202		233		291		343		332		368		339	
EMERMD											168		189		221	
PATHOL	245		282		219		244		236		265		263		190	
PHYSMD	26		20		34		37		36		56		65		62	
PREVMD	0		0		0		0		0		0		0		3	
DX RAD	257		256		275		291		251		250		252		219	
RX RAD	16		18		9		15		15		14		13		23	
NUCKED													1		0	
TRANS	935	7.9	935	7.7	1002	8.1	1083	8.5	999	7.7	859	6.7	916	6.7	972	7.1
TOTAL	11875	100	12135	100	12371	100	12724	100	13023	100	12874	100	13588	100	13753	100.0

FOREIGN GRADUATES MATCHED BY SPECIALTY*

Table 7

	1978		1979		1980		1981		1982		1983		1984		1985	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
FAMPRC	48	4.7	43	5.8	45	7.0	71	8.1	109	8.5	140	8.8	155	9.3	144	9.1
GENPRC	10	1.0	5	0.7	0		0		0		0		0		0	
INT MD	361	35.4	285	38.4	274	42.5	381	43.7	525	40.8	655	41.1	687	41.0	737	46.4
PEDIAT	171	16.7	118	15.9	82	12.7	103	11.8	216	16.8	295	18.5	336	20.1	326	20.5
OB/GYN	38	3.7	54	7.3	38	5.9	54	6.2	46	3.6	59	3.7	51	3.0	30	1.9
PSYCH	34	3.3	19	2.6	24	3.7	15	1.7	45	3.5	89	5.6	129	7.7	108	6.8
MEDSPC	6	0.6	2	0.3	2	0.3	2	0.2	5	0.4	4	0.3	4	0.2	1	0.1
DERMAT	0		0		0		0		0		0		0		0	
NEUROL	5		2		1		2		5		3		3		1	
OPHTHM	1		0		1		0		0		1		1		0	
GEN SG	136	13.3	107	14.4	88	13.6	143	16.4	173	13.4	150	9.4	130	7.8	78	4.9
SURGSP	6	0.6	3	0.4	2	0.3	8	0.9	7	0.5	9	0.6	4	0.2	5	0.3
NEURSG	1		1		1		3		1		1		0		0	
ORTHOP	2		1		0		0		1		3		3		3	
OTOLAR	1		0		0		1		0		2		0		1	
UROLOG	2		1		1		4		5		3		1		1	
PLSTSG													0		0	
SUPPSP	85	8.3	37	5.0	49	7.6	60	6.9	83	6.4	92	5.8	78	4.7	85	5.3
ANESTH	19		10		20		26		28		22		10		3	
EMERMD											6		6		2	
PATHOL	28		18		13		11		36		46		50		73	
PHYSMD	13		1		7		12		3		5		6		6	
DX RAD	19		6		7		5		10		5		6		1	
RX RAD	6		2		2		6		6		8		0		0	
NUCLMD									0		0		0		0	
TRANS	126	12.3	70	9.4	41	6.4	35	4.0	78	6.1	100	6.3	100	6.0	75	4.7
TOTAL	1021	100	743	100	645	100	872	100	1287	100	1593	100	1674	100	1589	100

* Excluding 5th Pathway Applicants

Table 8

CHOICES OF U S SENIORS IN 1985
ONE, TWO AND THREE CHOICES OF SPECIALTIES

	MATCHED				UNMATCHED				TOTAL CHOICES	PERCENT UNMATCHED		POSITIONS											
	FIRST ONLY	FIRST OF TWO	FIRST OF THREE	TOTAL	FIRST ONLY	FIRST OF TWO	FIRST OF THREE	TOTAL		ONE CHOICE	TOTAL	TOTAL APPLICANT	PER ACTIVE										
FAMPRC	1405	13.8%	167	6.1%	38	5.5%	1610	11.8%	59	7.6%	14	5.5%	2	3.9%	75	6.9%	1685	11.4%	4.0%	4.5%	2372	1.4	
INT MD	3970	38.9%	715	26.0%	90	13.1%	4775	35.0%	124	15.9%	28	11.0%	3	5.9%	155	14.3%	4930	33.5%	3.0%	3.1%	6736	1.4	
PEDIAT	1176	11.5%	63	2.3%	14	2.0%	1253	9.2%	17	2.2%	3	1.2%	1	2.0%	21	1.9%	1274	8.6%	1.4%	1.6%	1899	1.5	
OB/GYN	716	7.0%	117	4.3%	38	5.5%	871	6.4%	129	16.6%	16	6.3%	0	0.0%	145	13.4%	1016	6.9%	15.3%	14.3%	1021	1.0	
PSYCH	520	5.1%	52	1.9%	22	3.2%	594	4.4%	17	2.2%	6	2.4%	0	0.0%	23	2.1%	617	4.2%	3.2%	3.7%	902	1.5	
NEURSPC	31	0.3%	24	0.9%	15	2.2%	70	0.5%	0	0.0%	2	0.8%	1	2.0%	3	0.3%	73	0.5%	0.0%	4.1%	91	1.2	
DERMAT	1	.0%	10	0.4%	5	0.7%	16	0.1%	0	0.0%	0	0.0%	1	2.0%	1	0.1%	17	0.1%	0.0%	5.9%	5	0.3	
NEUROL	17	0.2%	10	0.4%	7	1.0%	34	0.2%	0	0.0%	1	0.4%	0	0.0%	1	0.1%	35	0.2%	0.0%	2.9%	59	1.7	
OPHTHM	13	0.1%	4	0.1%	3	0.4%	20	0.1%	0	0.0%	1	0.4%	0	0.0%	1	0.1%	21	0.1%	0.0%	4.8%	27	1.3	
GEN SG	1413	13.8%	215	7.8%	32	4.7%	1660	12.2%	243	31.2%	23	9.1%	3	5.9%	269	24.8%	1929	13.1%	14.7%	13.9%	2310	1.2	
SURSP	225	2.2%	389	14.1%	102	14.8%	716	5.2%	58	7.4%	58	22.8%	13	25.5%	129	11.9%	845	5.7%	20.5%	15.3%	530	0.6	
NEURSS	26	0.3%	3	0.1%	0	0.0%	29	0.2%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	29	0.2%	0.0%	0.0%	35	1.2	
ORTHOP	107	1.0%	302	11.0%	84	12.2%	493	3.6%	45	5.8%	44	17.3%	11	21.6%	100	9.2%	593	4.0%	29.6%	16.9%	329	0.6	
OTOLAR	34	0.3%	5	0.2%	0	0.0%	39	0.3%	0	0.0%	0	0.0%	1	2.0%	1	0.1%	40	0.3%	0.0%	2.5%	46	1.2	
UROLOG	57	0.6%	59	2.1%	12	1.7%	128	0.9%	12	1.5%	9	3.5%	1	2.0%	22	2.0%	150	1.0%	17.4%	14.7%	112	0.7	
PLSTSG	1	.0%	20	0.7%	6	0.9%	27	0.2%	1	0.1%	5	2.0%	0	0.0%	6	0.6%	33	0.2%	50.0%	18.2%	8	0.2	
SUPSP	475	4.7%	566	20.6%	254	36.9%	1295	9.5%	90	11.6%	72	28.3%	17	33.3%	179	16.5%	1474	10.0%	15.9%	12.1%	1468	1.0	
ANESTH	104	1.0%	195	7.1%	115	16.7%	414	3.0%	20	2.6%	24	9.4%	7	13.7%	51	4.7%	465	3.2%	16.1%	11.0%	375	0.8	
EPEND	74	0.7%	159	5.8%	63	9.2%	296	2.2%	22	2.8%	21	8.3%	6	11.8%	49	4.5%	345	2.3%	22.9%	14.2%	234	0.7	
PATHOL	163	1.6%	15	0.5%	6	0.9%	184	1.3%	4	0.5%	4	1.6%	0	0.0%	8	0.7%	192	1.3%	2.4%	4.2%	468	2.4	
PHYSND	23	0.2%	39	1.4%	14	2.0%	76	0.6%	7	0.9%	4	1.6%	0	0.0%	11	1.0%	87	0.6%	23.3%	12.6%	87	1.0	
PREVMD	0	0.0%	2	0.1%	0	0.0%	2	.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	2	.0%	0.0%	0.0%	6	3.0	
DX RAD	100	1.0%	143	5.2%	52	7.6%	295	2.2%	35	4.5%	19	7.5%	2	3.9%	56	5.2%	351	2.4%	25.9%	16.0%	263	0.7	
RY RAD	11	0.1%	13	0.5%	4	0.6%	28	0.2%	2	0.3%	0	0.0%	2	3.9%	4	0.4%	32	0.2%	15.4%	12.5%	33	1.0	
MUCHED	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%	0.0%	2	0.0	
TRANS	281	2.8%	444	16.1%	83	12.1%	808	5.9%	42	5.4%	32	12.6%	11	21.6%	85	7.8%	893	6.1%	13.0%	9.5%	1206	1.4	
TOTAL	10212	100.0%	2752	100.0%	688	100.0%	13652	100.0%	779	100.0%	254	100.0%	51	100.0%	1084	100.0%	14736	100.0%	7.1%	7.4%	18535	1.3	
PERCENTS	74.8%	20.2%	5.0%	100.0%	71.9%	23.4%	4.7%	100.0%															

Table 9

POSITIONS AND APPLICATIONS BY PROGRAM TYPE

PROGRAM NAME	PROGRAM CODE	# OF PROGRAMS	POSITIONS OFFERED	APPLI- CATIONS	APPL/ POSI- TION	MATCH- ED	% FILLED
FAMPRC	C-20	364	2372	11201	4.7	1626	68
INTMED	C-16	412	5374	31509	5.9	3884	72
INTMED(PREL)	P-15	201	1017	6952	6.8	854	83
INTMED(PRIM)	C-17	37	184	1645	8.9	149	80
INTMED(PEDS)	C-30	56	161	699	4.3	110	68
PEDIAT	C-28	211	1860	8917	4.8	1253	67
PEDIAT(PRIM)	C-29	10	39	342	8.8	34	87
OB/GYN	C-23	258	1021	9682	9.5	828	81
PSYCH	C-41	164	902	2850	3.2	600	66
DERMAT	C-32	2	5	30	6.0	5	100
NEUROL	C-35	25	59	53	0.9	35	59
OPHTLM	C-37	9	27	35	1.3	23	85
GEN SG	C-19	276	1429	13037	9.1	1199	83
GEN SG(PREL)	P-18	182	881	3261	3.7	663	75
NEURSG	C-34	22	35	31	0.9	29	82
ORTHOP	C-38	95	329	4014	12.2	287	87
OTOLAR	C-39	22	46	50	1.1	39	84
UROLOG	C-44	57	112	895	8.0	100	89
PLAS SG	C-49	5	8	67	8.4	6	75
ANESTH	C-31	90	375	2493	6.6	339	90
EMERMD	C-33	41	234	2229	9.5	221	94
PATHOL	C-25	166	453	1090	2.4	179	39
PATHOL(AN)	C-26	2	9	35	3.9	7	77
PATHOL(CL)	C-27	2	6	18	3.0	4	66
PHYSMD	C-40	31	87	390	4.5	62	71
PREVMD	C-47	3	6	6	1.0	3	50
NUC MD	C-36	1	2	0	0.0	0	0
DX RAD	C-42	100	263	2062	7.8	219	83
RX RAD	C-43	21	33	76	2.3	23	69
TRANSIT	T-14	159	1206	6942	5.8	972	80
TOTALS		3024	18535	110611	8.8	13753	87

Table 10

SPECIALTY DISTRIBUTION OF U.S. GRADUATES

	1977		1978		1979		1980		1981		1982		1983		1984	
	NO.	%	NO	%	NO	%	NO	%	NO	%	NO	%	NO	%	NO	%
FAMILY PRACTICE	1721	12.8	1963	13.9	2057	13.9	2022	13.5	2037	13.2	2085	13.2	2009	12.9	2085	12.9
GENERAL PRACTICE	0	0.0	1	.0	6	.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
INTERNAL MEDICINE	4827	36.0	4985	35.2	4992	33.8	5142	34.4	5055	32.8	5266	33.3	5275	33.9	5501	34.1
PEDIATRICS	1375	10.2	1388	9.8	1455	9.9	1428	9.6	1451	9.4	1434	9.1	1425	9.2	1463	9.1
OBSTETRICS/GYNECOL	759	5.7	845	6.0	923	6.3	937	6.3	960	6.2	963	6.1	923	5.9	963	6.0
PSYCHIATRY	592	4.4	611	4.3	592	4.0	527	3.5	647	4.2	685	4.3	623	4.0	617	3.8
MEDICAL SPECIALTY	130	1.0	124	0.9	103	0.7	94	0.6	70	6.2	75	0.5	92	0.6	86	0.5
DERMATOLOGY	10	0.1	8	0.1	11	0.1	10	0.1	7	.0	7	.0	6	.0	6	0.0
NEUROLOGY	64	0.5	60	0.4	42	0.3	48	0.3	41	0.3	47	0.3	57	0.4	49	0.3
OPHTHALMOLOGY	56	0.4	56	0.4	50	0.3	36	0.2	22	0.1	21	0.1	29	0.2	31	0.2
GENERAL SURGERY	1710	12.7	1807	12.8	2005	13.6	2086	14.0	2236	14.5	2252	14.3	2173	14.0	2290	14.2
SURGICAL SPECIALTY	254	1.9	332	2.3	379	2.6	390	2.6	416	2.7	535	3.4	533	3.4	528	3.3
NEUROLOGICAL SURG	21	0.2	24	0.2	41	0.3	36	0.2	44	0.3	41	0.3	47	0.3	37	0.2
ORTHOPEDIC SURG	167	1.2	229	1.6	246	1.7	259	1.7	262	1.7	298	1.9	305	2.0	306	1.9
OTOLARYNGOLOGY	27	0.2	37	0.3	39	0.3	41	0.3	52	0.3	98	0.6	87	0.6	65	0.4
UROLOGY	39	0.3	42	0.3	53	0.4	54	0.4	58	0.4	94	0.6	92	0.6	111	0.7
PLASTIC SURGERY	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	.0	2	.0	9	0.1
SUPPORT SPECIALTY	906	6.8	939	6.6	1067	7.2	1087	7.3	1230	8.0	1231	7.8	1439	9.2	1405	8.7
ANESTHESIOLOGY	211	1.6	223	1.6	270	1.8	316	2.1	380	2.5	419	2.7	412	2.6	421	2.6
EMERGENCY MEDICINE	6	0.0	10	0.1	14	0.1	25	0.2	20	0.1	37	0.2	182	1.2	200	1.2
PATHOLOGY	351	2.6	316	2.2	356	2.4	315	2.1	347	2.3	327	2.1	387	2.5	351	2.2
PHYSICAL MEDICINE	30	0.2	38	0.3	39	0.3	47	0.3	67	0.4	63	0.4	88	0.6	91	0.6
RADIOLOGY	295	2.2	348	2.5	369	2.5	378	2.5	406	2.6	369	2.3	357	2.3	317	2.0
NUCLEAR MEDICINE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1
OTHER	13	0.1	4	.0	19	0.1	6	.0	10	0.1	16	0.1	13	0.1	9	0.1
FLEXIBLE/TRANSIT	1141	8.5	1151	8.1	1181	8.0	1217	8.2	1294	8.4	1274	8.1	1071	6.9	1182	7.3
TOTAL	13415	100.0	14146	100.0	14760	100	14930	100	15396	100	15800	100	15563	100	16120	100
UNKNOWN	25		65		0		71		21		19		34		30	
NO PGY-1 YEAR	167		182		212		134		250		166		131		193	
GRADUATES	13607		14393		14966		15135		15667		15985		15728		16343	

Table 11

AAMC-NRNP FOLLOW-UP STUDIES OF U.S. MEDICAL SCHOOL CLASSES

	1977	1978	1979	1980	1981	1982	1983	1984
TOTAL IN RESIDENCY	13415	14146	14760	14930	15396	15800	15563	16120
NO GENDER/ETHNIC DATA	467	266	293	93	302	118	263	39
GENDER ONLY	12948	13880	14467	14837	15094	15682	15300	16081
PERCENT	96.5	98.1	98.0	99.4	98.0	99.3	98.3	99.8
MEN	10463	10912	11116	11395	11338	11785	11233	11536
WOMEN	2485	2967	3351	3442	3756	3897	4067	4545
MEN %	80.8	78.6	76.8	76.8	75.1	75.1	73.4	71.7
WOMEN %	19.2	21.4	23.2	23.2	24.9	24.9	26.6	28.3
GENDER AND ETHNIC	10431	13274	14019	14237	14521	15530	15242	16063
PERCENT	77.8	93.8	95.0	95.4	94.3	98.3	97.9	99.6
MEN	8363	10418	10760	10952	10888	11664	11190	11525
WOMEN	2068	2856	3259	3285	3633	3866	4052	4538
MEN %	80.2	78.5	76.8	76.9	75.0	75.1	73.4	71.8
WOMEN %	19.8	21.5	23.3	23.1	25.0	24.9	26.6	28.3
TOTAL ETHNIC GROUPS	MAJORITY 9547	12299	13001	13187	13480	14415	14148	14954
	MEN 7747	9753	10086	10271	10238	10990	10529	10872
	WOMEN 1800	2546	2915	2916	3242	3425	3619	4082
	BLACK 715	759	765	770	764	811	799	801
	MEN 478	500	477	468	442	458	444	432
	WOMEN 237	259	288	302	322	353	355	369
	MEX-AMER 133	170	189	195	202	225	221	219
	MEN 109	133	155	156	153	169	168	161
	WOMEN 24	37	34	39	49	56	53	58
	MAINL PR 36	46	64	85	75	79	74	89
	MEN 29	32	42	57	55	47	49	60
	WOMEN 7	14	22	28	20	32	25	29
PERCENTAGES	MAJORITY 91.5	92.7	92.7	92.6	92.8	92.8	92.8	93.1
	MEN 74.3	73.5	72.0	72.1	70.5	70.8	69.1	67.7
	WOMEN 17.3	19.2	20.8	20.5	22.3	22.1	23.7	25.4
	BLACK 6.9	5.7	5.5	5.4	5.3	5.2	5.2	5.0
	MEN 4.6	3.8	3.4	3.3	3.0	3.0	2.9	2.7
	WOMEN 2.3	2.0	2.1	2.1	2.2	2.3	2.3	2.3
	MEX-AMER 1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.4
	MEN 1.0	1.0	1.1	1.1	1.1	1.1	1.1	1.0
	WOMEN 0.2	0.3	0.2	0.3	0.3	0.4	0.4	0.4
	MAINL PR 0.4	0.4	0.5	0.6	0.5	0.5	0.5	0.6
	MEN 0.3	0.2	0.3	0.4	0.4	0.3	0.3	0.4
	WOMEN 0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.2

Table 12

SPECIALTY DISTRIBUTION BY GENDER AND ETHNIC GROUP

		1977		1978		1979		1980		1981		1982		1983		1984	
		MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN
FAMILY PRACTICE	MAJORITY	1064	191	1415	303	1488	349	1461	345	1425	368	1485	419	1416	415	1396	530
	BLACK	52	20	68	29	56	29	49	24	44	24	45	41	42	43	43	46
	MEX-AMER	26	8	32	8	43	10	53	6	46	12	44	11	36	13	44	13
	MAINPR	4	1	5	2	7	3	5	2	7	1	8	2	5	1	9	2
INTERNAL MEDICINE	MAJORITY	2837	598	3521	813	3493	943	3544	992	3391	1030	3678	1096	3577	1218	3670	1410
	BLACK	165	72	174	78	157	92	172	95	165	108	180	124	177	110	183	122
	MEX-AMER	24	2	27	9	31	6	37	7	32	8	43	16	54	10	43	13
	MAINPR	13	1	13	4	14	4	22	8	10	10	15	12	14	10	20	14
PEDIATRICS	MAJORITY	632	348	701	499	731	526	712	522	680	565	694	569	651	613	702	662
	BLACK	33	52	35	60	43	67	36	66	27	74	32	64	33	69	18	59
	MEX-AMER	12	5	12	7	16	7	9	7	15	11	10	14	14	9	13	8
	MAINPR	4	2	1	3	3	6	6	7	7	2	2	7	7	7	5	4
OBSTETRICS	MAJORITY	349	146	481	206	485	274	501	279	493	300	513	339	467	344	488	368
	BLACK	64	34	57	30	44	45	58	44	45	50	46	34	30	44	31	45
	MEX-AMER	10	2	8	3	8	4	9	5	13	5	10	6	12	6	15	6
	MAINPR	2	0	3	3	1	4	3	5	8	4	5	2	3	3	4	3
PSYCHIATRY	MAJORITY	300	109	358	160	340	173	312	148	352	200	425	213	354	208	364	217
	BLACK	15	10	20	10	24	15	16	16	14	11	10	18	13	14	8	21
	MEX-AMER	1	2	10	2	6	1	3	1	6	3	6	1	7	4	2	2
	MAINPR	2	2	0	0	2	1	2	1	1	0	1	3	2	1	1	0
GENERAL SURGERY	MAJORITY	1102	133	1403	172	1597	208	1650	189	1752	234	1867	213	1729	259	1870	288
	BLACK	79	16	78	16	76	9	73	12	62	18	75	18	89	28	73	18
	MEX-AMER	10	1	20	5	24	1	17	2	25	3	24	3	19	2	22	6
	MAINPR	2	0	7	2	7	2	12	3	14	1	11	2	7	0	10	1
SURGICAL SPECIALTY	MAJORITY	180	11	287	12	324	22	341	23	359	22	476	29	481	26	466	39
	BLACK	9	3	8	3	10	0	4	3	9	0	7	5	9	1	11	2
	MEX-AMER	2	0	2	0	6	0	4	0	1	1	3	0	4	0	2	0
	MAINPR	0	0	1	0	1	0	3	0	2	0	1	1	1	0	0	0
PATHOLOGY	MAJORITY	205	55	215	74	227	93	219	73	203	110	213	102	233	120	230	109
	BLACK	3	4	6	2	2	4	4	3	0	2	2	6	0	3	3	7
	MEX-AMER	1	0	3	0	4	2	2	3	0	1	4	1	5	2	2	0
	MAINPR	0	0	0	0	2	0	0	1	0	0	1	1	0	0	1	0
HOSPITAL SPECIALTY	MAJORITY	322	61	438	91	487	109	541	136	572	140	614	148	722	159	715	170
	BLACK	10	8	12	11	16	9	17	8	28	7	16	19	15	14	20	16
	MEX-AMER	5	0	5	2	4	3	7	2	7	1	10	2	8	3	9	5
	MAINPR	1	0	1	0	3	0	3	1	3	0	0	2	2	2	3	0
OTHER	MAJORITY	94	22	122	31	100	24	94	31	99	41	104	47	132	55	117	56
	BLACK	4	1	3	1	6	2	7	2	7	1	3	0	2	3	3	2
	MEX-AMER	2	0	0	0	0	0	0	1	0	1	1	0	0	0	1	0
	MAINPR	0	0	0	0	1	0	0	0	1	1	0	0	0	1	2	2
TRANSITIONAL	MAJORITY	662	126	812	185	814	194	896	178	912	232	921	250	767	202	854	233
	BLACK	44	17	39	19	43	16	32	29	41	27	42	24	34	26	39	31
	MEX-AMER	16	4	14	1	13	0	15	5	8	3	14	2	9	4	8	5
	MAINPR	1	1	1	0	1	2	1	0	2	1	3	0	8	0	5	3

Table 13

PERCENTAGE DISTRIBUTION OF MEN AND WOMEN BY ETHNIC GROUP

		1977		1978		1979		1980		1981		1982		1983		1984	
		MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN
FAMILY PRACTICE	MAJORITY	13.7	10.6	14.5	11.9	14.8	12.0	14.2	11.8	13.9	11.4	13.5	12.2	13.4	11.5	12.8	13.0
	BLACK	10.9	8.4	13.6	11.2	11.7	10.1	10.5	7.9	10.0	7.5	9.8	11.6	9.5	12.1	10.0	12.5
	MEX-AMER	23.9	33.3	24.1	21.6	27.7	29.4	34.0	15.4	30.1	24.5	26.0	19.6	21.4	24.5	27.3	22.4
	MAINPR	13.8	14.3	15.6	14.3	16.7	13.6	8.8	7.1	12.7	5.0	17.0	6.3	10.2	4.0	15.00	6.9
INTERNAL MEDICINE	MAJORITY	36.6	33.2	36.1	31.9	34.6	32.3	34.5	34.0	33.1	31.8	33.5	32.0	34.0	33.7	33.8	34.5
	BLACK	34.5	30.4	34.8	30.1	32.9	31.9	36.8	31.5	37.3	33.5	39.3	35.1	39.9	31.0	42.4	33.1
	MEX-AM	22.0	8.3	20.3	24.3	20.0	17.6	23.7	17.9	20.9	16.3	25.4	28.6	32.1	18.9	26.7	22.4
	MAINPR	44.8	14.3	40.6	28.6	33.3	18.2	38.6	28.6	18.2	50.0	31.9	37.5	28.6	40.0	33.3	48.3
PEDIATRICS	MAJORITY	8.2	19.3	7.2	19.6	7.2	18.0	6.9	17.9	6.6	17.4	6.3	16.6	6.2	16.9	6.5	16.2
	BLACK	6.9	21.9	7.0	23.2	9.0	23.3	7.7	21.9	6.1	23.0	7.0	18.1	7.4	19.4	4.2	16.0
	MEX-AM	11.0	20.8	9.0	18.9	10.3	20.6	5.8	17.9	9.8	22.4	5.9	25.0	8.3	17.0	8.1	13.8
	MAINPR	13.8	28.6	3.1	21.4	7.1	27.3	10.5	25.0	12.7	10.0	4.3	21.9	14.3	28.0	8.3	13.8
OBSTETRICS	MAJORITY	4.5	8.1	4.9	8.1	4.8	9.4	4.9	9.6	4.8	9.3	4.7	9.9	4.4	9.5	4.5	9.0
	BLACK	13.4	14.3	11.4	11.6	9.2	15.6	12.4	14.6	10.2	15.5	10.0	9.6	6.8	12.4	7.2	12.2
	MEX-AM	9.2	8.3	6.0	8.1	5.2	11.8	5.8	12.8	8.5	10.2	5.9	10.7	7.1	11.3	9.3	10.3
	MAINPR	6.9	0.0	9.4	21.4	2.4	18.2	5.3	17.9	14.5	20.0	10.6	6.3	6.1	12.0	6.7	10.3
PSYCHIATRY	MAJORITY	3.9	6.1	3.7	6.3	3.4	5.9	3.0	5.1	3.4	6.2	3.9	6.2	3.4	5.7	3.4	5.3
	BLACK	3.1	4.2	4.0	3.9	5.0	5.2	3.4	5.3	3.2	3.4	2.2	5.1	2.9	3.9	1.9	5.7
	MEX-AM	0.9	8.3	7.5	5.4	3.9	2.9	1.9	2.6	3.9	6.1	3.6	1.8	4.2	7.5	1.2	3.5
	MAINPR	6.9	28.6	0.0	0.0	4.8	4.5	3.5	3.6	1.8	0.0	2.1	9.4	4.1	4.0	1.7	0.0
GENERAL SURGERY	MAJORITY	14.2	7.4	14.4	6.8	15.8	7.1	16.1	6.5	17.1	7.2	17.0	6.2	16.4	7.2	17.2	7.1
	BLACK	16.5	6.8	15.6	6.2	15.9	3.1	15.6	4.0	14.0	5.6	16.4	5.1	20.0	7.9	16.9	4.9
	MEX-AM	9.2	4.2	15.0	13.5	15.5	2.9	10.9	5.1	16.3	6.1	14.2	5.4	11.3	3.8	13.7	10.3
	MAINPR	6.9	0.0	21.9	14.3	16.7	9.1	21.1	10.7	25.5	5.0	23.4	6.3	14.3	0.0	16.7	3.5
SURGICAL SPECIALTY	MAJORITY	2.3	0.6	2.9	0.5	3.2	0.8	3.3	0.8	3.5	0.7	4.3	0.8	4.6	0.7	4.3	1.0
	BLACK	1.9	1.3	1.6	1.2	2.1	0.0	0.9	1.0	2.0	0.0	1.5	1.4	2.0	0.3	2.6	0.5
	MEX-AM	1.8	0.0	1.5	0.0	3.9	0.0	2.6	0.0	0.7	2.0	1.8	0.0	2.4	0.0	1.2	0.0
	MAINPR	0.0	0.0	3.1	0.0	2.4	0.0	5.3	0.0	3.6	0.0	2.1	3.1	2.0	0.0	0.0	0.0
PATHOLOGY	MAJORITY	2.6	3.1	2.2	2.9	2.3	3.2	2.1	2.5	2.0	3.4	1.9	3.0	2.2	3.3	2.1	2.7
	BLACK	0.6	1.7	1.2	0.8	0.4	1.4	0.9	1.0	0.0	0.6	0.4	1.7	0.0	0.8	0.7	1.9
	MEX-AM	0.9	0.0	2.3	0.0	2.6	5.9	1.3	7.7	0.0	2.0	2.4	1.8	3.0	3.8	1.2	0.0
	MAINPR	0.0	0.0	0.0	0.0	4.8	0.0	0.0	3.6	0.0	0.0	2.1	3.1	0.0	0.0	1.7	0.0
HOSPITAL SPECIALTY	MAJORITY	4.2	3.4	4.5	3.6	4.8	3.8	5.3	4.7	5.6	4.3	5.6	2.1	6.9	4.4	6.6	4.2
	BLACK	2.1	3.4	2.4	4.2	3.4	3.1	3.6	2.7	6.3	2.2	3.5	5.4	3.4	4.0	4.6	4.3
	MEX-AM	4.6	0.0	3.8	5.4	2.6	8.8	4.5	5.1	4.6	2.0	5.9	3.6	4.8	5.7	5.6	8.6
	MAINPR	3.5	0.0	3.1	0.0	7.1	0.0	5.3	3.6	5.5	0.0	0.0	6.3	4.1	8.0	5.0	0.0
OTHER	MAJORITY	1.2	1.2	1.3	1.2	1.0	0.8	0.9	1.1	1.0	1.3	0.9	1.4	1.3	1.5	1.1	1.4
	BLACK	0.8	0.4	0.6	0.4	1.3	0.7	1.5	0.7	1.6	0.3	0.7	0.0	0.5	0.8	0.7	0.5
	MEX-AM	1.8	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	2.0	0.6	0.0	0.0	0.0	0.6	0.0
	MAINPR	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	1.8	5.0	0.0	0.0	0.0	4.0	3.3	6.9
TRANSITIONAL	MAJORITY	8.5	7.0	8.3	7.3	8.1	6.7	8.7	6.1	8.9	7.2	8.4	7.3	7.3	5.6	7.9	5.7
	BLACK	9.2	7.2	7.8	7.3	9.0	5.6	6.8	9.6	9.3	8.4	9.2	6.8	7.7	7.3	9.0	8.4
	MEX-AM	14.7	16.7	10.5	2.7	8.4	0.0	9.6	12.8	5.2	6.1	8.3	3.6	5.4	7.5	5.0	8.6
	MAINPR	3.4	14.3	3.1	0.0	2.4	9.1	1.8	0.0	3.6	5.0	6.4	0.0	16.3	0.0	8.3	10.3

Table 14

SPECIALTY DISTRIBUTION OF MEN AND WOMEN

		1977	1978	1979	1980	1981	1982	1983	1984
FAMILY PRACTICE	MEN	13.4	14.4	14.6	14.1	13.8	13.5	13.4	13.0
	WOMEN	10.9	12.1	12.1	11.6	11.2	12.3	11.7	13.0
	TOTAL	12.9	13.9	14.0	13.5	13.2	13.2	12.9	13.0
	RATIO	0.8	0.8	0.8	0.8	0.8	0.9	0.9	1.0
INTERNAL MEDICINE	MEN	36.7	36.1	34.5	34.8	33.0	33.7	34.2	34.0
	WOMEN	33.7	31.7	32.1	33.5	31.9	32.3	33.3	34.4
	TOTAL	36.1	35.2	33.9	34.5	32.8	33.3	33.9	34.1
	RATIO	0.9	0.9	0.9	1.0	1.0	1.0	1.0	1.0
PEDIATRICS	MEN	8.1	7.1	7.3	7.0	6.7	6.3	6.3	6.4
	WOMEN	19.6	19.9	18.5	18.3	18.0	17.0	17.2	16.2
	TOTAL	10.3	9.8	9.9	9.6	9.5	9.0	9.2	9.2
	RATIO	2.4	2.8	2.5	2.6	2.7	2.7	2.7	2.5
OBSTETRICS	MEN	5.0	5.2	5.0	5.2	5.1	4.9	4.6	4.7
	WOMEN	8.4	8.3	10.1	10.1	9.8	9.8	9.8	9.3
	TOTAL	5.7	5.9	6.2	6.3	6.3	6.1	6.0	6.0
	RATIO	1.7	1.6	2.0	1.9	1.9	2.0	2.1	2.0
PSYCHIATRY	MEN	4.0	3.8	3.5	3.0	3.5	3.8	3.4	3.3
	WOMEN	6.1	6.2	5.8	5.1	5.9	6.1	5.6	5.3
	TOTAL	4.4	4.4	4.0	3.5	4.1	4.4	4.0	3.8
	RATIO	1.5	1.6	1.7	1.7	1.7	1.6	1.7	1.6
GENERAL SURGERY	MEN	14.2	14.4	15.8	16.0	17.2	16.9	16.5	17.1
	WOMEN	6.8	6.7	6.7	6.3	7.1	6.1	7.1	6.9
	TOTAL	12.8	12.8	13.7	13.8	14.7	14.2	14.0	14.2
	RATIO	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
SURGICAL SPECIALTY	MEN	2.3	2.8	3.2	3.2	3.4	4.2	4.4	4.2
	WOMEN	0.6	0.5	0.7	0.8	0.6	0.9	0.7	0.9
	TOTAL	1.9	2.3	2.6	2.6	2.7	3.4	3.4	3.2
	RATIO	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2
PATHOLOGY	MEN	2.5	2.1	2.2	2.1	1.9	1.9	2.1	2.1
	WOMEN	2.8	2.7	3.0	2.4	3.1	2.8	3.1	2.6
	TOTAL	2.6	2.3	2.4	2.1	2.2	2.1	2.4	2.2
	RATIO	1.1	1.3	1.4	1.1	1.6	1.5	1.4	1.2
HOSPITAL SPECIALTY	MEN	4.0	4.4	4.8	5.1	5.5	5.5	6.7	6.5
	WOMEN	3.1	3.6	3.8	4.4	4.1	4.4	4.4	4.2
	TOTAL	3.8	4.2	4.6	4.9	5.2	5.2	6.1	5.8
	RATIO	0.8	0.8	0.8	0.9	0.7	0.8	0.7	0.7
OTHER	MEN	1.3	1.2	1.0	1.0	1.0	0.9	1.2	1.1
	WOMEN	1.1	1.1	0.8	1.0	1.2	1.2	1.5	1.3
	TOTAL	1.3	1.2	1.0	1.0	1.0	1.0	1.3	1.1
	RATIO	0.8	0.9	0.8	1.1	1.2	1.3	1.2	1.2
TRANSITIONAL	MEN	8.6	8.3	8.1	8.6	8.8	8.4	7.3	7.9
	WOMEN	6.8	7.1	6.4	6.6	7.2	7.1	5.7	6.0
	TOTAL	8.3	8.1	7.7	8.1	8.4	8.1	6.9	7.3
	RATIO	0.8	0.9	0.8	0.8	0.8	0.8	0.8	0.8

Table 15

BLACKS VS MAJORITY

		1977	1978	1979	1980	1981	1982	1983	1984
FP	MEN	0.8	0.9	0.8	0.7	0.7	0.7	0.7	0.8
	WOMEN	0.8	0.9	0.8	0.7	0.7	1.7	1.1	1.0
IM	MEN	0.9	1.0	1.0	1.1	1.1	1.2	1.2	1.3
	WOMEN	0.9	0.9	1.0	0.9	1.1	1.1	0.9	1.0
PD	MEN	0.8	1.0	1.2	1.1	0.9	1.1	1.2	0.6
	WOMEN	1.1	1.2	1.3	1.2	1.3	2.6	1.1	1.0
OB	MEN	3.0	2.3	1.9	2.5	2.1	2.2	1.5	1.6
	WOMEN	1.8	1.4	1.7	1.5	1.7	1.4	1.3	1.4
PS	MEN	0.8	1.1	1.5	1.1	0.9	0.6	0.9	0.6
	WOMEN	0.7	0.6	0.9	1.0	0.6	0.7	0.7	1.1
GS	MEN	1.2	1.1	1.0	1.0	0.8	1.0	1.2	1.0
	WOMEN	0.9	0.9	0.4	0.6	0.8	0.7	1.1	0.7
SS	MEN	0.8	0.5	0.7	0.3	0.6	0.4	0.4	0.6
	WOMEN	2.1	2.5	0.0	1.3	0.0	0.2	0.4	0.5
PA	MEN	0.2	0.5	0.2	0.4	0.0	0.2	0.0	0.3
	WOMEN	0.6	0.3	0.4	0.4	0.2	0.2	0.3	0.7
HO	MEN	0.5	0.5	0.7	0.7	1.1	0.6	0.5	0.7
	WOMEN	1.0	1.2	0.8	0.6	0.5	0.8	0.9	1.0
OH	MEN	0.7	0.5	1.3	1.6	1.6	0.7	0.4	0.6
	WOMEN	0.3	0.3	0.8	0.6	0.2	0.0	0.6	0.4
TR	MEN	1.1	0.9	1.1	0.8	1.0	1.1	1.1	1.1
	WOMEN	1.0	1.0	0.8	1.6	1.2	1.0	1.3	1.5