

2450 N Street, NW, Suite 201, Washington, DC 20037-1141


NRMP DATA

v

March 1995

All rights reserved. Permission to use, copy and/or distribute any documentation and/or related images from this publication shall be expressly obtained from the NRMP.





Copyright

1995 National Resident Matching Program. All materials subject to this copyright may be photocopied for the purpose of nonprofit, scientific or educational advancement.

TABLE OF CONTENTS

1995 MATCH

| FIGURE | | |
|--------|---|-----|
| 1. | Total Applicants and PGY-1 Positions, 1952-1995 Inside Front Cov | /er |
| INTRO | DUCTION 1 | - 4 |
| TABLES | S TITLE PA | GE |
| 1. | Positions Offered in the Matching Program, 1989 - 1995 | 5 |
| 2. | Applicants in the Matching Program, 1989 - 1995 | 6 |
| 3. | PGY-1 Positions for Applicants Active in the Match, 1971 - 1995 | 7 |
| 4. | PGY-1 Positions, Active Applicants and Match Rates, 1978 - 1995 | 8 |
| 5. | Positions Offered and Filled by U.S. Seniors and Total Applicants, 1991 - 1995 | 9 |
| 6. | Positions Offered and Percent Filled by U.S. Seniors and Total Applicants, 1991 - 1995 | 10 |
| 7. | Total Applicants Matched to PGY-1 By Specialty, 1987 - 1995 | 11 |
| 8. | U.S. Seniors Matched To PGY-1 By Specialty, 1987 - 1995 | 12 |
| 9. | Foreign Trained Physicians Matched To PGY-1 By Specialty, 1987 - 1995 | 13 |
| 10. | Programs, Positions, Ranked and Filled in 1995 by U.S. Seniors and Total Applicants | 14 |
| 11. | U.S. Student and I.A. Choices By Specialty in 1995 | 15 |
| 12. | U.S. Seniors Who Made Choices For One Type of Specialty in 1995 | 16 |
| 13. | Match Results For U.S. SeniorsRank Number Obtained, 1986 - 1995 | 17 |
| 14. | Applicants Matched By Specialty and State in 1995 18 - | 25 |

NATIONAL RESIDENT MATCHING PROGRAM

2450 N Street, NW, Suite 201 • Washington, DC 20037-1141

Students-Schools (202) 828-0676 • Hospitals-Programs (202) 828-0676 • Independent Applicants (202) 828-0566

Managed and Operated by the Association of American Medical Colleges

Program Sponsors

್ರತ

American Board of Medical Specialties American Medical Association Association of American Medical Colleges American Hospital Association Council of Medical Specialty Societies

Officers 1994/95

Board of Directors

President President Designate Secretary/Treasurer Executive Director

American Board of Medical Specialties

American Medical Association

Association of American Medical Colleges

American Hospital Association

Council of Medical Specialty Societies

Carlos J. M. Martini, M.D. Robert S. Blacklow, M.D. Warren H. Pearse, M.D. Robert L. Beran, Ph.D.

J. Lee Dockery, M.D. David E. Longnecker, M.D.

Carlos J. M. Martini, M.D. Gerard N. Burrow, M.D.

Robert S. Blacklow, M.D. Norma E. Wagoner, Ph.D.

William G. Lavelle, M.D. Kevin M. Fickenscher, M.D.

Rebecca Rhine-Gschwend Warren H. Pearse, M.D.

Student Representatives

AAMC Organization of Student Representatives American Medical Student Association Consortium of Medical Student Organizations AMA Medical Student Section

Support

Deputy Executive Director Director of Operations Manager Systems Coordinator Pradeep P. A. Mammen Gisele Allen Liz Hengstebeck Gabor Hertz

Richard R. Randlett Robert Colonna Kathryn Creighton Scott Brueckner

Systems Consultant

National Matching Services, Inc.

Elliott Peranson, M.A.Sc.

An Illinois not-for-profit corporation. Incorporated 1953.

NATIONAL RESIDENT MATCHING PROGRAM

The National Resident Matching Program was established in 1952 to provide both applicants and residency program directors a fair opportunity to consider their options for appointment, to make reasoned decisions and to have their decisions announced at a specified time. A brief introduction is followed by the presentation of the results of the NRMP for 1995/96 appointments in graduate medical education.

The first Match was conducted in 1952 when 11,000 internship positions were available for 6,000 U.S. By 1973 there were 19,000 graduating seniors. positions for just over 10,000 U.S. graduating seniors. Following the demise of the internship in 1975, the number of first post-graduate year (PGY-1) positions dropped to 16,000. The number of PGY-1 positions gradually increased to reach 20,772 in the 1994 Match, and dropped slightly to 20,751 this year. [(Figure 1, inside cover) and (Table 1)]. U.S. graduating seniors reached a high in 1985 when 16,179 enrolled in the Match. A small decrease in the number of U.S. graduating seniors occurred each year between 1986 and 1990. The first increase since 1985 was seen in 1991 when 15,268 U.S. seniors enrolled. After another decline in 1992 the number of U.S. seniors again rose to 15,892 for the 1995 Match (Table 2).

Many of the tables have been revised from prior issues to distinguish the growing number of PGY-2 programs offered and filled through the Match for appointments beginning July 1996. Applicants matched to these positions will do a year of broad clinical training, generally in a preliminary program such as Internal Medicine, General Surgery, or Transitional. Tables 1 and 2 illustrate the trends in the number of positions and the number of applicants participating in the Match during the past seven years. Many applicants, in addition to U.S. senior medical students, seek residency positions through the NRMP. The different categories of applicants are shown in Table 2. While U.S. physicians (prior year graduates) and osteopathic physicians can be appointed outside of the matching program, program directors increasingly have required these applicants to participate in the Match especially if they are seeking a PGY-2 position, which, while being offered in the 1995 Match, will not begin until July 1996. The low Match rates for PGY-1 positions for these applicants should be interpreted with this fact in mind. U.S. and non-U.S. foreign medical graduates can also be appointed outside of the Match; however, program directors and applicants are assured of obtaining their most desirable match if they participate fully in the process.

Of particular note is the continuing increase in the number of non-U.S. foreign trained physicians who registered for the 1995 Match (87.1% over the past three years), resulting in a substantial increase (82.7% during the same period) in the number that submitted Rank Order Lists (Active). However, as there was not a corresponding increase in the number of available positions, their success in being matched to a position declined from 63.0% in 1992 to 50.5% in 1995.

The ratios of positions to active applicants from 1971 through 1995 are shown in Table 3. This table was revised two years ago from prior issues and no longer attempts to report ratios of positions to U.S. citizens, a data element which was not available and was assumed in the past to equate with U.S. seniors, which was not completely accurate. The ratio of PGY-1 positions per active U.S. senior declined from 2.0:1 in 1973 to a low of 1.2:1 in 1985. Since then it gradually increased to 1.5:1 in 1992 and decreased to 1.4:1 in 1995, as a result of a slight decrease in positions and an increase in the number of U.S. seniors. The ratio of such positions to total applicants is quite different. With the influx of applicants who are not U.S. seniors, the ratio of PGY-1 positions to applicants has declined from a high of 1.8:1 in 1971 to a low of 0.8:1 in 1984. During the past ten years, the ratio fluctuated at about one PGY-1 position per active applicant, and was 0.9:1 in the current Match.

Table 4 shows the fluctuation of match rates for U.S. seniors, U.S. FMGs (U.S. citizens trained in foreign medical schools), non-U.S. FMGs (non-U.S. citizens trained in foreign medical schools), and Others, a category which includes Canadian, Osteopathic, 5th Pathway and U.S. physicians. The match rate for U.S. seniors has fluctuated only slightly from a low of 92.1% in 1982 to a high of 94.0% in 1987. In the current Match, their match rate was 92.7%. However, the match rates of foreign trained physicians is very different and is clearly directly related to the ratio of available positions per applicant. From 1983 to 1987, when the number of positions was less than the number of total active applicants, their match rates were well below 50%. In 1995, as applicants again exceed positions, their match rates remain close to 50%.

Tables 5 and 6 represent the positions offered and filled in each specialty participating in the NRMP from 1991 through 1995. Table 5 depicts the number of positions offered by specialty and shows the number filled by U.S. seniors and by total applicants. It should be noted that although there has been a 2.8% increase

in the total number of first-year positions offered in the Match over the past four years, the number filled by U.S. seniors has increased by 4.3%, while total filled has increased by 14.0%.

New last year are the detailed statistics of PGY-2 programs and their fill rates. Over the past few years there has been a relatively steady growth in the number of such positions being offered in the Match. Of particular note is the 47.8% decline over the past two years in the number of U.S. Seniors matching into such positions in Anesthesiology. Table 6 provides the same information on positions offered, but indicates the percentage of positions filled in each specialty by U.S. seniors and total applicants. The overall filling of PGY-1 positions declined from a high of 84.1% in 1987 to a low of 77.6% in 1991, rising to 86.1% in 1995. There were increases in the fill ratios for individual specialties, not only in the number of U.S. seniors, but also, their total number filled. The continuing increase in the number and corresponding percentage of U.S. seniors matching to positions in Family Practice, from 1,398 in 1992 to 2,081 in the 1995 Match, is interpreted as a positive response to the need for more primary care physicians. The increase in the number of U.S. seniors matched into Internal Medicine, for the second year in a row, after ten years of decline coupled with the decrease in U.S. seniors matching into Preliminary Internal Medicine in preparation for further specialization, may also indicate such a response. However, the eventual "leakage" of Internal Medicine residents into medical sub-specialties, makes it difficult to determine the impact of PGY-1 numbers on eventual numbers of generalists. Pediatrics and Obstetrics & Gynecology, also experienced more U.S. seniors matching into PGY-1 programs resulting in fewer positions being filled with non-U.S. seniors. The surgical and support specialties appear to have escaped this trend and

continue to maintain more of a constant mix. For those specialties offering a significantly large number of positions in the 1995 Match, Pediatrics, Obstetrics & Gynecology, General Surgery, Orthopaedic Surgery, and Emergency Medicine continued to maintain fill rates above 95%.

Table 7 shows the total number of applicants and the percentages that matched to PGY-1 positions by specialty. One can see a decline in the percentage of total applicants that matched into Family Practice from 1987 until 1992 with an upswing in 1993 which has continued in 1995. There has also been a relatively constant decline in the percentage matching to Internal Medicine and the Medical Specialties. Psychiatry, on the other hand, increased to 5.8% in 1988 and then declined to 3.9% in 1994 and has increased to 4.2% of the total applicants in the 1995 Match. General Surgery declined from 7.7% of the total applicants in 1986 to only 5.7% in 1995. Similarly, Transitional Programs have declined from a high of 6.8% of the total applicants in 1987 to 5.1% in 1995. The Support Specialties, on the other hand, have increased from a low of 7.3% in 1987 to 10.3% in 1993 followed by a decline to 9.9% in 1995.

Table 8 represents the total number of U.S. seniors and their corresponding percentages matched to PGY-1 positions by specialty. Here again is evidence of the decline in the percentage matched into Family Practice from 12.7% in 1987 through 1991 and their increase to 15.4% in 1995. Pediatrics and Obstetrics & Gynecology both show a slight but steady rise, with Pediatrics increasing from 9.3% in 1989 to 10.9% in 1995. Although Obstetrics & Gynecology rose from 6.1% in 1987 to 7.5% in 1993, it declined to 7.2 in 1995. General Surgery also declined from 7.8% of the total number of U.S. seniors matched in 1987 to only 6.8% of those in the 1995 Match. The Support Specialties, strongly influenced by the growth in the number of U.S. seniors matching into Emergency Medicine and Diagnostic Radiology (which offset the decline in the number matched into PGY-1 programs of Anesthesiology), enjoyed an increase from 7.5% in 1987 to 10.9% in 1993, but have declined to 10.1% of the newly graduating U.S. seniors.

Table 9 is similar to Tables 7 and 8, but pertains only to foreign trained physicians excluding Canadian applicants and those from Fifth Pathway programs. One can see the reverse of some of the trends reflected in U.S. seniors. Internal Medicine (all categories combined) decreased in the number of U.S. seniors matched, but this was countered with an increase in foreign trained physicians from 49.6% in 1987 to 59.6% in 1991. With the increase in foreign trained physicians participating in the Match, the percent matching to Internal Medicine has declined in the past three years to 54.2% of all positions obtained by foreign trained physicians. In numbers since 1987, they have increased by 1,018 positions, a 143.8% increase. As might be expected, specialties that have experienced increases in U.S. seniors have a corresponding decrease in the number of foreign trained physicians matched.

Table 10 was also revised from prior issues two years ago. No longer does it attempt to indicate the number of applications filed by applicants, information which is no longer reported to the NRMP, but rather, reflects the total number of programs ranked by applicants. Hence, an applicant ranking ten different programs would contribute a count of ten to the total. Therefore, the column headed RANK/POSITIONS indicates a measure of the average number each position was ranked. If one examines Table 11, which shows the number of applicants who actually ranked a specialty, one can compute the approximate number of programs ranked by each applicant. For example, 13,156 Family Practice programs were ranked by U.S. seniors. Table 11 shows that 2,452 U.S. seniors ranked at least one family practice program or an average of 5.4 programs per applicant, up from 4.8 last year.

Table 11 reports the choices of U.S. seniors and Independent Applicants by specialty. It includes the choices of all applicants without regard to whether the applicants were matched or unmatched. The specialty groups include all program tracks, as well as the advanced programs offered in each specialty. For example, Internal Medicine includes Preliminary, Primary and Categorical as well as Medicine-Pediatrics and Medicine-Psychiatry. A comparison of the total number of U.S. students choosing or ranking Plastic Surgery for example, reveals that there were nearly three times as many U.S. senior applicants as there were positions. In contrast, there were 1.7 times as many positions offered in Psychiatry than there were U.S. seniors seeking such a position.

Table 12 examines the population of U.S. seniors who chose to rank only one type of specialty. This includes 86.0% of all seniors submitting a Rank Order List. High unmatched rates, such as seen for Obstetrics & Gynecology (12.9%) and Orthopaedic Surgery (19.7%) reflect that there are more applicants than there are positions. It is understandable that their total PGY-1 "fill ratios" (Table 6) were 96.5%, and 100.0% respectively.

Table 13 shows the number of U.S. seniors who matched to their first, second, third, fourth, fifth or lower ranked programs. The significant decline in the percent of U.S. seniors obtaining their first choice and corresponding increase in the other categories may be the result of efforts to encourage seniors to reach higher by ranking first their most desirable program without regard to whether or not they will be ranked highly by the program. One should also note that since 1991, Table 13 includes PGY-2 positions as well as PGY-1 and reflects the fact that in the 1995 Match, 1,037 seniors obtained PGY-1 as well as PGY-2 positions and both are included in the statistics.

Table 14 was also revised last year. In the past the statistics included all sub-categories of the Specialty, as well as both PGY-1 and PGY-2 positions. The current issue reflects only PGY-1 positions and is restricted to those Specialties or Sub-Specialties that had 30 or more positions offered in the Match.

Additional Information

The Association of American Medical Colleges (AAMC) assumed the management responsibilities for the NRMP in May, 1989. As of July 1, 1992, the NRMP office in Evanston, Illinois was closed and the operation was moved and incorporated into the AAMC's Section for Student Services in Washington, DC. Data derived from NRMP has been integrated into the AAMC's Student and Applicant Information Management System (SAIMS). Studies are routinely conducted on the characteristics and career development of graduates pursuing various specialties from the time they enter medical school through their post graduate training. Special data requests, pertaining to this or prior matches, can be accommodated and should be directed in writing to:

Richard R. Randlett Deputy Executive Director National Resident Matching Program 2450 N Street, NW, Suite 201 Washington, D.C. 20037-1141

Telephone (202) 828-0620

POSITIONS OFFERED IN THE MATCHING PROGRAM 1989 through 1995

| | 198 | 9 | 199 | n | 199 | 11 | 19 | 92 | 19 | 93 | 19 | 14 | 19 | 95 |
|------------------------------------|------------|-------|-----------|-------|------------|------------|------------|------------|------------|------------|------------|------------|----------|------------|
| | Nurn, | × | Num. | × | Num. | % | Num, | ~~ % | Num. | % | Num. | ·. % | Num. | ·- % |
| PGY-1 POSITIONS | | | | | | | | | | | | | | |
| Family Practice | 2,456 | 12.3 | 2,393 | 11.9 | 2,467 | 12.2 | 2,486 | 12.2 | 2,589 | 12.6 | 2,774 | 13.4 | 2,941 | 14.2 |
| Internal Medicine | 5,123 | 25.7 | 4,796 | 23.9 | 4,704 | 23.3 | 4,773 | 23.4 | 4,658 | 22.6 | 4,733 | 22.8 | 4,656 | 22.4 |
| Preliminary (PGY-1 Only) | 1,744 | 8.7 | 2,024 | 10.1 | 2,068 | 10.2 | 1,971 | 9.7 | 2,053 | 10.0 | 1865 | 9.0 | 1,763 | 8.5 |
| Primary | 342 | 1.7 | 340 | 1.7 | 343 | 1.7 | 368 | 1.8 | 377 | 1.8 | 485 | 2.3 | 514 | 2.5 |
| Medicine-Pediatrics | 249 | 1.2 | 273 | 1.4 | 280 | 1.4 | 280 | 1.4 | 301 | 1.5 | 358 | 1.7 | 405 | 2.0 |
| Medicine-Psychiatry | 9 | 0.0 | 9 | 0.0 | 8 | 0.0 | 11 | 0.1 | 20 | 0.1 | 22 | 0.1 | 30 | 0.1 |
| Pediatrics | 2,012 | 10.1 | 2,007 | 10.0 | 2,009 | 9.9 | 2,039 | 10.0 | 2,005 | 9.7 | 2017 | 9.7 | 2,029 | 9.8 |
| Primary | 56 | 0.3 | 41 | 0.2 | 36 | 0.2 | 27 | 0.1 | 38 | 0.2 | 42 | 0.2 | 44 18 | 0.2 0.1 |
| Peds/Psych/Child Psych | 4.004 | 50 | 4 | 0.0 | 2 | 0.0 5.3 | 2 1,109 | 0.0 5,4 | 3 1,139 | 0.0 5.5 | 14 1135 | 0.1 5.5 | 1,146 | 5.5 |
| Obstetrics-Gynecology | 1,061 | 5.3 | 1,076 | 5.4 | 1,080 | 0.3 | 1,109 | 0,4 | 1,109 | 0.0 | 1100 | 0.0 | 1,140 | 5.5 |
| Psychiatry | 1,095 | 5.5 | 1,135 | 5.6 | 1,100 | 5.4 | 1,082 | 5.3 | 1,056 | 5.1 | 998 | 4.8 | 960 | 4.6 |
| Medical Specialty | 72 | 0.4 | 81 | 0.4 | 74 | 0.4 | 61 | 0.3 | 59 | 0.3 | 55 | 0.3 | 54 | 0.3 |
| Dermatology | 9 | | 15 | | 14 | | 14 | | 15 | | 14 | | 16 | |
| Neurology | 44 | | 51 | | 45 | | 38 | | 39 | | 34 | | 29 | |
| Ophthalmology | 19 | | 15 | | 15 | | 9 | | 5 | | 7 | | 9 | |
| General Surgery | 1,141 | 5.7 | 1,133 | 5.6 | 1,116 | 5,5 | 1,092 | 5.4 | 1,053 | 5.1 | 1,063 | 5.1 | 1,029 | 5.0 |
| Preliminary (PGY-1 Only) | 1,077 | 5.4 | 1,122 | 5.6 | 1,118 | 5,5 | 1,111 | 5.4 | 1,150 | 5.6 | 1134 | 5.5 | 1,156 | 5.6 |
| Surgical Specialty | 632 | 3.2 | 633 | 3.1 | 647 | 3.2 | 685 | 3.4 | 708 | 3.4 | 715 | 3.4 | 706 | 3.4 |
| Neurological Surgery | 33 | | 38 | | 38 | | 29 | | 34 | | 34 | | 40 | |
| Orthopaedic Surgery | 462 | | 456 | | 467 | | 506 | | 515 | | 518 | | 505 | |
| Otolaryngology | 50 | | 52 | | 56 | | 52 | | 51 | | 51 | | 47 | |
| Urology | 79 | | 79 | | 77 | | 84 | | 83 | | 80 | | 78 | |
| Plastic Surgery | 8 | | 8 | | 9 | | 14 | | 25 | | 32 | | 36 | |
| Support Specialty | 1,598 | 8.0 | 1,706 | 8.5 | 1,824 | 9.0 | 1,973 | 9,7 | 2,061 | 10.0 | 2.025 | 9.7 | 2,083 | 10.0 |
| Anesthesiology | 293 | | 321 | | 329 | | 352 | | 325 | | 297 | | 251 | |
| Emergency Medicine | 376 | | 440 | | 482 | | 569 | | 677 | | 698 | | 784 | |
| Pathology | 475 | | 486 | | 513 | | 518 | | 517 | | 450 | | 438 | |
| Physical Medicine | 89 | | 95 | | 96 | | 112 | | 102 | | 109 | | 102 | |
| Preventive Medicine | 10 | | 15 | | 11 | | 14 | | 6 | | 12 | | 10 | |
| Diagnostic Radiology | 344 | | 337 | | 384 | | 398 | | 417 | | 435 | | 478 | |
| Radiation Oncology | 10 | | 6 | | 3 | | 5 | | 10 | | 12 | | 10 | |
| Nuclear Medicine | 1 | | 6 | | 6 | | 5 | | 7 | | 12 | | 10 | |
| Transitional (PGY-1 Only) | 1,288 | 6,5 | 1,328 | 6.6 | 1,316 | 6.5 | 1,324 | 6.5 | 1,328 | 6.4 | 1,337 | 6.4 | 1,217 | 5.9 |
| TOTAL - PGY-1 | 19,955 | 100.0 | 20,101 | 100.0 | 20,192 | 100.0 | 20,394 | 100.0 | 20,598 | 100.0 | 20,772 | 100.0 | 20,751 | 100.0 |
| PGY-2 POSITIONS | | | | | | | | | | | | | | |
| Anesthesiology | 760 | | 822 | | 963 | | 1,020 | | 1,094 | | 1,022 | | 902 | |
| Dermatology | 2 | | 2 | | 2 | | 3 | | 2 | | 2 | | 2 | |
| Emergency Medicine | 66 | | 122 | | 162 | | 146 | | 138 | | 135 | | 129 | |
| Neurological Surgery | 5 | | 1 | | 2 | | 0 | | 2 | | 2 | | 1 | |
| Nuclear Medicine | | | | | | | | | | | 3 | | 4 | |
| Orthopaedic Surgery | 46 | | 49 | | 35 | | 38 | | 37 | | 30 | | 32 | |
| Physical Medicine | 99 | | 133 | | 153 | | 169 | | 189 | | 216 | | 253 | |
| Preventive Medicine | 2 | | 2 90 | | 2 | | 2 | | 8 101 | | 2 81 | | 3 76 | |
| Psychiatry Diagnostic Radiology | 133 423 | | 90 429 | | 104 438 | | 118 456 | | 458 | | 438 | | 550 | |
| Radiation Oncology | 423 | | 429 | | | | 456 | | 129 | | 438 | | 127 | |
| Urology | | | | | 2 2 | | 2 | | 129 | | 0 | | 121 | |
| | | | | | *- | | • | | ~ | | • | | * | |
| TOTAL - PGY -2 | 1,536 | | 1,650 | | 1,865 | | 1,954 | | 2,158 | | 2,048 | | 2,079 | |
| GRAND TOTAL | 21,491 | | 21,751 | | 22,057 | | 22,348 | | 22,756 | | 22,820 | | 22,830 | |

5

.....


APPLICANTS IN THE MATCHING PROGRAM 1989 THROUGH 1995

| | | 1000 | 1001 | 4000 | 4000 | 4004 | 1995 |
|------------------------------------|-----------------------|----------------------|----------------------|-----------------------|-------------------------|--------------------------|--------------|
| A | 1989 | 1990 NO. % | 1991 NO. % | 1992 NO. % | 1993 NO. % | 1994 NO. % | NO. % |
| Applicants | NO. % | NO. 76 | NO, 70 | NO. 70 | NO. 78 | NO. 70 | 110. 70 |
| U S Senior Students | 15,438 100.0 | 15,254 100.0 | 15,268 100.0 | 15,202 100.0 | 15,386 100.0 | 15,409 100.0 | 15,892 100.0 |
| Withdrew | 1,097 7.1 | 1,205 7.9 | 1,163 7.6 | 1,029 6.8 | 1,234 8.0 | 1,130 7.3 | 1,127 7.1 |
| No Ranking | 224 1.5 | 141 0.9 | 162 1.1 | 143 0.9 | 58 0.4 | 72 0.5 | 144 0.9 |
| Active Applicants | 14,117 100.0 | 13,908 100.0 | 13,943 100.0 | 14,030 100.0 | 14,094 100.0 | 14,207 100.0 | 14,621 100.0 |
| Matched PGY-1 | 13,215 93.6 | 12,976 93.3 | 12,985 93.1 | 12,957 92.4 | 13,020 92.4 | 13,209 93.0 | 13,549 92.7 |
| Unmatched PGY-1 | 902 6.4 | 932 6.7 | 958 6.9 | 1,073 7.6 | 1,074 7.6 | 998 7.0 | 1,072 7.3 |
| | 100 100 0 | 400 400 0 | 400 400 0 | 469 400 0 | 245 400 0 | 208 100.0 | 207 100.0 |
| Canadian Students | 128 100.0 | 126 100.0 | 120 100.0 | 162 100.0 37 22.8 | 215 100.0 82 38.1 | 32 15.4 | 69 33.3 |
| Withdrew | 40 31.3 | 33 26.2 19 15.1 | 29 24.2 15 12.5 | 25 15.4 | 38 17.7 - | 70 33.7 | 32 15.5 |
| No Ranking Active Applicants | 18 14.1 70 100.0 | 74 100.0 | 76 100.0 | 100 100.0 | 95 100.0 | 106 100.0 | 106 100.0 |
| Matched PGY-1 | 55 78.6 | 57 77.0 | 67 88.2 | 78 78.0 | 66 69.5 | 61 57.5 | 69 65.1 |
| Unmatched PGY-1 | 15 21.4 | 17 23.0 | 9 11.8 | 22 22.0 | 29 30,5 | 45 42.5 | 37 34.9 |
| Ommation of 1 of 1 of 1 | 10 21.1 | 11 20.0 | • • • • • | | | | |
| U S Physicians | 2,012 100.0 | 1,917 100.0 | 1,651 100.0 | 1,615 100.0 | 1,818 100.0 | 1,895 100.0 | 1,813 100.0 |
| Withdrew | 378 18.8 | 338 17.6 | 313 19.0 | 304 18.8 | 378 20.8 | 343 18.1 | 286 15.8 |
| No Ranking | 624 31.0 | 534 27.9 | 435 26.3 | 410 25.4 | 386 21.2 | 447 23.6 | 400 22.1 |
| Active Applicants | 1,010 100.0 | 1,045 100.0 | 903 100.0 | 901 100.0 | 1,054 100.0 | 1,105 100.0 | 1,127 100.0 |
| Matched PGY-1 | 477 47.2 | 522 50.0 | 431 47.7 | 442 49.1 | 512 48.6 | 558 50.5 | 568 50.4 |
| Unmatched PGY-1 | 533 52.8 | 523 50.0 | 472 52.3 | 459 50.9 | 542 51.4 | 547 49.5 | 559 49.6 |
| 0 / 1 | | 4 400 400 0 | 074 400 0 | 000 400 0 | 4 000 400 0 | 1,062 100.0 | 1,132 100.0 |
| Osteopaths | 1,272 100.0 | 1,188 100.0 | 971 100.0 | 990 100.0 122 12.3 | 1,082 100.0 165 15.2 | 127 12.0 | 138 12.2 |
| Withdrew No Doubing | 173 13.6 | 148 12.5 303 25.5 | 136 14.0 226 23.3 | 225 22.7 | 237 21.9 | 265 25.0 | 238 21.0 |
| No Ranking | 414 32.5 685 100.0 | 737 100.0 | 609 100.0 | 643 100.0 | 680 100.0 | 670 100.0 | 756 100.0 |
| Active Applicants Matched PGY-1 | 444 64.8 | 447 60.7 | 361 59.3 | 396 61.6 | 395 58.1 | 410 61.2 | 480 63.5 |
| Unmatched PGY-1 | 241 35.2 | 290 39.3 | 248 40.7 | 247 38.4 | 285 41.9 | 260 38.8 | 276 36.5 |
| Ommutoriou i o i o i | 2.00 | | | | | | |
| 5th Pathway | 171 100.0 | 114 100.0 | 83 100.0 | 50 100.0 | 59 100.0 | 43 100.0 | 36 100.0 |
| Withdrew | 18 10.5 | 10 8.8 | 8 9.6 | 8 16.0 | 21 35.6 | 11 25.6 | 9 25.0 |
| No Ranking | 22 12.9 | 22 19.3 | 16 19.3 | 10 20.0 | 6 10.2 | 10 23.3 | 11 30.6 |
| Active Applicants | 131 100.0 | 82 100.0 | 59 100.0 | 32 100.0 | 32 100.0 | 22 100.0 | 16 100.0 |
| Matched PGY-1 | 99 75.6 | 59 72.0 | 39 66.1 | 14 43.8 | 13 40.6 | 12 54.5 | 8 50.0 |
| Unmatched PGY-1 | 32 24.4 | 23 28.0 | 20 33.9 | 18 56.3 | 19 59.4 | 10 45.5 | 8 50.0 |
| U S Foreign Graduates | 1,515 100.0 | 1,306 100.0 | 988 100.0 | 983 100.0 | 1,096 100.0 | 1,164 100.0 | 1,314 100.0 |
| Withdrew | 241 15.9 | 166 12.7 | 153 15.5 | 159 16.2 | 241 22.0 | 243 20.9 | 336 25.6 |
| No Ranking | 393 25.9 | 311 23.8 | 234 23.7 | 207 21.1 | 213 19.4 | 253 21.7 | 243 18.5 |
| Active Applicants | 881 100.0 | 829 100.0 | 601 100.0 | 617 100.0 | 642 100.0 | 668 100.0 | 735 100.0 |
| Matched PGY-1 | 470 53.3 | 461 55.6 | 352 58.6 | 362 58,7 | 367 57.2 | 317 47.5 | 366 49.8 |
| Unmatched PGY-1 | 411 46.7 | 368 44.4 | 249 41.4 | 255 41.3 | 275 42.8 | 351 52.5 | 369 50.2 |
| · | | | | | | | |
| Non- U S Foreign Graduates | 4,094 100.0 | 3,935 100.0 | 4,075 100.0 | 5,629 100.0 | 8,086 100.0 | 10,376 100.0 | 10,531 100.0 |
| Withdrew | 743 18.1 | 562 14.3 | 768 18.8 | 1,135 20.2 | 2,049 25.3 | 2,557 24.6 | 2,584 24.5 |
| No Ranking | 1,038 25.4 | 1,044 26.5 | 1,048 25.7 | 1,298 23.1 | 1,718 21.2 | 2,245 21.6 | 2,372 22.5 |
| Active Applicants | 2,313 100.0 | 2,329 100.0 | 2,259 100.0 | 3,196 100.0 | 4,319 100.0 | 5,574 100.0 | 5,575 100.0 |
| Matched PGY-1 | 1,253 54.2 | 1,390 59.7 | 1,432 63.4 | 2,014 63.0 | 2,523 58.4 | 2,838 50.9 2,736 49.1 | 2,818 50.5 |
| Unmatched PGY-1 | 1,060 45.8 | 939 40.3 | 827 36.6 | 1,182 37.0 | 1,796 41.6 | 2,700 49.1 | 2,757 49.5 |
| Total Applicants | 24,630 100.0 | 23,840 100.0 | 23,156 100.0 | 24,631 100.0 | 27,742 100.0 | 30,157 100.0 | 30,925 100.0 |
| Withdrew | 2,690 10.9 | 2,462 10.3 | 2,570 11.1 | 2,794 11.3 | 4,170 15.0 | 4,443 14.7 | 4,549 14.7 |
| No Ranking | 2,733 11.1 | 2,374 10.0 | 2,136 9.2 | 2,318 9.4 | 2,656 9.6 | 3,362 11.1 | 3,440 11.1 |
| Active Applicants | 19,207 100.0 | 19,004 100.0 | 18,450 100.0 | 19,519 100.0 | 20,916 100.0 | 22,352 100.0 | 22,936 100.0 |
| Matched PGY-1 | 16,013 83.4 | 15,912 83.7 | 15,667 84.9 | 16,263 83.3 | 16,896 80.8 | 17,405 77.9 | 17,858 77.9 |
| Unmatched PGY-1 | 3,194 16.6 | 3,092 16.3 | 2,783 15.1 | 3,256 16.7 | 4,020 19.2 | 4,947 22.1 | 5,078 22.1 |
| | | | | | | | |

| PGY-1 POSITIONS FOI | APPLICANTS A | CTIVE IN THE MATCH* |
|----------------------------|--------------|---------------------|
|----------------------------|--------------|---------------------|

| YEAR | NUMBER | ACTIVE U.S. | POSITIONS PER | ACTIVE TOTAL | POSITIONS PER ACTIVE |
|------|-----------|----------------|------------------|-----------------|-------------------------|
| | OF | | U.S. SENIOR | IOIAD | TOTAL |
| | POSITIONS | SENIORS | U.S. SENIOR | | 10145 |
| 1971 | 16,515 | 8,417 | 2.0 | 9,004 | 1.8 |
| 1972 | 17,283 | 8,758 | 2.0 | 9,542 | 1.8 |
| 1973 | 18,721 | 9,525 | 2.0 | 11,286 | 1.7 |
| 1974 | 17,403 | 9,860 | 1.8 | 12,798 | 1.4 |
| 1975 | 15,691 | 10,802 | 1.5 | 14,153 | 1.1 |
| 1976 | 16,112 | 11,735 | 1.4 | 16,728 | 1.0 |
| 1977 | 16,574 | 11,898 | 1.4 | 15,854 | 1.0 |
| 1978 | 17,219 | 12,666 | 1.4 | 15,354 | 1.1 |
| 1979 | 17,824 | 13,036 | 1.4 | 14,985 | 1.2 |
| 1980 | 18,055 | 13,322 | 1.4 | 15,129 | 1.2 |
| 1981 | 18,331 | 13,705 | 1.3 | 16,104 | 1.1 |
| 1982 | 18,300 | 14,144 | 1.3 | 18,410 | 1.0 |
| 1983 | 17,952 | 13,969 | 1.3 | 20,044 | 0.9 |
| 1984 | 18,457 | 14,741 | 1.3 | 22,052 | 0.8 |
| 1985 | 18,535 | 14,849 | 1.2 | 22,386 | 0.8 |
| 1986 | 18,770 | 14,737 | 1.3 | 21,357 | 0.9 |
| 1987 | 19,047 | 14,466 | 1.3 | 20,054 | 0.9 |
| 1988 | 19,513 | 14,499 | 1.3 | 19,808 | 1.0 |
| 1989 | 19,955 | 14,117 | 1.4 | 19,207 | 1.0 |
| 1990 | 20,101 | 13,908 | 1.4 | 19,004 | 1.1 |
| 1991 | 20,192 | 13,943 | 1.4 | 18,450 | 1.1 |
| 1992 | 20,394 | 14,030 | 1.5 | 19,519 | 1.0 |
| 1993 | 20,598 | 14,094 | 1.5 | 20,916 | 1.0 |
| 1994 | 20,772 | 14,207 | 1.5 | 22,352 | 0.9 |
| 1995 | 20,751 | 14,621 | 1.4 | 22,936 | 0.9 |


*Applicants who withdrew or did not rank programs are excluded.



| PGY-1 PC | SITIONS, | ACTIVE A | IPPLICANTS ANI | D MATCH RATES |
|----------|----------|----------|-----------------------|---------------|
|----------|----------|----------|-----------------------|---------------|

| Year | Positions in NRMP | Total Active Applicants | % Positions/ Applicant | % Matched U S Seniors | % Matched Others | % Matched U S FMG | % Matched Non-U S FMG |
|------|----------------------|-------------------------------|------------------------------|--------------------------------|------------------------|----------------------------|--------------------------------|
| 1978 | 17,219 | 15,354 | 112.1 | 93.8 | 78.3 | | 49.2 |
| 1979 | 17,824 | 14,985 | 118.9 | 93.1 | 79.9 | | 59.1 |
| 1980 | 18,055 | 15,129 | 119.3 | 92.8 | 78.9 | | 56.4 |
| 1981 | 18,331 | 16,104 | 113.8 | 92.8 | 74.5 | 67.5 | 45.3 |
| 1982 | 18,300 | 18,410 | 99.4 | 92.1 | 68.6 | 56.8 | 31.4 |
| 1983 | 17,952 | 20,044 | 89.6 | 92.2 | 65.2 | 49.3 | 26.2 |
| 1984 | 18,457 | 22,052 | 83.7 | 92.2 | 60.5 | 44.4 | 21.9 |
| 1985 | 18,535 | 22,386 | 82.8 | 92.6 | 60.7 | 39.7 | 21.6 |
| 1986 | 18,770 | 21,357 | 87.9 | 93.3 | 60.3 | 38.6 | 24.0 |
| 1987 | 19,047 | 20,054 | 95.0 | 94.0 | 58.9 | 43.0 | 34.2 |
| 1988 | 19,513 | 19,808 | 98.5 | 93.1 | 57.3 | 49.0 | 44.1 |
| 1989 | 19,955 | 19,207 | 103.9 | 93.6 | 56.7 | 53.3 | 54.2 |
| 1990 | 20,101 | 19,004 | 105.8 | 93.3 | 56.0 | 55.6 | 59.7 |
| 1991 | 20,192 | 18,450 | 109.4 | 93.1 | 54.5 | 58.6 | 63.4 |
| 1992 | 20,394 | 19,519 | 104.5 | 92.4 | 55.5 | 58.7 | 63.0 |
| 1993 | 20,598 | 20,916 | 98.5 | 92.4 | 53.0 | 57.2 | 58.4 |
| 1994 | 20,772 | 22,352 | 92.9 | 93.0 | 54.7 | 47.5 | 50.9 |
| 1995 | 20,751 | 22,936 | 90.5 | 92.7 | 56.1 | 49.8 | 50.5 |





.

POSITIONS OFFERED AND FILLED BY U.S. SENIORS AND TOTAL APPLICANTS FROM 1991 THROUGH 1995

| | | 1991 1992 OSITIONS POSITIONS | | | | | | 1993 SITION | q | | 1994 SITION | 5 | F | 1995 POSITIO | NS |
|--|------------|---------------------------------|------------|------------|------------|------------|------------|----------------|--------------|----------------|----------------|--------------|----------------|-----------------|--------------|
| | OFFERED | | LLED | OFFERED | | LLED | OFFERED | | LLED | OFFERED | FI | LLED | OFFERED | F | ILLED |
| DOV 1 DOSTITONS | | #U.S. | #IOT | | #U.S. | #TOT | | #U.S. | #TOT | | #U.S. | #TOT | | #U.S. | #TOT |
| PGY-1 POSITIONS Family Practice | 2,467 | 1,374 | 1,604 | 2,486 | 1,398 | 1,678 | 2,589 | 1,636 | 2,002 | 2,774 | 1,850 | 2,293 | 2,941 | 2,081 | 2,563 |
| Internal Medicine | 4,704 | 2,686 | 3,793 | 4,773 | 2,669 | 4,074 | 4,658 | 2,473 | 4,104 | 4,733 | 2,551 | 4,195 | 4,656 | 2,697 | 4,282 |
| Preliminary (PGY-1 Only) | 2,068 | 1,398 | 1,484 | 1,971 | 1,345 | 1,481 | 2,053 | 1,325 | 1,487 | 1,865 | 1,238 | 1,429 | 1,763 | 1,063 | 1,285 |
| Primary | 343 | 211 | 283 | 368 | 244 | 321 | 377 301 | 232 194 | 319 224 | 485 358 | 297 237 | 425 274 | 514 405 | 312 313 | 454 351 |
| Medicine-Pediatrics Medicine-Psychiatry | 280 8 | 161 2 | 178 3 | 280 11 | 166 5 | 190 5 | 20 | 194 | 6 | 22 | 201 | 6 | 30 | 17 | 21 |
| Pediatrics | 2,009 | 1,296 | 1,582 | 2,039 | 1,309 | 1.673 | 2,005 | 1,337 | 1,745 | 2,017 | 1,404 | 1,857 | 2,029 | 1,480 | 1,941 |
| Primary | 36 | 20 | 30 | 27 | 14 | 20 | 38 | 21 | 29 | 42 | 24 | 32 | 44 | 22 | 42 |
| Peds/Psych/Child Psych | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 14 | 7 | 11 | 18 | 17 | 18 |
| Obstetrics-Gynecology | 1,080 | 931 | 1,050 | 1,109 | 945 | 1,071 | 1,139 | 982 | 1,120 | 1,135 | 962 | 1,120 | 1,146 | 973 | 1,106 |
| Psychiatry | 1,100 | 641 | 786 | 1,082 | 526 | 695 | 1,056 | 477 | 680 | 998 | 438 | 676 | 960 | 476 | 750 |
| Medical Specialty | 74 | 47 | 54 | 61 | 27 | 37 | 59 | 38 | 44 | 55 | 27 | 40 | 54 16 | 29 15 | 40 16 |
| Dermatology | 14 | 13 23 | 13 28 | 14 38 | 13 11 | 14 20 | 15 39 | 14 19 | 15 24 | 14 34 | 13 9 | 14 20 | 29 | 6 | 16 |
| Neurology Ophthalmology | 45 15 | 23 11 | 20 13 | 30 9 | 3 | 20 | 5 | 5 | 5 | 7 | 5 | 6 | 9 | 8 | 8 |
| Opinianiology | 10 | | | - | - | - | - | | | | | | | | |
| General Surgery | 1,116 | 982 | 1,091 | 1,092 | 968 | 1,081 | 1,053 | 891 508 | 1,043 648 | 1,063 1,134 | 928 504 | 1,050 662 | 1,029 1,156 | 915 463 | 1,023 613 |
| Preliminary (PGY-1 Only) | 1,118 | 540 | 645 | 1,111 | 560 | 701 | 1,150 | 900 | 040 | 1,104 | 004 | 002 | 1,100 | 400 | |
| Surgical Specialty | 647 | 555 | 606 | 685 | 597 | 656 | 708 | 608 | 675 | 715 | 607 | 674 | 706 | 617 | 680 |
| Neurological Surgery | 38 | 21 | 22 | 29 | 25 | 25 | 34 | 27 | 28 | 34 | 23 | 23 | 40 | 26 448 | 27 505 |
| Orthopaedic Surgery | 467 | 411 | 458 | 506 | 455 | 502 43 | 515 51 | 453 45 | 512 47 | 518 51 | 453 42 | 516 42 | 505 47 | 440 | 42 |
| Otolaryngology | 56 77 | 50 65 | 51 66 | 52 84 | 38 69 | 43 72 | 83 | 40 61 | 66 | 80 | 60 | 63 | 78 | 71 | 72 |
| Urology Plastic Surgery | 9 | 8 | 9 | 14 | 10 | 14 | 25 | 22 | 22 | 32 | 29 | 30 | 36 | 31 | 34 |
| Thashe Burgery | - | - | - | | | | | | | | | | | | |
| Support Specialty | 1,824 | 1,275 | 1,491 | 1,973 | 1,335 | 1,607 | 2,061 | 1,422 | 1,741 | 2,025 | 1,357 | 1,707 | 2,083 | 1,374 | 1,773 |
| Anesthesiology | 329 | 247 | 266 | 352 | 244 | 273 534 | 325 677 | 199 529 | 235 658 | 297 698 | 163 531 | 191 677 | 251 784 | 93 613 | 136 756 |
| Emergency Medicine Bethology | 482 513 | 380 270 | 450 319 | 569 518 | 439 254 | 534 319 | 517 | 278 | 349 | 450 | 255 | 340 | 438 | 269 | 367 |
| Pathology Physical Medicine | 96 | 68 | 71 | 112 | 71 | 77 | 102 | 66 | 76 | 109 | 61 | 77 | 102 | 55 | 73 |
| Preventive Medicine | 11 | 3 | 3 | 14 | 5 | 6 | 6 | 1 | 3 | 12 | 2 | 2 | 10 | 1 | 1 |
| Diagnostic Radiology | 384 | 302 | 374 | 398 | 316 | 390 | 417 | 341 | 408 | 435 | 339 | 413 | 478 | 331 | 426 |
| Radiation Oncology | 3 | 3 | 3 | 5 5 | 4 | 5 3 | 10 7 | 5 3 | 8 4 | 12 12 | 3 3 | 4 | 10 10 | 9 3 | 10 4 |
| Nuclear Medicine | 6 | 2 | 5 | 5 | 2 | 3 | (| 3 | 4 | 12 | | v | 10 | Ŭ | , |
| Transitional (PGY-1 Only) | 1,316 | 864 | 985 | 1,324 | 847 | 971 | 1,328 | 869 | 1,026 | 1,337 | 773 | 954 | 1,217 | 700 | 916 |
| TOTAL - PGY-1 | 20,192 | 12,985 | 15,667 | 20,394 | 12,957 | 16,263 | 20,598 | 13,020 | 16,896 | 20,772 | 13,209 | 17,405 | 20,751 | 13,549 | 17,858 |
| PGY-2 POSITIONS | | | | | | | | | | | | ~ ~ | | | 400 |
| Anesthesiology | 963 | 698 | 751 | 1,020 3 | 682 3 | 752 3 | 1,094 2 | 632 2 | 708 2 | 1,022 2 | 542 2 | 634 2 | 902 2 | 330 2 | 400 2 |
| Dermatology Emergency Medicine | 2 162 | 1 111 | 1 133 | د 146 | ა 95 | 124 | 138 | 2 95 | 123 | 135 | 97 | 123 | 129 | 108 | 128 |
| Neurological Surgery | .02 | | ĩõ | 0 | õ | 0 | 2 | õ | 0 | 2 | 1 | 2 | 1 | 1 | 1 |
| Nuclear Medicine | | | | | | | | | | 3 | 0 | 0 | 4 | 0 | 0 |
| Orthopaedic Surgery | 35 | 26 | 33 | 38 | 29 | 36 | 37 | 31 | 37 | 30 | 24 | 30 | 32 | 23 | 32 |
| Physical Medicine | 153 | 111 | 140 | 169 | 110 | 144 0 | 189 8 | 122 0 | 162 0 | 216 2 | 116 0 | 162 0 | 253 3 | 112 0 | 177 0 |
| Preventive Medicine Psychiatry | 2 104 | 0 43 | 0 56 | 2 118 | 0 50 | 54 | 101 | 48 | 52 | 81 | 38 | 47 | 76 | 41 | 43 |
| Provinany Diagnostic Radiology | 438 | 349 | 412 | 456 | 329 | 404 | 458 | 358 | 420 | 438 | 306 | 371 | 550 | 320 | 404 |
| Radiation Oncology | 2 | 2 | 2 | 0 | 0 | 0 | 129 | 87 | 104 | 117 | 82 | 101 | 127 | 100 | 115 |
| Urology | 2 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL - PGY -2 | 1,863 | 1,342 | 1,529 | 1,954 | 1,299 | 1,518 | 2,158 | 1,375 | 1,608 | 2,048 | 1,208 | 1,472 | 2,079 | 1,037 | 1,302 |
| GRAND TOTAL | 22,055 | 14,327 | 17,196 | 22,348 | 14,256 | 17,781 | 22,756 | 14,395 | 18,504 | 22,820 | 14,417 | 18,877 | 22,830 | 14,586 | 19,160 |

POSITIONS OFFERED AND PERCENT FILLED BY U.S. SENIORS AND TOTAL APPLICANTS FROM 1991 THROUGH 1995

| | | 1991 | _ | | 1992 | | | 1993 | _ | | 994 | _ | | 1995 | ~ |
|---|----------------|-------------------|--------------|----------------|---------------|--------------|---|---------------|---------------|----------------|-------------------|---------------|----------------|---------------|---------------|
| | PC | SITIONS | S LED | OFFERED | SITION: FT | S LLED | OFFERED | SITION: FI | S LLED | PO | SITIONS | S LLED | OFFERED | SITIONS | s LLED |
| | | % US | % TOT | wa a addiadad | % US | % TOT | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | % US | % TOT | Se a success | % US | % TOT | | % US | % TOT |
| PGY-1 POSITIONS | | | | | | | | | | | | | | | |
| Family Practice | 2,467 | 55.7 | 65.0 | 2,486 | 56.2 | 67.5 | 2,589 | 63.2 | 77.3 | 2,774 | 66,7 | 82.7 | 2,941 4,656 | 70.8 57.9 | 87.1 92.0 |
| Internal Medicine Preliminary (PGY-1 Only) | 4,704 2,068 | 57.1 67.6 | 80.6 71.8 | 4,773 1,971 | 55.9 68.2 | 85.4 75.1 | 4,658 2,053 | 53.1 64.5 | 88.1 72.4 | 4,733 1,865 | 53.9 66.4 | 88.6 76.6 | 4,656 | 60.3 | 92.0 72.9 |
| Primary (POT-TOmy) | 2,088 | 61.5 | 82.5 | 368 | 66.3 | 87.2 | 2,003 | 61.5 | 84.6 | 485 | 61.2 | 87.6 | 514 | 60.7 | 88.3 |
| Medicine-Pediatrics | 280 | 57.5 | 63.6 | 280 | 59.3 | 67.9 | 301 | 64.5 | 74.4 | 358 | 66.2 | 76.5 | 405 | 77.3 | 86.7 |
| Medicine-Psychiatry | 8 | 25.0 | 37.5 | 11 | 45.5 | 45.5 | 20 | 20.0 | 30.0 | 22 | 22.7 | 27.3 | 30 | 56.7 | 70.0 |
| Pediatrics | 2,009 | 64.5 | 78.7 | 2,039 | 64.2 | 82.1 | 2,005 | 66.7 | 87,0 | 2,017 | 69.6 | 92.1 | 2,029 | 72.9 | 95.7 |
| Primary | 36 | 55.6 | 83.3 | 27 | 51,9 | 74.1 | 38 | 55.3 | 76.3 | 42 | 57.1 | 76.2 | 44 | 50.0 | 95.5 |
| Peds/Psych/Child Psych | 2 | 100.0 | 100.0 | 2 | 100.0 | 100.0 | 3 | 100.0 | 100,0 | 14 | 50.0 | 78.6 | 18 | 94.4 | 100.0 |
| Obstetrics-Gynecology | 1,080 | 86.2 | 97.2 | 1,109 | 85.2 | 96.6 | 1,139 | 86.2 | 98.3 | 1,135 | 84.8 | 98.7 | 1,146 | 84.9 | 96.5 |
| Psychiatry | 1,100 | 56.3 | 71.5 | 1,082 | 48.6 | 64.2 | 1,056 | 45.2 | 64.4 | 996 | 43.9 | 67.7 | 960 | 49.6 | 78.1 |
| | | | | | | | , | | | | | | | | |
| Medical Specialty | 74 | 63.5 | 73.0 | 61 | 44.3 | 60.7 | 59 | 64.4 | 74.6 | 55 | 49.1 | 72.7 | 54 | 53.7 | 74.1 |
| Dermatology | 14 | 92.9 | 92.9 | 14 | 92.9 | 100.0 | 15 | 93.3 | 100.0 61.5 | 14 34 | 92.9 | 100.0 58.8 | 16 29 | 93.8 20.7 | 100.0 55.2 |
| Neurology | 45 15 | 51.1 73.3 | 62.2 86.7 | . 38 . 9 | 28.9 33.3 | 52.6 33.3 | 39 5 | 48.7 100.0 | 100.0 | 34 7 | 26.5 71.4 | 85.7 | 29 | 20.7 | 99.2 88,9 |
| Ophthalmology | 15 | 10.0 | 00.1 | . 9 | 33.3 | 33.3 | 9 | 100.0 | 100.0 | , | 7 1. 4 | 00.7 | 9 | 00.9 | 00,9 |
| General Surgery | 1,116 | 88.0 | 97.8 | 1,092 | 88.6 | 99.0 | 1,053 | 84.6 | 99.1 | 1,063 | 87.3 | 98.8 | 1,029 | 88.9 | 99,4 |
| Preliminary (PGY-1 Only) | 1,118 | 48.3 | 57.7 | 1,111 | 50.4 | 63.1 | 1,150 | 44.2 | 56.3 | 1,134 | 44.4 | 58.4 | 1,156 | 40.1 | 53.0 |
| Surgical Specialty | 647 | 85.8 | 93.7 | 685 | 87.2 | 95.8 | 708 | 85.9 | 95.3 | 715 | 84.9 | 94.3 | 706 | 87.4 | 96.3 |
| Neurological Surgery | 38 | 55.3 | 57.9 | 29 | 86.2 | 86.2 | 34 | 79.4 | 82.4 | 34 | 67.6 | 67.6 | 40 | 65.0 | 67.5 |
| Orthopaedic Surgery | 467 | 86.0 | 98.1 | 506 | 89.9 | 99.2 | 515 | 88.0 | 99,4 | 518 | 87.5 | 99.6 | 505 | 88.7 | 100.0 |
| Otolaryngology | 56 | 89.3 | 91.1 | 52 | 73.1 | 82.7 | 51 | 88.2 | 92.2 | 51 | 82.4 | 82.4 | 47 | 87.2 | 89.4 |
| Urology | 77 | 84.4 | 85.7 | 84 | 82.1 | 85.7 | 83 | 73.5 | 79.5 | 80 | 75.0 | 78.8 | 78 | 91.0 | 92.3 |
| Plastic Surgery | 9 | 88.9 | 100.0 | 14 | 71.4 | 100.0 | 25 | 88.0 | 88.0 | 32 | 90.6 | 93.8 | 36 | 86.1 | 94.4 |
| Support Specialty | 1,824 | 69.9 | 81.7 | 1,973 | 87.7 | 81.4 | 2,061 | 69.0 | 84.5 | 2,025 | 67.0 | 84.3 | 2,083 | 66.0 | 85.1 |
| Anesthesiology | 329 | 75.1 | 80.9 | 352 | 69,3 | 77.6 | 325 | 61.2 | 72.3 | 297 | 54.9 | 64.3 | 251 | 37.1 | 54.2 |
| Emergency Medicine | 482 | 78.8 | 93.4 | 569 | 77.2 | 93.8 | 677 | 78.1 | 97.2 | 698 | 76.1 | 97.0 | 784 | 78.2 | 96.4 |
| Pathology | 513 | 52.6 | 62.2 | 518 | 49.0 | 61.6 | 517 | 53.8 | 67.5 | 450 | 56.7 | 75.6 | 438 | 61.4 | 83.8 |
| Physical Medicine | 96 | 70.8 | 74.0 | 112 | 63.4 35.7 | 68.8 42.9 | 102 6 | 64.7 | 74.5 50.0 | 109 12 | 56.0 | 70.6 16.7 | 102 10 | 53.9 10.0 | 71.6 10.0 |
| Preventive Medicine Diagnostic Radiology | 11 384 | 27.3 78.6 | 27.3 97.4 | 14 398 | 35.7 79.4 | 42.9 98.0 | 417 | 16.7 81.8 | 97.8 | 435 | 16.7 77.9 | 94.9 | 478 | 69.2 | 89.1 |
| Radiation Oncology | 304 | 100.0 | 100.0 | 5 | 80.0 | 100.0 | 10 | 50.0 | 80.0 | 12 | 25.0 | 33.3 | 10 | 90.0 | 100.0 |
| Nuclear Medicine | 6 | 33.3 | 83.3 | 5 | 40.0 | 60.0 | 7 | 42.9 | 57.1 | 12 | 25.0 | 25.0 | 10 | 30.0 | 40.0 |
| Transitional (PGY-1 Only) | 1 246 | 65.7 | 74.8 | 1,324 | 64.0 | 73.3 | 1,328 | 65.4 | 77.3 | 1,337 | 57.8 | 71.4 | 1,217 | 57.5 | 75.3 |
| Transmonar (FOT-TOmy) | 1,316 | 05.7 | 74.0 | 1,524 | 04.0 | 10.0 | 1,020 | 00.4 | 17.5 | 1,001 | 07.0 | 61.94 | 1,217 | J1.J | 10.0 |
| TOTAL - PGY-1 | 20,192 | 64.3 | 77.6 | 20,394 | 63.5 | 79.7 | 20,598 | 63.2 | 82.0 | 20,772 | 63.6 | 83.8 | 20,751 | 65,3 | 86.1 |
| PGY-2 POSITIONS | | | | | _ | | | | _ | | | | | L | |
| Anesthesiology | 963 | 72.5 | 78.0 | 1,020 | 66.9 | 73.7 | 1,094 | 57.8 | 64.7 | 1,022 | 53.0 | 62.0 | 902 | 36.6 | 44.3 |
| Dermatology | 2 | .50.0 | 50.0 | 3 | 100.0 | 100.0 | 2 | 100.0 | 100.0 | 2 | 100.0 | 100.0 | 2 | 100.0 | 100.0 |
| Emergency Medicine | 162 0 | 68.5 | 82.1 | 146 0 | 65,1 | 84.9 | 138 2 | 68.8 0.0 | 89.1 0.0 | 135 2 | 71.9 50.0 | 91.1 100.0 | 129 1 | 83.7 100.0 | 99.2 100.0 |
| Neurological Surgery Nuclear Medicine | v | | | v | | | 4 | 0.0 | 0.0 | 23 | 0.0 | 0.0 | 4 | 0.0 | 0.0 |
| Orthopaedic Surgery | 35 | 74.3 | 94.3 | 38 | 76.3 | 94.7 | 37 | 83.8 | 100.0 | 30 | 80.0 | 100.0 | 32 | 71.9 | 100.0 |
| Physical Medicine | 153 | 72.5 | 91.5 | 169 | 65.1 | 85.2 | 189 | 64.6 | 85.7 | 216 | 53.7 | 75.0 | 253 | 44.3 | 70.0 |
| Preventive Medicine | 2 | 0.0 | 0.0 | 2 | 0.0 | 0.0 | 8 | 0.0 | 0.0 | 2 | 0.0 | 0,0 | 3 | 0.0 | 0.0 |
| Psychiatry | 104 | 41.3 | 53.8 | 118 | 42.4 | 45,8 | 101 | 47.5 | 51.5 | 81 | 46.9 | 58.0 | 76 | 53.9 | 56.6 |
| Diagnostic Radiology | 438 | 7 9 .7 | 94.1 | 456 | 72.1 | 88.6 | 458 | 78.2 | 91.7 | 438 | 69,9 | 84.7 | 550 | 58.2 | 73.5 |
| Radiation Oncology | 2 | 100.0 | 100.0 | 0 | | | 129 | 67.4 | 80.6 | 117 | 70.1 | 86.3 | 127 | 78.7 | 90.6 |
| Urology | 2 | 50.0 | 50.0 | 2 | 50.0 | 50.0 | 0 | | | 0 | | | 0 | | |
| TOTAL - PGY -2 | 1,863 | 72.0 | 82.1 | 1,954 | 66.5 | 77.7 | 2,158 | 63.7 | 74.5 | 2,048 | 59.0 | 71.9 | 2,079 | 49.9 | 62.6 |
| GRAND TOTAL | 22,055 | 65.0 | 78.0 | 22,348 | 63.8 | 79.6 | 22,756 | 63.3 | 81.3 | 22,820 | 63.2 | 82.7 | 22,830 | 63.9 | 83.9 |

TOTAL APPLICANTS MATCHED TO PGY-1 BY SPECIALTY FROM 1987 THROUGH 1995

| 1995 | % | 14.4 | 24.0 | 7.2 | 2,5 | 2.0 | 0.1 | 10 9 | | 7.0 | 0.1 | 6.2 | 4.2 | 0.2 | | | | | 5.7 | 3.4 | 3.8 | | | | | | 9.9 | | | | | | | | | 5,1 | 100.0 |
|------------------|------|-----------------|-------------------|--------------------------|---------|---------------------|---------------------|--------|--------------------|-------------|------------------------|-----------------------|------------|--------------------|-----|------------|-----------|----------------|-----------------|--------------------------|--------------------|----------------------|---------------------|----------------|---------|-----------------|-------------------|----------------|--------------------|-----------|-------------------|---------------------|----------------------|--------------------|------------------|---------------------------|--------|
| | Num. | 2,563 | 4,282 | 1,285 | 454 | 351 | 21 | 1 0.41 | 5 | 7 | 18 | 1,106 | 750 | 40 | ţ | 2 4 | 2 (| æ | 1,023 | 613 | 680 | 27 | 505 | 42 | 72 | 34 | 1,773 | 136 | 756 | 367 | 73 | ₩₩ | 426 | 10 | 4 | 916 | 17 858 |
| 1994 | % | 13.2 | 24.1 | 8.2 | 2.4 | 1.6 | 0.0 | 107 | | 7.0 | 0.1 | 6.4 | 3.9 | 0.2 | | | | | 6.0 | 3.8 | 3.9 | | | | | | 9.8 | | | | | | | | | 5,5 | 100.0 |
| | Num. | 2,293 | 4,195 | 1,429 | 425 | 274 | 9 | 1 857 | | 25 | ÷ | 1,120 | 676 | 40 | | 1 2 | 3 | æ | 1,050 | 662 | 674 | 23 | 516 | 42 | 63 | 30 | 1,707 | 191 | 677 | 340 | 11 | 2 | 413 | 4 | e | 954 | 17 405 |
| 199 3 | % | 11.8 | 24.3 | 8.8 | 6 | <u>1</u> .3 | 0.0 | 10.3 | 2 | 7.0 | 0.0 | 6.6 | 4.0 | 0.3 | | | | | 6.2 | 3.8 | 4.0 | | | | | | 10.3 | | | | | | | | | 6.1 | 100.0 |
| - | Num. | 2,002 | 4,104 | 1,487 | 319 | 224 | Ŷ | 1 7.45 | 2 | R7 | ო | 1,120 | 680 | 44 | . 4 | 2 2 | 47 | ŝ | 1,043 | 648 | 675 | 28 | 512 | 47 | 99 | 22 | 1,741 | 235 | 658 | 349 | 76 | en | 408 | 8 | 4 | 1,026 | 10.000 |
| 1992 | % | 10.3 | 25.1 | 9.1 | 2.0 | 1.2 | 0.0 | 10.2 | 2 | 1.0 | 0.0 | 6.6 | 4.3 | 0.2 | | | | | 6.6 | 4.3 | 4.0 | | | | | | 6.6 | | | | | · | | | | 6.0 | 0.004 |
| 31 | Num. | 1,678 | 4,074 | 1,481 | 321 | 190 | S | 1 673 | | 20 | 2 | 1,071 | 695 | 37 | Ĭ | ŧ | 2 | m | 1,081 | 701 | 656 | 25 | 502 | 43 | 72 | 14 | 1,607 | 273 | 534 | 319 | 11 | 9 | 390 | ŝ | en | 971 | 000 07 |
| 1661 | % | 10.2 | 24.2 | 9,5 | 1.8 | | 0.0 | 404 | 1.0 | 0.2 | 0.0 | 6.7 | 5.0 | 0.3 | } | | | | 7.0 | 4.1 | 3.9 | | | | | | 9.5 | | | | | | | | | 6.3 | 0.004 |
| 51 | Num. | 1,604 | 3,793 | 1,484 | 283 | 178 | e | 1 587 | | 9 2 | 2 | 1,050 | 786 | 24 | | 2 8 | \$ | 1 3 | 1,091 | 645 | 909 | 22 | 458 | 51 | 99 | 0 | 1,491 | 266 | 450 | 319 | 71 | n | 374 | e | S | 985 | 10 001 |
| 1990 | % | 10.6 | 25.1 | 9.2 | 1.8 | 1.0 | 0.0 | 10.3 | | 7 .0 | 0.0 | 6.6 | 5.4 | 03 | 2 | | | | 6.9 | 3,9 | 3.8 | | | | | | 8.8 | | | | | | | | | 6.2 | 0.001 |
| 15 | Num. | 1,685 | 3,988 | 1,460 | 291 | 163 | 4 | 1 63 4 | * no | 33 | 2 | 1,044 | 863 | 53 | 1 | 28 | 07 | 0 | 1,092 | 616 | 605 | 28 | 453 | 47 | 69 | 8 | 1,395 | 264 | 410 | 292 | 78 | 9 | 336 | 5 C | 4 | 984 | 1010 |
| 1989 | % | 10.9 | 26.1 | 8.7 | 1.8 | 1.0 | 0.0 | 0.01 | 0.0 | 0.3 | | 6.3 | 5.6 | 0.3 | 2 | | | | 6.8 | 4.0 | 3.7 | | | | | | 8.2 | | | | | | | | | 6.4 | 0.000 |
| 51 | Num. | 1,745 | 4,173 | 1,388 | 281 | 154 | 4 | . ene | 000 ⁴ 1 | 48 | | 1,007 | 897 | 53 | 3 < | n c | R7 | 15 | 1,090 | 634 | 599 | 27 | 457 | 42 | 65 | ŝ | 1,313 | 214 | 355 | 305 | 86 | 2 | 341 | 0 | | 1,021 | 010.01 |
| 8861 | % | 11.0 | 27.4 | 7.7 | 1.5 | 1.0 | | 101 | | 0.2 | | 6.1 | 5.8 | ΡU | | | | | 7.1 | 4.3 | 3.6 | | | | | | 7.5 | | | | | | | | | 6.5 | 0.001 |
| 61 | Num. | 1,767 | 4'4 | 1,245 | 240 | 161 | | 042 4 | 070'1 | 31 | | 981 | 932 | 58 | 3 1 | ~ ; | 32 | 19 | 1,143 | 692 | 579 | 24 | 438 | 43 | 68 | 9 | 1,202 | 235 | 323 | 252 | 76 | 5 | 303 | 7 | | 1,046 | |
| 1987 | % | 12.4 | 27.5 | 6.7 | 12 | 1.0 | | 0.01 | 0.01 | 0.2 | | 5.8 | 5.2 | <i>V</i> 0 | 5 | | | | 7.4 | 4.5 | 3.3 | | | | | | 7.3 | | | | | | | | | 6.8 | 0 001 |
| 19 | Num. | 1,979 | 4,397 | 1,068 | 195 | 167 | | 000 | 020 | 37 | | 927 | 825 | 50 | 3 ° | ן ס | 31 | 16 | 1,180 | 716 | 521 | 28 | 376 | 39 | 11 | 7 | 1,163 | 262 | 298 | 276 | 72 | 4 | 239 | 12 | 0 | 1,086 | |
| | | Family Practice | Internal Medicine | Preliminary (PGY-1 Only) | Primary | Medicine-Pediatrics | Medicine-Pevchiatry | | requartics | Primary | Peds/Psych/Child Psych | Obstetrics-Gynecology | Psychiatry | Madinal Cronialty. | | Dermawoogy | Neurology | Ophthaimology | General Surgery | Preliminary (PGY-1 Only) | Surgical Specialty | Neurological Surgery | Orthopaedic Surgery | Otolaryngology | Urology | Plastic Surgery | Support Specialty | Anesthesiology | Emergency Medicine | Pathology | Physical Medicine | Preventive Medicine | Diagnostic Radiology | Radiation Oncology | Nuclear Medicine | Transitional (PGY-1 Only) | |

.

U.S. SENIORS MATCHED TO PGY-1 BY SPECIALTY FROM 1987 THROUGH 1995

| * | 15.4 19.9 0.1 0.2 7.2 7.2 7.2 7.2 | 3.5 0.2 | 6.8 3.4 6.6 | 10.1 | 5.2 |
|--------------|---|--|--|--|---------------------------|
| 1995 Num. | 2,081 1 2,697 1 312 313 313 313 17 17 17 17 22 17 17 22 17 22 973 | 476 29 15 8 | 915 617 617 26 448 71 31 31 | 1,374 93 56 331 9 331 331 331 | 700 |
| * | 440 2224 2224 2000 2024 2224 2224 2224 | 3.3 | 7.0 3.8 4.6 | 10.3 1, | 5.9 |
| 1994 Num. | 1,850 2,551 1,238 2,551 2,97 2,97 2,4 2,4 2,4 2,4 2,4 2,4 2,4 2,4 2,4 2,4 | 438 27 9 5 | 928 504 53 23 60 29 60 29 60 29 60 29 50 42 50 50 42 50 50 50 50 50 50 50 50 50 50 50 50 50 | ,357 163 163 163 255 61 61 83 339 339 339 339 339 339 339 339 339 | 773 |
| % | 2100 2000 2000 2000 2000 2000 2000 2000 | 3.7 0.3 | 6.8 3.9 4.7 | 10.9 | 6.7 |
| 1993 Num. | | 477 38 14 19 5 | 891 508 608 45 61 61 22 | 1,422 199 529 278 66 66 341 341 35 3 | 869 |
| »2 % | 200 200 200 200 200 200 200 200 200 200 | 4.1 0.2 | 7.5 4.6 4.6 | 10.3 | 6.5 |
| 1992 Num. | 1,398 2,669 1345 244 166 1,309 1,309 245 245 245 | 526 27 11 3 | 968 597 25 38 38 38 69 69 | 1,335 244 439 439 254 71 71 5 316 2 4 | 847 |
| % 1661 | 10.6 20.7 10.0 10.0 10.0 10.0 10.0 10.0 10.0 1 | 4.9 0.4 | 7.6 4.3 4.3 | <i>හ</i> හ | 6.7 |
| 19 Num. | 1,374 2,686 2,686 1398 211 161 161 161 20 20 20 20 20 20 20 | 641 47 13 23 | 982 540 555 21 411 65 8 8 | 1,275 247 280 270 68 3 302 3 32 2 3 | 864 |
| % % | 210.0 21.8 21.7 21.8 21.7 20.0 21.7 20.0 21.7 20.0 21.7 20.0 21.7 20.0 21.7 20.0 21.7 20.0 21.7 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20 | 5.1 0.3 | 7.4 4.1 4.2 | 0.9 0 | 6.7 |
| Num. | 1,418 2,829 2,829 2,829 149 149 149 149 25 25 25 25 | 664 38 15 8 8 | 966 535 539 25 400 42 65 7 | 1,172 251 243 71 5 258 258 258 | 864 |
| 1989 % | 23.1 23.1 2.2 0.0 0.2 0.2 0.2 0.2 0.2 0.2 0.2 | 5.5 0.3 | 7.3 4.1 | 8 | 6.9 |
| 11 Nume. | 1,468 3,057 1312 234 137 1,228 1,228 883 | 722 45 22 14 | 960 572 547 23 415 63 63 | 1,108 297 297 253 84 84 262 262 9 9 | 910 |
| 1988 % | 24.6 24.6 8.7 1.5 1.1 0.2 0.2 0.2 0.2 | 5.5 0.4 | 7.5 4.7 4.0 | 7.5 | 7.0 |
| Num. 1 | 1,494 3,316 1178 209 143 1,289 24 24 24 24 24 | 745 48 6 6 18 | 1,012 635 538 24 42 64 64 64 | 1,017 219 278 184 73 73 252 7 0 | 945 |
| 1987 % | 25.2 7.6 1.3 9.8 0.2 6.1 | 5.0 | 7.8 3.4 3.4 | 7.5 | 7.2 945 |
| Num. | 1,728 3,426 1031 173 151 1,336 1,336 828 | 675 50 6 30 14 | 1,056 647 647 469 27 335 335 335 7 | 1,022 249 264 209 66 209 221 11 | 974 |
| | Family Practice Internal Medicine Preliminary (PGY-1 Only) Primary Medicine-Pediatrics Medicine-Psychiatry Pediatrics Primary Peds/Psych/Child Psych Obstetrics-Gynecology | Psychiatry Aedical Specially Dermatology Neurology Ophthalmology | General Surgery Preliminary (PGY-1 Only) <i>Surgical Specialty</i> Neurological Surgery Orthopaedic Surgery Otolaryngology Urology Plastic Surgery | Support Specialty Anesthesiology Emergency Medicine Pathology Physical Medicine Preventive Medicine Diagnostic Radiology Radiation Oncology Nuclear Medicine | Transitional (PGY-1 Only) |

12

FOREIGN TRAINED PHYSICIANS* MATCHED TO PGY-1 BY SPECIALTY FROM 1987 THROUGH 1995

| ζ. | % | 9.1 43.7 5 0 | 3.5 | 1.0 0.1 | 11.7 | 0.0 | 1.2 | 6.8 | 0.3 | | | 1.2 3.6 | 0.3 | | | | | 5.2 | | | | | | | | | 5.6 | 100.0 |
|------|------|--------------------------------------|--------------------------|---------------------|-----------------------------------|--------------------------------------|-----------------------|------------|-------------------|--------------------------|---------------|---|-----|---|---------------------|----------------|----------------------------|-----------|-----------------|--------------------|-----------|-------------------|---------------------|----------------------|--------------------|------------------|---------------------------|---------------|
| 5661 | Nun. | 291 1,392 | 113 | 31 | 372 | <u>6</u> | ŝ | 218 | 80 | | 5 | 39 116 | 6 | 0 | æ c | 00 | - | 167 | 9 (| ວາ ຊ | 23 | <u>+</u> < | - C | ų C | , . | - | 179 | 3,184 |
| 94 | % | 8.6 47.2 | 3.5 | 0.0 | 12.2 | 0.0 | 1.5 | 6.2 | 0.4 | | | 4.1 4.1 | 0.2 | | | | | 4.1 | | | | | | | | | 4.8 | 100.0 |
| 1994 | Num. | 271 1490 | <u>6</u> | 27 | 384 | ∞ | 46 | 197 | 12 | , 11, | - | 45 130 | 7 | 0 | 0 C | c | 0 | 128 | 53 | <u>5</u> | 20 | 20 | Ţ | | - | | 150 | 3,155 |
| 1993 | % | 7.9 50.9 | 2.5 | 0.0 | 12.0 | 0.0 | 1.6 | 5.4 | 0.2 | | | 2.0 4.0 | 0.3 | | | | | 4.3 | | | | · | | | | | 4.3 | 100.0 |
| 19 | Num. | 229 | 22 | 18 | 348 | Q | 46 | 155 | о Q | ່ວເວັດ | Ð | 57 115 | 9 | 0 | r- c | ° ∼ | 0 | 125 | 31 | 2 | 99. | 4 C | N Ç | 2 - | - c | > | 125 | 2,890 |
| 1992 | % | 7.6 51.6 | 3.0 2.0 | 0.5 | 13.1 | 0.2 | 1.3 | 4.7 | 0.3 | | | 4.7 | 0.3 | 1 9 9 | | | | 3.8 | | | | | | | | | 3.2 | 100.0 |
| 15 | Num. | 180 1,226 | - 89 | 12 | 311 | S | 32 | 112 | 90 | 000 | 9 | 45 111 | 00 | 0 | ю ч | - 4* | • • | 91 | 21. | თ | 47 | •• | - ç | 7 | | > | 76 | 2,374 |
| 1991 | % | 7.0 52.4 | 3.4 0.4 | 0.8 | 12.1 | 0.3 | 1.3 | 4.4 | 0.3 | | | 2.6 4.5 | 0.2 | 5 | | | | 3.1 | | | | | | | | | 4.5 | 100.0 |
| 16 | Num. | 124 935 | 28 | 14 | 216 | g | 24 | 62 | 500 | 24. | ~ | 47 81 | 4 | . – | с о с | - c | 0 | 55 | 10 | ო | 35 | ~ ~~ (| - | φ Q | 50 | 5 | 80 | 1,783 |
| 0661 | % | 6.0 50.1 | 3,2,0 | 0.6 | 15.6 | 0.6 | 1.8 | 6.9 | 0.6 | | | 2.2 | 0.3 | 2 | | | | 2.5 | | | | | | | | | 4.1 | 100.0 |
| 15 | Num. | 112 928 | 4/ | 7 | 289 | 5 | 33 | 127 | 50 | <u>ס</u> ס | 7 | 41 54 | ις, |) | ~ (| NC | > ~ | 46 | 8 | ហ | 29 | . | (| 2 0 | _ | D | 76 | 1,852 |
| 1989 | % | 6.7 50.0 | 212 | 0.5 | 17.4 | 1.0 | 2.4 | 6.4 | 0.2 | | | 1.9 1.9 | 00 | 4 | | | | 2.7 | | | | | | | | | 4.1 | 100.0 |
| 19 | Num. | 115 861 | 84 76 | ຕ | 300 | 17 | 41 | 110 | 40 | ວຕ | | 33 33 | ¢ | · | 2 | 0 0 | 00 | 47 | o O | 9 | 26 | 0 | 0 | с, | 0 0 | Ð | 20 | 1,723 |
| 88 | % | 6.2 52.1 | - 7 - 7 - 7 | 0.6 | 16.3 | 0.4 | 1.7 | 7.3 | 0.4 | | | 1.7 2.0 | 00 | 2.0 | | | | 4.0 | | | | | | | | | 4.1 | 100.0 |
| 1988 | Num. | 101 844 | \$ \$ | <u>,</u> တ | 264 | 9 | 27 | 118 | 9 | ر ، ب | 0 | 27 32 | C | 0 | 0 | 0 0 | 00 | 65 | 12 | *** | 49 | * 1 | * | ~ (| 0 0 | 0 | 67 | 1,619 |
| 18 | % | 5.8 47.1 | 1.2 0.8 0.8 | 0.5 | 19.5 | 0.4 | 2.1 | 7.4 | 0.5 | | | 22 | ~ ~ | 0.N | | | | 4 0 | 2 | | | | | | | | 5.0 | 100 |
| 1987 | Num. | 83 673 | 17 | - ~ | 279 | 2 | 30 | 105 | N | ວທ | ~ | 35 33 | c | ° 0 | ι m | 0 0 | 00 | 2 | 200 | ~ | 50 | က | 0 | 4 | 1 | 0 | 22 | 1,428 |
| | | Family Practice Internal Medicine | Preliminary (PGY-1 Only) | Medicine-Pediatrics | Medicine-Psychiatry Pediatrics | Primary Date Morrob (Child Derech | Obstetrics-Gynecology | Psychiatry | Medical Specialty | Dermatology Neurology | Ophthalmology | General Surgery Preliminary (PGY-1 Only) | | burgical Specially Neumhorical Survery | Orthopaedic Surgery | Otolaryngology | Urology Plastic Surgery | Consider. | A nesthesiology | Emergency Medicine | Pathology | Physical Medicine | Preventive Medicine | Diagnostic Radiology | Radiation Oncology | Nuclear Medicine | Transitional (PGY-1 Only) | TOTAL - PGY-1 |

*Excludes Canadian and 5th Pathway Applicants

•

| | | RILLED % | | 87.1 92.0 72.9 88.3 | 6.7 | 95.7 83.8 95.7 | 99.4 99.4 | 75.3 | 75 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 76 77 76 76 76 77 76 76 76 77 76 76 76 77 76 76 76 77 76 76 76 77 76 76 76 77 76 76 76 77 76 77 < | 62.6 | 83.9 |
|----------|--|--------------------------|----------------|---|--|---|--|---------------------------|--|-------------|-------------|
| · | 1995 | MATCHED FIL | | | | 367 8 367 8 1,941 9 | ~ | 916 7 | 136 136 136 136 136 14 136 14 137 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 138 14 14 14 158 | 1,302 6 | 19,160 8 |
| | EDIN | RANK/ M POSITION | | 6 5 0 7 2 2 2 2 | 0.0°+ | 5.7 2.5 0.4 | 2.4 14.3 2.1 | 4.5 | 888 | 4.9 | 6.9 |
| | AND FILI | RANKED R POSITIONS PO | | 17,829 37,587 8,812 3,749 | 2,275 104 | 15,244 15,244 | 14,777 2,395 | 5,422 | 835 6,775 51 51 51 51 51 51 51 42 42 42 43 43 481 465 96 97 97 97 97 97 97 97 97 97 97 97 97 97 | 10,135 | 157,803 |
| | ANKED , PLICANTS | POSITIONS OFFERED 1 | JRAMS | 2,941 4,656 1,763 514 | 405 30 146 | 1,140 438 2,029 44 | 18 1,029 1,156 | 1,217 | 251 254 26 26 20 20 73 20 20 20 20 20 20 20 20 20 20 20 20 20 | 2,079 | 22,830 |
| | ITIONS, RANKED / TOTAL APPLICANTS | # OF PROGRAMS | PGY-1 PROGRAMS | 440 379 287 91 | 93 15 250 | 210 210 210 210 | 253 212 212 | 152 | 62 251 8 784 99 784 12 23 251 12 23 29 12 23 24 47 24 505 130 46 130 47 130 47 130 47 130 47 133 20,751 12 22 12 22 12 22 13 32 13 550 13 12 13 12 12 | 432 | 3,800 |
| | PROGRAMS, POSITIONS, RANKED AND FILLED IN 1995 TOTAL APPLICANTS | PROGRAM CODE | _ | C-20 P-15 C-17 | 822 | 22.22 | 84 01 2 84 01 2 81 - 2 | P-14 | 20000000000000000000000000000000000000 | | |
| TABLE 10 | PROGRA | PROGRAM NAME | | Family Practice Internal Medicine Preliminary (PGY-1 Only) Primary | Medicine-Pediatrics Medicine-Psychiatry Obstatrics-Churacology | Pathology Pathology Pediatrics Primary | Peds/Psych/Child Psych General Surgery Preliminary (PGY-1 Only) | Transitional (PGY-1 Only) | Anesthesiology Emergency Medicine Neurological Surgery Neurology Nuclear Medicine Ophthalmology Orthopacdic Surgery Orthopacdic Surgery Physical Medicine Plastic Surgery Preventive Medicine Plastic Surgery Radiology-Diagnostic Radiology Urology TOTAL PGY-1 TOTAL PGY-1 TOTAL PGY-1 Amesthesiology Dermatology Emergency Medicine Nuclear Medicine Nuclear Medicine Nuclear Medicine Physical Surgery Physical Surgery Physical Surgery Physical Surgery Physical Surgery Physical Surgery Physical Medicine Physical Medicine | TOTAL PGY-2 | GRAND TOTAL |
| TAB | 95 | PILLED | | | 77.3 56.7 84.0 | | | 57.5 | 37.1 888.9 888.9 888.9 100.0 100 | 49.9 | 63.9 |
| | LED IN 1995 | MATCHED | | 2,081 2,697 1,063 312 | 313 17 17 | 288 788 788 788 788 788 788 788 788 788 | 915 915 463 | 200 | 13 13 14 18 13 14< | 1,037 | 14,586 |
| | TLLED | RANK/ POSITION | | 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | 4.8 2.8 4.8 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3.7 119 1.0 | 3.0 | 7.7 7.7 <td>4.0</td> <td>4.8</td> | 4.0 | 4.8 |
| | ED AND F | RANKED 1 POSITIONS PC | | 13,156 18,887 5,957 2.246 | 1,956 84 10 785 | 9,880 9,880 | 12,233 1,205 | 3,606 | 525 5,543 2107 240 2410 2411 2413 2,349 3,568 3,568 3,568 3,568 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,703 1,704 1,703 1,704 1,703 1,704 1, | 8,232 | 108,480 |
| | PROGRAMS, POSITIONS, RANKED AND FIL U S SENIOR STUDENTS | POSITIONS OFFERED | GRAMS | 2,941 4,656 1,763 514 | 405 1 465 1 46 | , 438 2,029 44 | 18 1,029 1,156 | 1,217 | 62 251 8 764 23 269 23 299 24 20 24 20 24 20 24 20 24 20 24 20 24 20 24 20 24 20 24 20 26 20 28 20,751 28 20,751 200 | 2,079 | 22,830 |
| | US SEN | # OF PROGRAMS | PGY-1 PROGRAMS | 440 379 287 91 | 93 15 250 | 510 21 210 20 8 | 212 253 212 | 152 | PGY-2 PR 988235 - 42336 - 423398 88 3388 - 4233 - 4233 366 366 366 367 378 388 388 388 388 388 388 38 | 432 | 3,800 |
| | RAMS, P(| PROGRAM CODE | | C-15 C-15 C-15 C-17 | 855 875 875 875 875 875 875 875 875 875 | 2225 | 900 800 800 800 800 800 800 800 800 800 | P-14 | 22222222222222222222222222222222222222 | | |
| · | PROG | PROGRAM NAME | | Family Practice Internal Medicine Preliminary (PGY-1 Only) Primary | Medicine-Pediatrics Medicine-Psychiatry Obsterrics-Gunecology | Pathology Pediatrics Primary | Peds/Psych/Child Psych General Surgery Preliminary (PGY-1 Only) | Transitional (PGY-1 Only) | Anesthesiology Emergency Medicine Neurological Surgery Neurology Nuclear Medicine Ophthalmology Orthopaedic Surgery Orbaryngology Physical Medicine Plastio Surgery Preventive Medicine Plastio Surgery Preventive Medicine Radiation-Oncology Urology Urology Urology Dermatology Dermatology Dermatology Dermatology Dermatology Physical Medicine Preventive Medicine | TOTAL PGY-2 | GRAND TOTAL |

U.S. STUDENT CHOICES BY SPECIALTY NRMP 1995

| DESCRIPTION | ONLY CHOICE | FIRST CHOICE | NOT FIRST CHOICE | TOTAL U.S. STUDENTS | TOTAL PGY - 1 POSITIONS | POSITIONS PER STUDENT |
|----------------------------|----------------|-----------------|------------------------|---------------------------|-------------------------------|-----------------------------|
| Anesthesiology | 331 | 91 | 20 | 442 | 251 | 0.6 |
| Dermatology | 0 | 38 | 9 | 47 | 16 | 0.3 |
| Emergency Medicine | 629 | 208 | 40 | 877 | 784 | 0.9 |
| Family Practice | 2,045 | 156 | 251 | 2,452 | 2,941 | 1.2 |
| Internal Medicine | 3,539 | 371 | 881 | 4,791 | 7,368 | 1.5 |
| Neurological Surgery | 26 | 1 | 1 | 28 | 40 | 1.4 |
| Neurology | 5 | 1 | 0 | 6 | 29 | 4.8 |
| Nuclear Medicine | 0 | 2 | 22 | 24 | 10 | 0.4 |
| Obstetrics-Gynecology | 999 | 135 | 36 | 1,170 | 1,146 | 1.0 |
| Ophthalmology | 5 | 3 | 0 | 8 | 9 | 1.1 |
| Orthopaedic Surgery | 449 | 196 | 19 | 664 | 505 | 0.8 |
| Otolaryngology | 39 | 1 | 1 | 41 | 47 | 1.1 |
| Pathology | 266 | 22 | 15 | 303 | 438 | 1.4 |
| Pediatrics | 1,481 | 74 | 135 | 1,690 | 2,091 | 1.2 |
| Phys Medicine & Rehab | 122 | 52 | 19 | 193 | 102 | 0.5 |
| Plastic Surgery | 2 | 75 | 24 | 101 | 36 | 0.4 |
| Preventive Med/Public Hlth | 0 | 1 | 2 | - 3 | 10 | 3.3 |
| Psychiatry | 461 | 63 | 49 | 573 | 960 | 1.7 |
| Diagnostic Radiology | 440 | 256 | 20 | 716 | 478 | 0.7 |
| Radiation-Oncology | 70 | 52 | 4 | 126 | 10 | 0.1 |
| General Surgery | 1,467 | 90 | 267 | 1,824 | 2,185 | 1.2 |
| Urology | 68 | 2 | 1 | 71 | 78 | 1.1 |
| Transitional | 131 | 157 | 576 | 864 | 1,217 | 1.4 |
| TOTAL | 12,575 | 2,047 | | | 20,751 | |

INDEPENDENT APPLICANT (I.A.) CHOICES BY SPECIALTY NRMP 1995


| DESCRIPTION | ONLY CHOICE | FIRST CHOICE | NOT FIRST CHOICE | TOTAL I.A.'S | TOTAL PGY - 1 POSITIONS | POSITIONS PER TOTAL APPLICANT* |
|----------------------------|----------------|-----------------|------------------------|-----------------|-------------------------------|--------------------------------------|
| Anesthesiology | 56 | 82 | 89 | 227 | 251 | 0.4 |
| Dermatology | 6 | 6 | 3 | 15 | 16 | 0.3 |
| Emergency Medicine | 306 | 60 | 73 | 439 | 784 | 0.6 |
| Family Practice | 475 | 426 | 773 | 1,674 | 2,941 | 0.7 |
| Internal Medicine | 2,272 | 1,176 | 1,123 | 4,571 | 7,368 | 0.8 |
| Neurological Surgery | 3 | 2 | 2 | 7 | 40 | 1.1 |
| Neurology | 4 | 7 | 11 | 22 | 29 | 1.0 |
| Nuclear Medicine | 2 | 2 | 6 | 10 | 10 | 0.3 |
| Obstetrics-Gynecology | 292 | 121 | 58 | 471 | 1,146 | 0.7 |
| Ophthalmology | 1 | 0 | 1 | 2 | 9 | 0.9 |
| Orthopaedic Surgery | 161 | 65 | 15 | 241 | 505 | 0.6 |
| Otolaryngology | 2 | 0 | 0 | 2 | 47 | 1.1 |
| Pathology | 154 | 57 | 164 | 375 | 438 | 0.6 |
| Pediatrics | 534 | 333 | 695 | 1,562 | 2,091 | 0.6 |
| Phys Medicine & Rehab | 66 | 36 | 42 | 144 | 102 | 0.3 |
| Plastic Surgery | 9 | 5 | 7 | 21 | 36 | 0.3 |
| Preventive Med/Public Hlth | 0 | 0 | 3 | 3 | 10 | 1.7 |
| Psychiatry | 210 | 123 | 374 | 707 | 960 | 0.8 |
| Diagnostic Radiology | 257 | 68 | 37 | 362 | 478 | 0.4 |
| Radiation-Oncology | 28 | 8 | 6 | 42 | 10 | 0.1 |
| General Surgery | 543 | 158 | 196 | 897 | 2,185 | 0.8 |
| Urology | 3 | 1 | 4 | 8 | 78 | 1.0 |
| Transitional | 62 | 133 | 752 | 947 | 1,217 | 0.7 |
| TOTAL | 5,446 | 2,869 | | | 20,751 | |

* TOTAL APPLICANTS INCLUDES TOTALS OF BOTH U.S. STUDENTS AND INDEPENDENT APPLICANTS.

U S SENIORS WHO MADE CHOICES FOR ONE TYPE OF SPECIALTY 1N 1995*

| | MATCHED | UNMATCHED | TOTAL | PERCENT U | PERCENT NMATCHED |
|-----------------------|---------|-----------|----------|--------------|---------------------|
| Anesthesiology | 325 | 6 | 331 | 2.8 | 1.8 |
| Emergency Medicine | 565 | 64 | 629 | 4.8 | 11.3 |
| Family Practice | 1,917 | 128 | 2,045 | 16.4 | 6.7 |
| Internal Medicine | 3,442 | 97 | 3,539 | 29.4 | 2.8 |
| Neurological Surgery | 26 | 0 | 26 | 0.2 | 0.0 |
| Neurology | 5 | 0 | 5 | 0.0 | 0.0 |
| Obstetrics-Gynecology | 885 | 114 | 999 | 7.6 | 12.9 |
| Ophthalmology | 5 | 0 | 5 | 0.0 | 0.0 |
| Orthopaedic Surgery | 375 | 74 | 449 | 3.2 | 19.7 |
| Otolaryngology | 39 | 0 | 39 | 0.3 | 0.0 |
| Pathology | 249 | 17 | 266 | 2.1 | 6.8 |
| Pediatrics | 1,415 | 66 | 1,481 | 12.1 | 4.7 |
| Phys Medicine & Rehab | 116 | 6 | 122 | 1.0 | 5.2 |
| Plastic Surgery | 2 | 0 | 2 | 0.0 | 0.0 |
| Psychiatry | 454 | 7 | 461 | 3.9 | 1.5 |
| Diagnostic Radiology | 431 | 9 | 440 | 3.7 | 2.1 |
| Radiation-Oncology | 66 | 4 | 70 | 0.6 | 6.1 |
| General Surgery | 1,209 | 258 | 1,467 | 10.3 | 21.3 |
| Urology | 68 | 0 | 68 | 0.6 | 0.0 |
| Transitional | 125 | 6 | 131 0 | 1.1 | 4.8 |
| TOTAL | 11,719 | 856 | 12,575 | 100.0 | 7.3 |

* 86.0 PERCENT OF ACTIVE SENIORS




U. S. SENIORS UNMATCHED IN 1995

| MATCH RESULTS FOR U.S. MEDICAL SCHOOL SENIORS 1986 - 1995 |
|---|
| RANK NUMBER OBTAINED* |

| YEAR | FIRST | PERCENT | SECOND | PERCENT | THIRD CHOICE | PERCENT | FOURTH | PERCENT | >FOURTH CHOICE | PERCENT | TOTAL MATCHED | PERCENT | TOTAL UNMATCHED | PERCENT |
|------|-------|---------|--------|---------|-----------------|---------|--------|---------|-------------------|---------|------------------|---------|--------------------|---------|
| 1986 | 7,876 | 53.4 | 2,206 | 15.0 | 1,264 | 8.6 | 821 | 5.6 | 1,589 | 10.8 | 13,756 | 93.3 | 981 | 6.7 |
| 1987 | 8,060 | 55.7 | 2,231 | 15.4 | 1,235 | 8.5 | 706 | 4.9 | 1,364 | 9.4 | 13,596 | 94.0 | 870 | 6.0 |
| 1988 | 7,994 | 55.1 | 2,224 | 15.3 | 1,227 | 8.5 | 673 | 4.6 | 1,378 | 9.5 | 13,496 | 93.1 | 1,003 | 6.9 |
| 1989 | 8,252 | 58.5 | 2,091 | 14.8 | 1,079 | 7.6 | 604 | 4.3 | 1,189 | 8.4 | 13,215 | 93.6 | 902 | 6.4 |
| 1990 | 8,141 | 58.5 | 2,079 | 14.9 | 1,054 | 7.6 | 592 | 4.3 | 1,110 | 8.0 | 12,976 | 93.3 | 932 | 6.7 |
| 1991 | 9,169 | 60.0 | 2,172 | 14.2 | 1,125 | 7.4 | 696 | 4.6 | 1,165 | 7.6 | 14,327 | 93.7 | 958 | 6.3 |
| 1992 | 9,079 | 59.2 | 2,208 | 14.4 | 1,065 | 6.9 | 648 | 4.2 | 1,256 | 8.2 | 14,256 | 93.0 | 1,073 | 7.0 |
| 1993 | 9,264 | 59.9 | 2,160 | 14.0 | 1,120 | 7.2 | 638 | 4.1 | 1,213 | 7.8 | 14,395 | 93.1 | 1,075 | 6.9 |
| 1994 | 9,210 | 59.7 | 2,192 | 14.2 | 1,164 | 7.6 | 596 | 3.9 | 1,255 | 8.1 | 14,417 | 93.5 | 998 | 6.5 |
| 1995 | 8,722 | 55.7 | 2,270 | 14.5 | 1,282 | 8.2 | 799 | 5.1 | 1,513 | 9.7 | 14,586 | 93.2 | 1,072 | 6.8 |

*Prior to 1991 only PGY-1 positions included in statistics



ANESTHESIOLOGY

TABLE 14

EMERGENCY MEDICINE

(CONTINUED)

| | | US | US | 5TH | I US | | | NUS | % | % |
|----------|---------|------------|----|-----|------|-----|-----|-------|-------|-------|
| ST | POS | SR | MD | PA | FMG | OST | CAN | FMG | USS | TOTAL |
| | | | | | | | | | | |
| AL | 4 | • | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| AR | 4 | 0 4 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| AZ | 6 | - ō | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 0.0 | 0.0 |
| CA | ő | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 0.0 | 0.0 |
| DC | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 1 | 0.0 | 100.0 |
| FL | 11 | Š | ŏ | ŏ | 1 | ŏ | ŏ | 4 | 45.5 | 90.9 |
| GA | 7 | 1 | ŏ | ŏ | ò | ŏ | ŏ | ō | 14.3 | 14.3 |
| IL | 19 | 6 | ŏ | ŏ | 1 | ŏ | ŏ | ž | 31.6 | 73.7 |
| LA | 18 | 3 | ŏ | ŏ | ò | ŏ | 1 | ó | 16.7 | 22.2 |
| MA | 1 | 1 | ŏ | ŏ | ŏ | ŏ | 0 | ŏ | 100.0 | 100.0 |
| ME | ò | ö | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 0.0 | 0.0 |
| MI | 4 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 1 | 0.0 | 25.0 |
| MN | 12 | 7 | ŏ | ŏ | ŏ | ŏ | ŏ | 4 | 58.3 | 91.7 |
| MO | 9 | 3 | ŏ | ŏ | ŏ | ŏ | ŏ | 2 | 33.3 | |
| NÇ | 8 | 7 | ŏ | ŏ | ŏ | ŏ | ŏ | ō | 87.5 | 87.5 |
| NJ | Ĝ | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | 2 | 16.7 | 50.0 |
| NM | 8 | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | ō | 12.5 | 12.5 |
| NY | 15 | 5 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 33.3 | 33.3 |
| | 14 | 3 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 21.4 | 21.4 |
| OH | 6 | 4 | ŏ | ŏ | ŏ | ŏ | ŏ | 2 | 66.7 | 100.0 |
| PA | 8 | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | 1 | 12.5 | 25.0 |
| | ĝ | 2 | ŏ | ŏ | ŏ | ŏ | ŏ | ó | 22.2 | 22.2 |
| ŞÇ | | 26 | 1 | ŏ | ŏ | 1 | ŏ | 7 | 46.4 | 62.5 |
| TX VA | 56 7 | | | ŏ | 1 | ò | ŏ | 3 | 42.9 | 100.0 |
| | 7 | 3 7 | 0 | ŏ | ó | ŏ | ŏ | ő | 100.0 | 100.0 |
| WA WI | 11 | 3 | ŏ | ŏ | ŏ | ŏ | ŏ | 3 | 27.3 | 54.5 |
| | 11 | 3 | | | | | | ۍ | Z/.3 | 34.3 |
| | 251 | 93 | 1 | 0 | 3 | 1 | 1 | 37 | 37.1 | 54.2 |
| | | | | | | | | | | |

EMERGENCY MEDICINE

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | wss | % TOTAL |
|----|-----|----------|----------|---|-------------|-----|-----|------------|-------|------------|
| AR | 7 | 6 | 1 | 0 | 0 | 0 | 0 | ö | 85.7 | 100.0 |
| AZ | 16 | 14 | 0 | 0 | 0 | 2 | 0 | 0 | 87.5 | 100.0 |
| CA | 98 | 85 | 10 | 0 | 0 | 3. | 0 | 0 | 86.7 | 100.0 |
| СТ | 10 | 9 | 0 | 0 | 0 | 1 | 0 | 0 | 90.0 | 100.0 |
| DC | 8 | 6 | 0 | 0 | 1 | 0 | 0 | 1 | 75.0 | 100.0 |
| DE | 12 | 11 | 1 | 0 | 0 | 0 | 0 | 0 | 91.7 | 100.0 |
| FL | 10 | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 90.0 | 100.0 |
| GA | 16 | 13 | 3 | 0 | 0 | 0 | 0 | 0 | 81.3 | 100.0 |
| IL | 51 | 32 | 13 | 0 | 0 | 5 | 0 | 0 | 62.7 | 100.0 |
| IN | 13 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| KΥ | 9 | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 77.8 | 100.0 |
| LA | 23 | 15 | 8 | 0 | 0 | 0 | 0 | 0 | 65.2 | 100.0 |
| MA | 18 | 16 | 2 | 0 | 0 | 0 | 0 | 0 | 88.9 | 100.0 |
| MD | 24 | 20 | 2 | 0 | 1 | 1 | 0 | 0 | 83.3 | 100.0 |
| MI | 93 | 72 | 9 | 0 | 2 | 9 | 0 | 0 | 77.4 | 98.9 |
| MN | 12 | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 75.0 | 100.0 |
| MO | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MS | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0.0 | 100.0 |
| NC | 34 | 30 | 4 | 0 | 0 | 0 | 0 | 0 | 88.2 | 100.0 |
| NJ | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NM | 8 | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 87.5 | 100.0 |
| NY | 89 | 56 | 9 | 0 | 1 | 1 | 0 | 0 | 62.9 | 75.3 |
| OH | 64 | 49 | 11 | 0 | 1 | 3 | 0 | 0 | 76.6 | 100.0 |
| OK | 6 | 3 | 2 | 0 | 0 | 1 | 0 | 0 | 50.0 | 100.0 |
| OR | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| PA | 69 | 59 | 3 | 0 | 0 | 7 | 0 | 0 | 85.5 | 100.0 |
| PR | 10 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 40.0 | 50.0 |
| RI | 8 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 87.5 | 100.0 |

| ST | POS | US SR | | | H US FMG | OST | CAN | NUS FMG | uss_ | % TOTAL |
|----|-----|----------|----|---|-------------|-----|-----|------------|-------|------------|
| SC | 6 | . 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| TN | 6 | 5 | 1 | Ó | 0 | Ó | 0 | 0 | 83.3 | 100.0 |
| TX | 22 | 15 | 4 | 0 | 0 | 3 | 0 | 0 | 68.2 | 100.0 |
| VA | 16 | 12 | 3 | 0 | 0 | 0 | 0 | 1 | 75.0 | 100.0 |
| WV | 6 | 4 | 1 | Ó | 0 | 1 | 0 | 0 | 66.7 | 100.0 |
| | 784 | 613 | 95 | 0 | 6 | 38 | 1 | 3 | 78.2 | 96.4 |
| | | | | | | | | | | |

FAMILY PRACTICE

۲

.

PGY-1 Positions only and 30 or more positions

MEDICINE-PEDIATRICS

(CONTINUED)

| ST | POS | | | | I US FMG | | CAN | | uss | TOTAL |
|----|------|------|----|---|-------------|-----|-----|-----|------|-------|
| WY | 14 | 12 | 0 | o | 0 | 2 | 0 | 0 | 85.7 | 100.0 |
| | 2941 | 2081 | 57 | 5 | 64 | 124 | 5 | 227 | 70.8 | 87.1 |

INTERNAL MEDICINE

| ST | POS | US SR | US MD | | US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----------|------------|--------------|----------|----|-----------|---------|--------|-----------------------|--------------|---------------|
| ÁL | 50 | 38 | 1 | 0 | 0 | 1 | 0 | 6 | 76.0 | 92.0 |
| AR | 18 | 7 | 2 | 0 | 0 | 1 | 0 | 5 | 38.9 | 83.3 |
| AZ | 58 | 36 | 2 | 0 | 1 | 5 | 0 | 12 | 62.1 75.9 | 96.6 92.4 |
| CA | 448 51 | 340 38 | 10 3 | 0 | 4 | 16 2 | 3 | 41 6 | 74.5 | 98.0 |
| CO CT | 95 | 39 | 2 | ŏ | 5 | 2 | ŏ | 47 | 41.1 | 100.0 |
| DC | 86 | 43 | 2 | ŏ | 2 | 3 | ŏ | 36 | 50.0 | 100.0 |
| DE | 9 | 9 | ō | ō | ō | ŏ | ŏ | ō | 100.0 | 100.0 |
| FL | 115 | 75 | 3 | Ó | 5 | 10 | 0 | 19 | 65.2 | 97.4 |
| GA | 87 | 58 | 1 | 0 | 4 | 0 | 0 | 15 | 66.7 | 89.7 |
| HI | 13 | 8 | 0 | 0 | 0 | õ | 0 | 1 | 61.5 | 69.2 |
| IA | 40 | 31 | • • | 0 | 0 | 5 | 0 0 | 4 | 77.5 | 100.0 93.7 |
| IL | 316 | 156 34 | 0 | 00 | 11 | 7 0 | 2 0 | 120 10 | 49.4 64.2 | 93.7 88.7 |
| IN KS | 53 36 | 20 | 1 | ő | 2 | 4 | ŏ | 3 | 55.6 | 83.3 |
| KY | 31 | 9 | 1 | ŏ | ō | 2 | ŏ | 19 | 29.0 | 100.0 |
| LA | 61 | 41 | 1 | õ | ō | ō | 1 | ō | 67.2 | 70.5 |
| MA | 253 | 208 | 1 | Ō | 3 | 2 | 3 | 25 | 82.2 | 95.7 |
| MD | 107 | 75 | 2 | 0 | 1 | 2 | 0 | 26 | 70.1 | 99.1 |
| ME | 13 | 12 | 0 | 0 | 1 | 0 | 0 | 0 | 92.3 | 100.0 |
| MI | 193 | 68 | 1 | 0 | 5 | 2 | 0 | 107 | 35.2 | |
| | 93 | 76 | 1 | 0 | 0 | 1 3 | 1 | 9 58 | 81.7 45.8 | 94.6 94.7 |
| MO MS | 131 15 | 60 9 | 2 | 0 | 1 | ő | 0 | - 5 6 1 | 60.0 | 54.7 66.7 |
| NC | 102 | 89 | 2 | ŏ | 1 | ŏ | ŏ | 7 | 87.3 | 97.1 |
| ND | 4 | 1 | ō | ŏ | ò | ŏ | ŏ | 3 | 25.0 | 100.0 |
| NE | 23 | 17 | ō | ō | ō | . 0 | Ō | 2 | 73.9 | 82.6 |
| NH | 16 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NJ | 159 | 29 | 1 | 1 | 10 | 4. | | 86 | 18.2 | 82.4 |
| NM | 19 | 18 | , o | 0 | , o | 0 | 1 | 0 | 94.7 | 100.0 |
| NV | 19 | 2 | 1 10 | 0 | 1 34 | 0 15 | 0 | 9 327 | 10.5 | 68.4 91.0 |
| NY OH | 719 238 | 267 112 | 10 | ŏ | - 34 | 2 | · 1 | 66 | 47.1 | 79.8 |
| OK | 230 | , ' <u>,</u> | ò | ŏ | ŏ | ē | ò | 4 | 30.0 | 63.3 |
| OR | 49 | 48 | ŏ | ŏ | ŏ | 1 | ō | Ó | 98.0 | 100.0 |
| PA | 320 | 171 | 2 | 0 | 11 | 12 | 0 | 116 | 53.4 | 97.5 |
| PR | 20 | 11 | 0 | 0 | . 0 | 0 | 0 | 0 | 55.0 | 55.0 |
| RI | 20 | 11 | 1 | 0 | 3 | 0 | 0 | 5 | 55.0 | 100.0 |
| SC | 38 | 35 | 1 | 0 | Ő | 0 0 | 0 | 2 1 | 92.1 | 100.0 33.3 |
| SD TN | 6 95 | 1 69 | 02 | 0 | 0 | 0 | 0 | 14 | 16.7 72.6 | 91.6 |
| TX | 206 | 162 | 3 | ŏ | 2 | 2 | ŏ | 31 | 78.6 | 97.1 |
| ŰŤ | 24 | 23 | ŏ | ŏ | ō | ō | ŏ | 1 | 95.8 | 100.0 |
| VA | 50 | 37 | ŏ | ŏ | ŏ | ŏ | ō | 4 | 74.0 | 82.0 |
| VT | 8 | 6 | 1 | 0 | Ō | - Ó | Ó | 1 | 75.0 | 100.0 |
| WA | 30 | 28 | 1 | 0 | 0 | 0 | 1 | 0 | 93.3 | 100.0 |
| WI | 57 | 36 | 1 | 0 | 2 | 1 | 0 | 7 | 63.2 | 82.5 |
| WV | 32 | 9 | 1 | 0 | 0 | 1 | 0 | 15 | 28.1 | 81.3 |
| | 4656 | 2697 | 65 | 1 | 121 | 113 | 14 | 1271 | 57.9 | 92.0 |

| ST | POS | US SR | US MD | | H US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|----------------------------|----------------------------|----------------------------------|---|---|--|-----|---|---|---|--|
| ALRZATELIINSYAADIN MSCEJYH | 85803452539111640682829557 | SR 85691352125119645570425427 | MD 000000000000000000000000000000000000 | PA 000000000000000000000000000000000000 | FMG 0010000000000000000000000000000000000 | | 000000000000000000000000000000000000000 | FMG 00012000000000000000000000000000000000 | USS 100.0 75.0 95.0 33.3 75.0 100.0 100.0 80.8 92.3 55.6 100.0 90.5 55.6 100.0 100.0 100.0 100.0 100.0 100.0 77.8 100.0 77.8 100.0 55.6 68.6 73.0 | TOTAL 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 55.6 100.0 55.6 100.0 90.5 100.0 80.0 100.0 80.0 100.0 80.0 100.0 80.5 100.0 80.0 100.0 80.5 100.0 80.5 100.0 80.0 100.0 80.5 100.0 80.0 80.0 100.0 80.5 100.0 80.0 80.0 100.0 80.5 100.0 80.0 100.0 80.5 100.0 80.0 100.0 80.5 100.0 80.0 80.0 100.0 80.0 100.0 80.5 100.0 80.0 100.0 80.5 100.0 80.0 100.0 80.0 100.0 100.0 80.5 100.0 80.0 100.0 80.5 100.0 80.0 80.0 100.0 8 |
| OK PA | 6 10 | 5 7 | 00 | 0 | 0 | 0 | 0 | 1 | 83.3 70.0 | 100.0 70.0 |
| TN | 13 | 12 | 1 | Ó | 0 | 0 | 0 | 0 | 92.3 | 100.0 |
| ТΧ | 28 | 19 | 0 | 0 | 0 | 0 | 0 | 6 | 67.9 | 89.3 |
| UT | 2 | 2 | 0 | 0 | 0 | -0 | 0 | 0 | 100.0 | 100.0 |
| VA | 6 | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 83.3 | 100.0 |
| WI | 4 | 3 | 0 | 0 | 0 | 1 | 0 | Ó | 75.0 | 100.0 |
| WV | 14 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 28.6 | 35.7 |
| | 405 | 313 | 3 | 0 | 3 | 3 | 1 | 28 | 77.3 | 86.7 |

MEDICINE-PRELIMINARY

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|----|-----|----------|----------|------------|-------------|-----|-----|------------|--------------|--------------|
| AL | 18 | 9 | 0 | 0 | 0 | o | 0 | 1 | 50.0 | 55.6 |
| AZ | 20 | 16 | <u> </u> | 0 | 1 | 1 | °, | 1 | 80.0 68.8 | 95.0 79.0 |
| CA | 205 | 141 | 2 | ò | 3 | | 0 | 15 | | |
| CO | 16 | 14 | 0 | 0 | 0 | 0 | õ | 0 | 87.5 | 87.5 |
| CT | 53 | 29 | 0 | 0 | 0 | 0 | 0 | 10 | 54.7 | 73.6 |
| DC | 52 | 27 | 0 | 0 | 1 | 0 | 0 | 6 | 51.9 | 65.4 |
| DE | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| FL | 21 | 18 | 0 | 0 | 0 | 0 | | 0 | 85.7 | 85.7 |
| GA | 30 | 13 | 1 | 0 | 0 | 0 | 0 | 2 | 43.3 | 53.3 |
| HI | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| IA | 8 | 3 | 0 | 0 | 0 | 0 | | 3 | 37.5 | 75.0 |
| ID | 5 | 0 | 0 | O . | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| IL | 84 | 54 | 0 | 0 | 0 | 0 | | 11 | 64.3 | |
| IN | 17 | 13 | 0 | 0 | 0 | 0 | | 0 | 76.5 | |
| KS | 7 | 3 | 0 | 0 | 0 | 0 | | 0 | 42.9 | |
| KY | 14 | 6 | 1 | 0 | 0 | 0 | | 1 | 42.9 | |
| LA | 68 | 32 | 0 | 0 | 0 | 2 | | 0 | 47.1 | 50.0 |
| MA | 136 | 83 | 4 | 0 | 0 | 2 | 2 | 14 | 61.0 | 77.2 |
| MD | 53 | 32 | 2 | 0 | 2 | 1 | 0 | 4 | 60.4 | 77.4 |
| ME | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MI | 30 | 17 | 0 | 0 | 1 | 0 | 0 | 2 | 56.7 | 66.7 |
| MN | 11 | 9 | Ō | 0 | Ó | 0 | 2 | 0 | 81.8 | 100.0 |

MEDICINE-PSYCHIATRY

(CONTINUED)

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|-----------|------|----------|----------|---|-------------|-----|-----|------------|----------|------------|
| мо | 28 | 13 | 1 | 0 | 1 | 0 | 0 | 3 | 46.4 | 64.3 |
| MS | 9 | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 55.6 | 77.8 |
| NC | 25 | 20 | 0 | 0 | 0 | 0 | 0 | 2 | 80.0 | 88.0 |
| NE | 14 | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 64.3 | 71.4 |
| NH | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NJ | - 44 | 18 | 0 | 0 | 0 | 0 | 0 | 6 | 40.9 | 54.5 |
| NM | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NV | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 33.3 | 44.4 |
| NY | 343 | 203 | 1 | 0 | 3 | 2 | 0 | 49 | 59.2 | 75.2 |
| OH | 79 | 17 | 1 | 0 | 0 | 0 | 0 | 12 | 21.5 | 38.0 |
| OK | 4 | 3 | 0 | 0 | 0 | 0 | . 0 | 0 | 75.0 | 75.0 |
| OR | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| PA | 138 | 85 | 1 | 0 | 0 | 3 | 0 | 17 | 61.6 | 76.8 |
| RI | 22 | 15 | 1 | 0 | 0 | 0 | 0 | 3 | 68.2 | 86.4 |
| SC | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| SD | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| TN | 15 | 13 | 0 | 0 | 0 | 0 | 0 | 1 | 86.7 | 93.3 |
| ΤX | 58 | 46 | 1 | 0 | 0 | · 1 | 0 | 3 | 79.3 | 87.9 |
| UT | 17 | 10 | 0 | 0 | 1 | 0 | 1 | 0 | 58.8 | 70.6 |
| VA | 30 | 14 | 0 | 0 | 1 | 0 | 0 | 4 | 46.7 | |
| VT | 9 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 66.7 | 66.7 |
| WA | 14 | 14 | 0 | 0 | 0 | 0 | Ö | 0 | 100.0 | 100.0 |
| WI | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| WV | 11 | 4 | 0 | 0 | 0 | 0 | 0 | | 36.4 | 36.4 |
| | 1763 | 1063 | 16 | 0 | 14 | 13 | 5 | 174 | 60.3 | 72.9 |

MEDICINE-PRIMARY

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | wss | % TOTAL |
|----------|----------|----------|----------|----|-------------|--------|--------|------------|--------------|--------------|
| AL | 14 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| ÇA | 46 | 39 | 3 | 0 | 1 | 2 | 0 | 1 | 84.8 | 100.0 |
| CO | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| CT | 41 | 20 | 1 | 0 | 3 | 0 | 0 | 13 | 48.8 | 90.2 |
| DC | 5 | 5 | 0 | 0 | 0 | 0 | 0 | õ | 100.0 | 100.0 |
| IL | 21 | 10 | 0 | 0 | 1 | 1 | 0 | 6 | 47.6 | 85.7 |
| IN | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| KY | 4 | 4 | 0 | 0 | 0 | 0 | ò | 0 | 100.0 | 100.0 |
| LA | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MA | 45 | 22 | 3 | 0 | 2 | 1 | 0 0 | 17 | 48.9 58.3 | 100.0 |
| MD | 12 | 7 2 | . 0 | 0 | 0 | 0 | 0 0 | 5 | | |
| MI | 8 | 7 | 0 | õ | 0 | 1 | 0 | 0 | 25.0 | 37.5 |
| NC | 8 | | °, | 0 | 0 | 0 | 9 | 1 5 | 87.5 | 100.0 |
| NJ | 19 | 10 | Ő | 0 | õ | 1 | 1 | 37 | 52.6 39.3 | 89.5 79.5 |
| NY | 122 | 48 | 3 | 0 | 6 | 3 | 0 | 37 | 56.5 | 79.5 69.6 |
| OH | 23 | 13 | 0 | ò | 0 | 0 | 0 | | 50.0 | 100.0 |
| OK | 4 8 | 2 7 | 00 | 00 | 0 | 2 1 | 00 | 0 | 87.5 | 100.0 |
| OR | | 10 | | | | 1 | ŏ | 2 | 55.6 | 72.2 |
| PA RI | 18 17 | 10 | 0 | 00 | 0 2 | 1 | ŏ | 4 | 58.8 | 100.0 |
| TN | 7 | 4 | ŏ | ŏ | ō | ò | ŏ | 1 | 57.1 | 71.4 |
| TX | 21 | 16 | ŏ | ŏ | ŏ | 1 | ŏ | 2 | 76.2 | 90.5 |
| VA | 15 | 9 | ŏ | ŏ | 1 | ò | ŏ | ō | 60.0 | 66.7 |
| VT | 3 | 3 | ŏ | ŏ | ò | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| WA | 32 | 29 | 3 | ŏ | ŏ | ŏ | · ŏ | ŏ | 90.6 | 100.0 |
| WI | 11 | 11 | ő | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| | | | | | | | | | | |
| | 514 | 312 | 13 | 0 | 16 | 15 | 1 | 97 | 60.7 | 88.3 |
| | | | | | | | | | | |

| ST | POS | US SR | | | H US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|-----|-----|----------|---|---|-------------|-----|-----|------------|-------|------------|
| IA. | 2 | • | • | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| | | | õ | - | - | - | | - | 0.0 | |
| IL | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.0 |
| KS | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 50.0 | 50.0 |
| LA | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MI | 2 | Ö | Ó | Ó | Ó | 0 | 0 | 0 | 0.0 | 0.0 |
| NC | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NY | 6 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 33.3 | 66.7 |
| PA | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 50.0 | 50.0 |
| VA | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| WV | 4 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 50.0 | 100.0 |
| | 30 | 17 | 0 | 0 | 0 | 2 | 0 | 2 | 56.7 | 70.0 |

NEUROLOGICAL SURGERY

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----------------|-------------|-------------|----------|-----|-------------|--------|-----|------------|------------------------|------------------------|
| CA GA | 8 2 2 | 4 2 2 | 000 | 000 | 000 | 000 | 000 | 000 | 50.0 100.0 100.0 | 50.0 100.0 100.0 |
| IA IL KY | 1 2 | 00 | 000 | 000 | 000 | 000 | 000 | 00 | 0.0 | 0.0 |
| MI MN | 2 2 | 2 2 | 0 | 0 | 00 | 00 | 00 | 0 | 100.0 | 100.0 |
| MO MS NC | 2 1 5 | 1 1 5 | 000 | 000 | 000 | 000 | 000 | 0000 | 50.0 100.0 100.0 | 50.0 100.0 100.0 |
| 0H OK | 2 | 2 0 | 0 1 | 0 | 00 | 00 | 00 | 00 | 100.0 | 100.0 100.0 |
| OR TX UT | 1 3 2 | 1 2 1 | 000 | 000 | 0000 | 0000 | 000 | 0000 | 100.0 66.7 50.0 | 100.0 66.7 50.0 |
| WA WI | 3 | 0 1 | 0 0 | ŏ | 0 0 | ů o | ŏ | 0 0 | 0.0 | 0.0 100.0 |
| | 40 | 26 | 1 | 0 | 0 | 0 | 0 | 0 | 65.0 | 67.5 |

OBSTETRICS-GYNECOLOGY

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|----------|---------|----------|----------|---|-------------|-----|-----|------------|---------------|---------------|
| AL AR | 12 4 | 11 4 | 0 | 0 | 0 | 0 | 0 | 0 | 91.7 100.0 | 91.7 100.0 |
| AZ | 17 | 17 | ō | ō | ō | Ō | ō | Ó | 100.0 | 100.0 |
| CA | 98 | 89 | 4 | Ō | 1 | 2 | 0 | - 1 | 90.8 | 99.0 |
| CO | 13 | 12 | 1 | 0 | 0 | 0 | 0 | 0 | 92.3 | 100.0 |
| СТ | 26 | 17 | 1 | 0 | 1 | 1 | 0 | 4 | 65.4 | 92.3 |
| DC | 19 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 89.5 | 89.5 |
| DE | 4 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 50.0 | 100.0 |
| FL | 35 | 29 | 4 | 0 | 1 | 1 | 0 | 0 | 82.9 | 100.0 |
| GA | 25 | 18 | 4 | 0 | 1 | 1 | 0 | 0 | 72.0 | 96.0 |
| HI | 6 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 83.3 | 100.0 |
| IA | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| IL | 68 | 59 | 5 | 0 | 2 | 0 | 0 | 1 | 86.8 | 98.5 |

OBSTETRICS-GYNECOLOGY

TABLE 14

ORTHOPAEDIC SURGERY (CONTINUED)

(CONTINUED)

| ST | POS | US SR | US MD | | IUS FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----------|---------|----------|----------|---|------------|-----|-----|------------|---------------|----------------|
| IN | 13 | 12 7 | 1 | 0 | 0 | 0 | 0 | 0 | 92.3 100.0 | 100.0 100.0 |
| KS | 7 11 | 10 | 0 | ŏ | ŏ | ŏ | ŏ | ŏ | 90.9 | 100.0 |
| KY | 30 | 24 | 1 2 | ŏ | ŏ | 2 | ŏ | ŏ | 80.0 | 93.3 |
| LA MA | 34 | 31 | 1 | ŏ | ŏ | ō | ŏ | 2 | 91.2 | 100.0 |
| MD | 29 | 24 | ò | ŏ | 1 | ŏ | ŏ | 2 | 82.8 | 93.1 |
| ME | 23 | 3 | ŏ | ŏ | ò | ŏ | ŏ | ō | 100.0 | 100.0 |
| ML | 62 | 50 | 4 | ŏ | 1 | 3 | 1 | 2 | 80.6 | 98.4 |
| MN | 13 | 9 | 3 | ŏ | ò | ō | ö | 1 | 69.2 | 100.0 |
| MO | 29 | 24 | ŏ | ŏ | ō | ō | ō | 1 | 82.8 | 86.2 |
| MS | 6 | 6 | ō | ŏ | ŏ | ō | ŏ | Ó | 100.0 | 100.0 |
| NC | 33 | 29 | 2 | ŏ | ō | Õ | ō | ō | 87.9 | 93.9 |
| NE | 6 | 6 | ō | ō | Ö | Ō | Ó | Ó | 100.0 | 100.0 |
| NJ | 27 | 21 | 1 | ō | Ö | 5 | Ó | 0 | 77.8 | 100.0 |
| NM | 6 | 5 | 1 | Ö | 0 | 0 | 0 | 0 | 83.3 | 100.0 |
| NV | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NY | 159 | 126 | 12 | 0 | 1 | 6 | 0 | 8 | 79.2 | 96.2 |
| OH | 62 | 54 | 3 | 0 | 1 | 1 | 0 | 3 | 87.1 | 100.0 |
| OK | 9 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 88.9 | 100.0 |
| OR | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| PA | 78 | 63 | 8 | 0 | 0 | 1 | 0 | 0 | 80.8 | 92.3 |
| RI | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| SC | 12 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 66.7 | 75.0 |
| ΤN | 25 | 24 | 1 | 0 | 0 | 0 | 0 | 0 | 96.0 | 100.0 |
| TΧ | 86 | 75 | 3 | 0 | 0 | 1 | 0 | 3 | 87.2 | 95.3 |
| UT | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| VA | 23 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 95.7 | 95.7 |
| V۳ | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| WA | 6 | 5 | 1 | 0 | 0 | , o | 0 | 0 | 83.3 | 100.0 |
| WI | 14 | 12 | 0 | 0 | 0 | 1 | 0 | 1 | 85.7 | 100.0 |
| WV | 8 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 87.5 | 87.5 |
| | 146 | 973 | 67 | 0 | 10 | 26 | 1 | 29 | 84.9 | 96.5 |

ORTHOPAEDIC SURGERY

| ST | POS | US SR | US MD | | IUS FMG | OST | CAN | NUS FMG | wss | % TOTAL |
|----|-----|----------|----------|---|------------|-----|-----|------------|-------|------------|
| AL | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| AR | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| AZ | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| CA | 43 | 35 | 7 | 0 | 0 | 0 | 0 | 1 | 81.4 | 100.0 |
| CO | 4 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 50.0 | 100.0 |
| СТ | 8 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 75.0 | 100.0 |
| DC | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| FL | 13 | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 84.6 | 100.0 |
| GA | 11 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 90.9 | 100.0 |
| IA | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| IL | 30 | 27 | 2 | 0 | 0 | 0 | 0 | 1 | 90.0 | 100.0 |
| IN | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 80.0 | 100.0 |
| KS | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| KY | 7 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 71.4 | 100.0 |
| LA | 15 | 13 | 2 | 0 | 0 | 0 | 0 | 0 | 86.7 | 100.0 |
| MA | 17 | 13 | 1 | 0 | 0 | 1 | 0 | 2 | 76.5 | 100.0 |
| MD | 11 | 10 | 1 | 0 | 0 | Ö | 0 | 0 | 90.9 | 100.0 |
| MI | 31 | 30 | 1 | 0 | 0 | 0 | 0 | 0 | 96.8 | 100.0 |
| MN | 16 | 15 | 0 | 0 | 0 | 0 | 0 | 1 | 93.8 | 100.0 |
| MO | 10 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 90.0 | 100.0 |
| MS | 3 | 3 | 0 | Ö | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NC | 14 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 92.9 | 100.0 |
| NE | 4 | 4 | Ó | Ó | 0 | 0 | 0 | 0 | 100.0 | 100.0 |

| ST | POS | US SR | | | I US FMG | | CAN | NUS FMG | % USS | TOTAL |
|-----------|-----|----------|----|---|-------------|---|-----|------------|----------|-------|
| NH | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | | 100.0 |
| NJ | 11 | 8 | 1 | 0 | 0 | 2 | 0 | 0 | 72.7 | 100.0 |
| NM | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NY | 57 | 53 | 3 | 0 | 0 | 0 | 0 | 1 | 93.0 | 100.0 |
| OH | 35 | 31 | 3 | 0 | 0 | 0 | 0 | 1 | 88.6 | 100.0 |
| 0K | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| OR | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| PA | 38 | 34 | 3 | 0 | 0 | 0 | 0 | 1 | 89.5 | 100.0 |
| RI | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| SC | 7 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 57.1 | 100.0 |
| TN | 14 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| TX | 26 | 25 | 1 | 0 | 0 | 0 | 0 | 0 | 96.2 | 100.0 |
| UT | 4 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 75.0 | 100.0 |
| VA. | 9 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 88.9 | 100.0 |
| VT | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 66.7 | 100.0 |
| WA | 5 | 5 | Ó | Ó | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| WI | 9 | 9 | ō | ō | Ó | Ó | 0 | 0 | 100.0 | 100.0 |
| WV | 3 | 2 | Ō | ō | Ō | Ō | 1 | 0 | 66.7 | 100.0 |
| *** *** * | 505 | 448 | 45 | 0 | 0 | 3 | 1 | 8 | 88.7 | 100.0 |

OTOLARYNGOLOGY

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----|-----|----------|----------|---|-------------|-----|-----|------------|----------|------------|
| | | | | | | | | | | |
| CA | 14 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| GA | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 50.0 | 75.0 |
| IL | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 50.0 | 50.0 |
| MA | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MN | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MS | 2 | 2 | Ó | Ó | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NC | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 80.0 | 80.0 |
| OH | 3 | 3 | Ō | Ó | 0 | · 0 | 0 | 0 | 100.0 | 100.0 |
| OK | 2 | 1 | ŏ | Ō | Ó | Ó | 0 | 0 | 50.0 | 50.0 |
| OR | 2 | 1 | Ő | Ō | Ó | 0 | 0 | 0 | 50.0 | 50.0 |
| PA | 2 | 2 | ŏ | ō | Ō | Ó | Ó | 0 | 100.0 | 100.0 |
| UT | 1 | 1 | ŏ | õ | Õ | Ő | Ó | ó | 100.0 | 100.0 |
| WI | 4 | 4 | ō | ō | ŏ | ō | ō | Ó | 100.0 | 100.0 |
| | 47 | 41 | 1 | 0 | 0 | 0 | 0 | 0 | 87.2 | 89.4 |
| | | | | | | | | | | |

PATHOLOGY

| ST | POS | US SR | | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----|-----|----------|---|---|-------------|-----|------------|------------|----------|------------|
| | | | | | | | | | | |
| AL | 10 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 90.0 | 90.0 |
| AR | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 33.3 | 66.7 |
| AZ | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| CA | 42 | 34 | 3 | 0 | 1 | 0 | ं 0 | 4 | 81.0 | 100.0 |
| CO | 3 | 2 | 1 | Ó | 0 | 0 | 0 | 0 | 66.7 | 100.0 |
| CT | 9 | 7 | 0 | 0 | 1 | 0 | 0 | 1 | 77.8 | 100.0 |
| DC | 6 | 4 | 1 | Ó | 0 | 0 | 0 | 1 | 66.7 | 100.0 |
| FL | 14 | 5 | 0 | Ó | 0 | 0 | 0 | 3 | 35.7 | 57.1 |
| GĀ | 11 | 10 | ō | Ō | Ó | 0 | 0 | 0 | 90.9 | 90.9 |

PEDIATRICS

(CONTINUED)

(CONTINUED)

| | | | | | | | / | | | |
|----------|--------|--------|----|-----|-----|--------|----------|---------|--------------|---------------|
| | | US | US | 5TH | | | | NUS | % | % |
| ST | POS | SR | MD | PA | FMG | OST | CAN | FMG | USS | TOTAL |
| ~ ~ | | | | | | | | | | |
| | | | • | • | • | Å | ~ | ~ | 0E 0 | 0E 0 |
| HI | 4 | 1 | 0 | 0 | 0 | o o | 0 | 0 | 25.0 | 25.0 100.0 |
| IA IL | 3 | 37 | 0 | ò | 0 | 0 | ŏ | 8 | 100.0 | 85.0 |
| | 20 | | ò | ò | | | | Ö | 87.5 | 87.5 |
| IN | 8 | 7 | ò | õ | 0 | 0 | ò | | 50.0 | |
| KS | 2 | 1 3 | 0 | 0 | 0 | ò | ò | 0 3 | 50.0 | 50.0 |
| KY | 6 | | 0 | 0 | 0 | 0 | 0 | | 33.3 | 100.0 33.3 |
| LA | 12 | 4 | ò | 0 | õ | 0 | Ŷ | 0 | | |
| MA | 25 | 20 | 1 | 0 | 0 | 0 | 1 | 3 | 80.0 | 100.0 |
| MD | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 07 | 100.0 | 100.0 |
| MI | 13 | 4 | 1 | 0 | 0 | 0 | 0 | | 30.8 | 92.3 |
| MN | 6 | 5 | 1 | 0 | 0 | 0 | 0 | Ő | 83.3 | 100.0 |
| MO | 12 | 6 | 0 | 0 | 0 | 0 | 0 0 | 3 | 50.0 | 75.0 |
| MS | 3 | Ő | 0 | 0 | 0 | 1 | 0 | 0 | 0.0 | 33.3 |
| NC | 12 | 10 | 0 | 0 | 0 | 0 | Ö | 0 | 83.3 | 83.3 |
| NE | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 40.0 | 40.0 |
| NH | 5 | 4 | 0 | õ | 0 | ò | <u>o</u> | 1 | 80.0 | 100.0 |
| NJ | 5 | 0 | °, | 0 | 0 | 0 | 0 | 3 | 0.0 | 60.0 |
| NM | 6 | 4 | 1 | 0 | 0 | 0 1 | 0 | 0 16 | 66.7 34.0 | 83.3 74.5 |
| NY | 47 | 16 | | 0 | 1 | | 00 | | 54.U 61.1 | 74.5 88.9 |
| OH | 18 | 11 | 1 | 0 | 0 | 2 | | 2 | 75.0 | 100.0 |
| OK OR | 4 2 | 3 2 | 1 | 00 | 00 | ö | 00 | 0 | 100.0 | 100.0 |
| PA | 27 | 16 | ŏ | ŏ | ŏ | ŏ | ŏ | 6 | 59.3 | 81.5 |
| SC | 6 | 10 | 1 | ŏ | ŏ | ŏ | ŏ | ő | 83.3 | 100.0 |
| SD | 1 | 0 | ò | ŏ | ŏ | ŏ | ŏ | ŏ | 0.0 | 0.0 |
| TN | 11 | 4 | 2 | ŏ | ŏ | ŏ | ŏ | 3 | 36.4 | 81.8 |
| TX | 35 | 23 | 1 | ŏ | ŏ | ŏ | ŏ | 4 | 65.7 | 80.0 |
| ΰŦ | 3 | 23 | ő | ŏ | ŏ | ŏ | ŏ | ō | 100.0 | 100.0 |
| VA | 8 | 8 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| VT | 1 | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| WA | 6 | 6 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| WI | 9 | 5 | ŏ | ŏ | ŏ | ŏ | ŏ | 3 | 55.6 | 88.9 |
| ŴV | 3 | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 33.3 | 33.3 |
| | | | | | | | | | | |
| | 438 | 269 | 16 | 0 | | 5 | 1 | 72 | 61.4 | 83.8 |
| | | | | | | | | | | |

PEDIATRICS

| ST | POS | US SR | | | IUS FMG | OST | CAN | NUS FMG | wss | TOTAL |
|-----|-----|----------|---|---|------------|--------|-----|------------|------|-------|
| AL. | 21 | 17 | ò | 0 | 0 | 0 | 0 | 4 | 81.0 | |
| AR | 16 | 15 | 0 | 0 | 0 | 1 | 0 | 0 | 93.8 | 100.0 |
| AZ | 29 | 28 | 0 | 0 | 0 | 1 7 | 0 | 0 | 96.6 | |
| ĊA | 231 | 181 | 5 | 0 | 3 | | 1 | 23 | 78.4 | 95.2 |
| ĊO | 20 | 18 | 0 | Ó | 0 | 0 | 0 | 1 | 90.0 | 95.O |
| CŤ | 39 | 30 | 1 | 0 | 0 | 0 | 0 | 8 | 76.9 | 100.0 |
| DC | 54 | 42 | 0 | 0 | 1 | 0 | 0 | 10 | 77.8 | 98.1 |
| FL | 101 | 56 | 0 | 0 | 8 | 7 | 0 | 30 | 55.4 | 100.0 |
| GΑ | 32 | 25 | 1 | 0 | 0 | 0 | 0 | 3 | 78.1 | 90.6 |
| HI | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 22.2 | 22.2 |
| IA | 17 | 9 | 0 | 0 | 1 | 4 | 0 | 3 | 52.9 | 100.0 |
| IL | 112 | 54 | 2 | 0 | 1 | 2 | 1 | 43 | 48.2 | 92.0 |
| IN | 23 | 21 | 1 | 0 | 0 | 1 | 0 | 0 | 91.3 | 100.0 |
| KS | 11 | 1 | 0 | 0 | 0 | 1 | 0 | 4 | 9.1 | 54.5 |
| KY | 23 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 95.7 | 95.7 |
| LA | 35 | 27 | Ó | 0 | 0 | 1 | 0 | 0 | 77.1 | 80.0 |
| MA | 70 | 61 | 1 | Ó | Ó | 2 | 2 | 3 | 87.1 | 98.6 |
| MD | 37 | 35 | Ó | Ó | Ó | Ö | Ö | 2 | 94.6 | 100.0 |
| ME | 5 | 4 | ŏ | Õ | ō | Ő | ŏ | 1 | 80.0 | 100.0 |
| MI | 66 | 41 | Ť | ŏ | 1 | 1 | ō | 16 | 62.1 | 90.9 |
| MN | 25 | 22 | ò | ō | Ó | ò | Ĩ | 2 | 88.0 | 100.0 |

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----------------|-----------------|----------------|-------------|-----|-------------|-------------------|-------------|--------------|-----------------------|------------------------|
| MO MS NC | 55 10 56 | 49 5 41 | 002 | 000 | 000 | 1 1 1 | 1 0 0 | 1 0 5 | 89.1 50.0 73.2 | 94.5 60.0 87.5 |
| NE | 12 | 10 | Ô | ŏ | 1 | 00 | ŏ | 1 | 83.3 100.0 | 100.0 |
| NJ NM | 60 10 | 26 7 | 0 2 | õ | 1 | · 4 | 0 | 25 0 | 43.3 | 93.3 100.0 |
| NY OH | 247 107 | 134 84 | 00 | 0 | 6 2 | 6 | 1 0 | 94 11 | 54.3 78.5 | 97.6 96.3 |
| OK OR | 16 | 13 11 | 00 | 000 | 000 | 2 | 0 | 1 | 81.3 | 100.0 |
| PA RI SC | 113 15 25 | 87 15 24 | 1 0 0 | 000 | 200 | - 3 - 0 - 0 | 1 0 0 | 13 0 1 | 77.0 100.0 96.0 | 94.7 100.0 100.0 |
| TN TX | 44 144 | 39 104 | 02 | ŏ | 1 | 0 5 | ŏ | 4 29 | 88.6 72.2 | 100.0 |
| UT VA | 10 41 | 10 39 | 0 | 0 | 0 | 0 1 | 00 | 0 | 100.0 95.1 | 100.0 100.0 |
| VT WA | 6 20 | 6 20 | 0 | 000 | 000 | 000 | 000 | 000 | 100.0 | 100.0 |
| WI WV | 33 12 | 33 6 | 0 | 0 | 0 | 0 | 0 1 | 0 3 | 100.0 50.0 | 100.0 91.7 |
| 2 | 2029 | 1480 | 20 | 0 | 31 | 59 | 10 | 341 | 72.9 | 95.7 |

PEDIATRICS-PRIMARY

| ST | POS | US SR | | | H US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|----|-----|----------|---|---|-------------|-----|-----|------------|-------|------------|
| CA | 8 | 8 | 0 | 0 | 0 | o | ٥ | 0 | 100.0 | 100.0 |
| NY | 28 | 8 | Ō | Ō | 4 | ō | ō | 14 | 28.6 | 92.9 |
| PA | 4 | 3 | ō | Ō | Ó | 1 | Ó | 0 | 75.0 | 100.0 |
| UT | 4 | 3 | Ó | Ó | Ó | 0 | Ó | 1 | 75.0 | 100.0 |
| | 44 | 22 | 0 | 0 | 4 | 1 | 0 | 15 | 50.0 | 95.5 |

PHYS MEDICINE & REHAB

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|----|-----|----------|----------|---|-------------|-----|-----|------------|-------|------------|
| AR | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 100.0 |
| CA | ÷ | Š | ŏ | ŏ | ŏ | ŏ | ŏ | 1 | 71.4 | 85.7 |
| IL | 11 | 5 | Ť | ō | ō | ्म | ŏ | i | 45.5 | 72.7 |
| ŘΫ | 4 | 1 | 1 | õ | ō | 1 | ŏ | 1 | 25.0 | 100.0 |
| LA | 6 | 5 | 0 | 0 | Ó | 0 | 0 | 0 | 83.3 | 83.3 |
| MA | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MD | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MI | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 60.0 | 60.0 |
| MO | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.0 | 100.0 |
| NC | 7 | 4 | 0 | 0 | 1 | 0 | 0 | 1 | 57.1 | 85.7 |
| NY | 6 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 16.7 | 66.7 |
| OH | 14 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 78.6 | 78.6 |
| PA | 11 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 27.3 | 36.4 |
| PR | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |

PSYCHIATRY

(CONTINUED)

| | | US | US | STI | I US | | | NUS | % | % |
|----|-----|----|----|-----|------|-----|-----|-----|-------|-------|
| ST | POS | SR | MD | PA | FMG | OST | CAN | FMG | USS | TOTAL |
| TN | 2 | ö | o | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| TΧ | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| VA | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 25.0 |
| WA | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 25.0 | 25.0 |
| WI | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 60.0 | 80.0 |
| | 102 | 55 | 2 | 0 | 2 | 2 | 0 | 12 | 53.9 | 71.6 |
| | | | | | | | | | | |

PLASTIC SURGERY

.

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | TOTAL |
|-----|-----|----------|----------|---|-------------|-----|-----|------------|----------|-------|
| CA | 6 | 4 | 2 | 0 | 0 | ó | 0 | 0 | 66.7 | 100.Ò |
| FL. | 2 | 1 | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | 50.0 | 100.0 |
| IL | 5 | 5 | ò | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| ŔΫ | 1 | 1 | ŏ | õ | õ | ō | õ | ō | 100.0 | 100.0 |
| MD | 2 | 2 | Ó | 0 | Ō | Ö | 0 | Ó | 100.0 | 100.0 |
| MI | 4 | 3 | 0 | Ö | 0 | 0 | 0 | 0 | 75.Ò | 75.0 |
| MO | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 75.0 | 75.0 |
| ŇY | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| OH | 3 | з | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| PA | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| RI | 2 | 2 | 0 | 0 | 0 | 0 | 0 | .0 | 100.0 | 100.0 |
| ТΧ | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| WA | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| WI | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| | 36 | 31 | 3 | 0 | 0 | 0 | 0 | 0 | 86.1 | 94.4 |

PSYCHIATRY

| <u>sт</u> | POS | US SR | | | I US FMG | | CAN | NUS FMG | % USS | % TOTAL |
|---------------|-----|----------|---|---|-------------|----|-----|------------|----------|------------|
| AL | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 11.1 | 11.1 |
| AR | 8 | 4 | 0 | 0 | 0 | O, | O, | 0 | 50.0 | |
| AZ | 13 | 5 | 0 | 0 | 2 | 1 | 0 | 0 | 38.5 | |
| CA | 99 | 57 | 6 | 0 | 6 | 2 | 2 | 12 | 57.6 | 85.9 |
| CO | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| СТ | 11 | 5 | 0 | 0 | 0 | 0 | 0 | 4 | 45.5 | 81.8 |
| DC | 23 | 3 | 1 | O | - 4 | 0 | 0 | 12 | 13.0 | 87.0 |
| FL | 22 | 16 | 0 | 0 | 1 | 1 | 0 | 4 | 72.7 | 100.0 |
| GΑ | 20 | 14 | 1 | 0 | 0 | 0 | 0 | 1 | 70.0 | 80.0 |
| HI | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| IA | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 80.0 | 80.0 |
| ΊL | 50 | 18 | 2 | 0 | 2 | 0 | 0 | 13 | 36.0 | 70.0 |
| IN | 8 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 62.5 | 62.5 |
| KS | 19 | 9 | 0 | 0 | 0 | 3 | 0 | 4 | 47.4 | 84.2 |
| KY | 12 | 10 | 0 | 0 | 0 | 0 | Ó | 0 | 83.3 | 83.3 |
| LA | 25 | 15 | 0 | 0 | . 0 | 0 | 0 | 0 | 60.0 | 60.0 |
| MA | 37 | 26 | 1 | Ó | 1 | 1 | Ō | 5 | 70.3 | 91.9 |
| MD | 20 | 12 | Ó | ō | Ó | Ó | ŏ | 5 | 60.0 | 85.0 |
| ME | 3 | ō | ŏ | ŏ | ŏ | ŏ | õ | 1 | 0.0 | 33.3 |
| MI | 32 | Š | õ | ŏ | Ť | 4 | õ | 11 | 15.6 | 65.6 |
| MN | 10 | 2 | ŏ | ŏ | 2 | Ó | ŏ | 4 | 20.0 | 80.0 |
| | | | - | - | | - | - | | | |

| | | US | US | 5TH | I US | | | NUS | % | % |
|----|-----|-----|----|-----|------|--------|-----|-----|------|-------|
| ST | POS | SR | MD | PA | FMG | OST | CAN | FMG | USS | TOTAL |
| MO | 21 | 8 | 1 | o | 2 | 0 | 0 | 9 | 38.1 | 95.2 |
| MS | - 4 | 1 | ò | ŏ | ō | · ŏ | ŏ | 1 | 25.0 | |
| NC | 40 | 30 | ĭ | ŏ | ŏ | 1 | 1 | 1 | 75.0 | |
| ND | 3 | 1 | ò | ŏ | ŏ | ò | ò | ò | 33.3 | |
| NE | 7 | 5 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 71.4 | |
| NH | 7 | 5 | ŏ | ŏ | ŏ | ŏ | ŏ | 1 | 71.4 | 85.7 |
| NJ | 13 | 2 | 1 | ŏ | ŏ | Ť | ŏ | 2 | 15.4 | |
| NM | | 3 | i | ŏ | ŏ | ò | ō | 1 | 37.5 | |
| NV | - Ŭ | Ť | o. | ō | ō | ŏ | ŏ | ò | 25.0 | |
| NY | 130 | 53 | ō | ō | 13 | | 2 | 43 | | |
| OH | 37 | 21 | 1 | ō | Ō | 2 4 | ō | 6 | 56.8 | |
| OK | 6 | Ö | Ó | ō | 1 | Ö | ō | 1 | 0.0 | |
| OR | 9 | 7 | Ó | Ó | Ó | 1 | Ö | 1 | 77.8 | 100.0 |
| PA | 42 | 21 | 2 | Ó | 2 | 1 | Ó | 10 | 50.0 | |
| RÍ | 9 | 8 | 0 | Ó | 1 | 0 | Ö | 0 | 88.9 | 100.0 |
| SC | 19 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 47.4 | 47.4 |
| SD | 4 | 1 | 0 | 0 | 0 | 1 | 0 | Ö | 25.0 | |
| TN | 21 | 9 | 0 | Ö | 1 | 1 | 0 | 3 | 42.9 | 66.7 |
| TX | 64 | 36 | 1 | 0 | 0 | 4 | Ö | 9 | 56.3 | 78.1 |
| UT | 4 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 50.0 | 100.0 |
| VA | 27 | 6 | 0 | Ö | 2 | 0 | 0 | 9 | 22.2 | |
| ٧T | - 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 50.0 | 50.C |
| A | 11 | 7 | 0 | 0 | 0 | 0 | 0 | Ĩ | 63.6 | 72.7 |
| ΗI | 19 | 11 | 1 | 0 | 0 | 1 | 0 | 2 | 57.9 | 78.9 |
| WV | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 28.6 | 42.9 |
| | 960 | 476 | 20 | 0 | 41 | 31 | 5 | 177 | 49.6 | 78.1 |

RADIOLOGY - DIAGNOSTIC

| ST | POS | US SR | US MD | | i US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|---|---|-----------------------------------|----------|---------|-------------|--|---|----------------------------|---|--|
| ST ALRACAOCTCC DELLAALNS KYAADE MMN MSNC | POS 15 7 4 4 6 9 4 26 11 7 29 5 5 14 7 3 14 7 5 14 7 5 14 7 5 14 7 5 15 7 4 4 6 9 4 26 17 29 5 5 19 5 7 4 4 6 9 4 26 11 7 19 5 19 5 19 5 19 5 19 5 19 5 19 5 | | | | | 0ST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | CAN 000000000000000000000000000000000000 | | | |
| NE NJ NM OH OK PA | 3 1 5 21 32 10 42 | 3 1 5 4 20 6 28 | 0003526 | 0000000 | 0000000 | 0 0 1 0 1 0 | 0000000 | 0 0 4 3 0 3 | 100.0 100.0 100.0 19.0 62.5 60.0 66.7 | 100.0 100.0 57.1 87.5 90.0 88.1 |

PGY-1 Positions only and 30 or more positions

•

23

SURGERY - GENERAL

(CONTINUED)

ST POS SR MD PA FNG OST CAN FMG USS TOTAL

 WV
 9
 5
 2
 0
 1
 0
 1
 55.6
 100.0

 1029
 915
 57
 0
 6
 8
 4
 33
 88.9
 99.4

NUS

.

_ _ _

%

%

US US 5TH US

| ST | POS | US SR | | STH PA | | OST | CAN | NUS FMG | % USS | TOTAL |
|----|-----|----------|----|-----------|---|-----|-----|------------|----------|-------|
| | | ** | | | | | | | | |
| RI | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| SC | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| TN | 16 | 12 | 2 | 0 | 0 | 1 | 0 | 0 | 75.0 | 93.8 |
| TX | 35 | 33 | 0 | 0 | 0 | 0 | 1 | 1 | 94.3 | 100.0 |
| UT | 0 | Ō | Ō | Ó | Ó | 0 | 0 | 0 | 0.0 | 0.0 |
| VA | 13 | 11 | 2 | Ö | 0 | 0 | 0 | 0 | 84.6 | 100.0 |
| WA | 6 | 6 | Ō | Ö | Ō | Ó | 0 | 0 | 100.0 | 100.0 |
| WI | 12 | 8 | Ő | Ó | Ó | 1 | 0 | 0 | 66.7 | 75.0 |
| | 478 | 331 | 51 | 0 | 1 | 10 | 7 | 26 | 69.2 | 89.1 |

SURGERY - GENERAL

SURGERY - PRELIMINARY

| ST | POS | US SR | | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL | ST | POS | US SR | | | US FMG | OST | CAN | NUS FMG | uss | % TOTAL |
|----------|----------|----------|----------|-----|-------------|----------|-----|------------|----------|------------|----------|-----------|----------|--------|---|-----------|-----|----------|------------|--------------|--------------|
| AL. | 21 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 | AL | 10 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 40.0 | 40.0 |
| AR | 4 | з | 0 | 0 | 0 | 1 | 0 | 0 | | 100.0 | AR | 8 | 6 | 0 | 0 | 0 | 0 | Ö | 0 | 75.0 | 75.0 |
| AZ | 17 | 15 | 1 | 0 | 0 | , o | 1 | 0 | | 100.0 | AZ | 5 | 1 | õ | 0 | ò | ò | 0 | 1 | 20.0 | 40.0 |
| CA | 79 | 73 | 5 | 0 | 0 0 | 1 | 0 | 0 | | 100.0 | CA CD | 123 23 | 45 9 | 5 | 0 | 0 | 1 | ő | 7 | 39.1 | 50.4 39.1 |
| CO | 9 | 9 | 0 | ` O | 0 | 0 | ŏ | 3 | | 100.0 | CT | 23 | 5 | 1 | ŏ | 1 | ŏ | ŏ | 4 | 33.3 | 61.9 |
| CT DC | 24 21 | 21 18 | 2 | õ | ŏ | ŏ | ŏ | 1 | | 100.0 | DC | 26 | 15 | 1 | ŏ | ö | ŏ | ŏ | 2 | 57.7 | 69.2 |
| DE | 3 | 2 | 1 | ŏ | ŏ | ŏ | ŏ | ò | | 100.0 | DE | 4 | 1 | ò | ŏ | ŏ | ŏ | ŏ | ō | 25.0 | 25.0 |
| FL | 23 | 23 | ò | ŏ | ŏ | ŏ | ŏ | ō | | | FL | 17 | 10 | Ö | Õ | 1 | Ö | 0 | 1 | 58.8 | 70.6 |
| GA | 29 | 28 | 1 | Õ | Ō | Ö | Ō | Ó | 96.6 | 100.0 | GA | 22 | 9 | 1 | 0 | 2 | 1 | 0 | 4 | 40.9 | 77.3 |
| HI | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | 100.0 | HI | 10 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 20.0 | 40.0 |
| IA | 11 | 10 | 0 | 0 | 0 | 0 | 0 | 1 | | 100.0 | IA | 7 | 1 | 0 | 0 | 0 | · 0 | 0 | õ | 14.3 | 14.3 |
| IL | 45 | 42 | 0 | 0 | 0 | 0 | 0 | 2 | 93.3 | | IL | 54 | 24 | 1 | 0 | 0 | 0 | 0 | 7 | 44.4 | 59.3 |
| IN | 9 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | | 100.0 | IN | 15 | 7 | 0 | 0 | 0 | 00 | 0 | 0 | 46.7 | 46.7 |
| KS | 11 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 | KY LA | 11 28 | 6 23 | 0 | ŏ | ŏ | 1 | ŏ | 1 | 82.1 | 92.9 |
| KY LA | 16 25 | 16 25 | 0 | ŏ | ŏ | ŏ | ŏ | ŏ | | 100.0 | MA | 38 | 19 | 2 | ŏ | ŏ | ò | ŏ | ò | 50.0 | 55.3 |
| MA | 49 | 44 | š | ŏ | ŏ | 1 | ĭ | ŏ | | 100.0 | MD | 24 | 12 | ō | ŏ | 1 | ŏ | 1 | 1 | 50.0 | 62.5 |
| MD | 15 | 14 | 1 | ŏ | ŏ | ò | ó | ŏ | | 100.0 | ME | 4 | ō | ŏ | ŏ | Ó | ō | Ó | Ō | 0.0 | 0.0 |
| ME | 2 | 2 | ò | ŏ | ŏ | ō | õ | ō | 100.0 | 100.0 | MI | 41 | 13 | 1 | 0 | 0 | 0 | 0 | 5 | 31.7 | 46.3 |
| MI | 54 | 45 | 5 | Ó | Ó | Ó | 0 | 4 | 83.3 | 100.0 | MN | 16 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 50.0 | 50.0 |
| MN | 19 | 15 | 3 | 0 | 0 | 0 | 0 | 1 | | 100.0 | MO | 21 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 81.0 | 81.0 |
| MO | 19 | 18 | 1 | 0 | 0 | 0 | 0 | 0 | | 100.0 | NC | 16 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 37.5 | 37.5 |
| MS | 5 | 3 | 1 | 0 | 0 | 0 | 0 | 1 | | 100.0 | ND | 2 | õ | 0 | 0 | 0 | 0 | <u>o</u> | 2 | 0.0 | |
| NC | 24 | 24 | 0 | 0 | 0 | <u>o</u> | 0 | - | 100.0 | | NE | 11 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 63.6 14.3 | 72.7 28.6 |
| ND | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | | 100.0 | NH NJ | 7 23 | 4 | 0 | 0 | 1 | ŏ | ŏ | 3 | 17.4 | 34.8 |
| NE NH | 6 3 | 5 3 | 1 | 0 | 0 | ŏ | ŏ | - | 100.0 | | NY | 212 | 86 | 2 | 1 | 9 | ĭ | 2 | 40 | 40.6 | 66.5 |
| NJ | 26 | 25 | 1 | ŏ | ŏ | ŏ | ŏ | ŏ | | 100.0 | OH | 42 | 7 | 1 | ò | ŏ | ò | ō | 1 | 16.7 | 21.4 |
| NM | 4 | 4 | ó | ŏ | ŏ | ŏ | ŏ | ŏ | | 100.0 | OK | 9 | ò | ò | ō | ō | ō | õ | ò | 0.0 | 0.0 |
| NV | 3 | 3 | ō | ŏ | ŏ | ō | ŏ | Ō | 100.0 | 100.0 | OR | 11 | 5 | Ó | Ó | 0 | 1 | 0 | 1 | 45.5 | 63.6 |
| NY | 143 | 117 | 7 | 0 | 4 | 2 | 0 | 9 | 81.8 | 97.2 | PA | 109 | 28 | 1 | 0 | 1 | 0 | 0 | 12 | 25.7 | 38.5 |
| OH | 56 | 47 | 6 | 0 | 0 | 1 | 0 | 1 | 83.9 | 98.2 | RI | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 22.2 | 22.2 |
| OK | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | | SC | 21 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 47.6 | 52.4 |
| OR | 10 | 10 | <u>o</u> | 0 | 0 | , o | 0 | , o | 100.0 | | TN | 29 | 10 | 0 0 | ò | õ | , o | 0 | 1 | 34.5 | 37.9 |
| PA | 79 | 63 | 7 | 0 | 2 | 1 | 2 | 4 | | 100.0 | TX | 58 2 | 37 | o o | 0 | 0 | 1 | 0 | 1 | 63.8 50.0 | 67.2 50.0 |
| RI | 4 | 4 | 0 | 00 | 0 | 0 | 0 | 0 | | 100.0 | UT VA | 36 | 1 13 | 0 | ŏ | ŏ | ŏ | ŏ | ŏ | 36.1 | 38.9 |
| SC TN | 11 24 | 10 23 | 1 | ŏ | ŏ | ŏ | - | ŏ | | 100.0 | VT | 5 | 1 | ö | ŏ | ŏ | ŏ | ŏ | ŏ | 20.0 | 20.0 |
| TX | 60 | 23 56 | 1 | ŏ | ŏ | ŏ | ŏ | 3 | | 100.0 | WA | 14 | 2 | ŏ | ŏ | ŏ | ŏ | ŏ | ĩ | 14.3 | |
| υT | Š | 4 | 1 | ŏ | ŏ | ŏ | ŏ | ō | | 100.0 | WI | 1 | 1 | ō | ō | ō | ō | ō | Ó | | 100.0 |
| VA | 14 | 13 | i | ŏ | ō | ō | ō | ŏ | 92.9 | 100.0 | ŴV | 11 | 3 | Ó | Ō | 1 | 0 | 0 | 1 | 27.3 | 45.5 |
| VT | 3 | 3 | Ó | ō | Ō | Ó | Ó | 0 | 100.0 | 100.0 | | | | | | | | | | | |
| WA | 12 | 10 | 2 | 0 | 0 | 0 | 0 | 0 | | 100.0 | • | 156 | 463 | 20 | 1 | 17 | 6 | 7 | 99 | 40.1 | 53.0 |
| WI | 15 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 | | | | | | | | | | | |

UROLOGY

TABLE 14

TRANSITIONAL

(CONTINUED)

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----|-----|----------|----------|---|-------------|-----|----------|------------|----------|------------|
| | | _ | _ | | _ | | • | • | | |
| AZ | 1 | 1 | 0 | 0 | 0 | 0 | <u>o</u> | 0 | 100.0 | 100.0 |
| CA | 13 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 92.3 | 92.3 |
| FL | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| GA | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| IA | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| IL | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 66.7 | 66.7 |
| KY | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| LA | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MI | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MN | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| MO | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| MS | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NC | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 100.0 | 100.0 |
| NY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| OH | 7 | 5 | Ó | Ó | 0 | 0 | 0 | 1 | 71.4 | 85.7 |
| ÖK | 3 | 3 | Ö | Ō | Ó | Ó | Ó | 0 | 100.0 | 100.0 |
| OR | 2 | 1 | ō | ō | ō | Ő | Ō | Ö | 50.0 | 50.0 |
| PA | 4 | 4 | ō | ō | Ő | Ō | Ō | Ó | 100.0 | 100.0 |
| TX | 4 | 3 | ō | ō | Ó | ō | Ó | Ó | 75.0 | 75.0 |
| ÚΤ | 2 | 3 2 | ŏ | ŏ | ō | ŏ | õ | ŏ | 100.0 | 100.0 |
| WA | 2 | 2 | ŏ | ŏ | ō | ō | ŏ | ō | 100.0 | 100.0 |
| WI | 4 | 4 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 100.0 | 100.0 |
| | 78 | 71 | 0 | 0 | 0 | 0 | 0 | 1 | 91.0 | 92.3 |
| | | | | | | | | | | |

US US 5TH US NUS % % SR MD PA FMG OST CAN FMG USS TOTAL ST POS _ _ _ 7 66.7 82:7 тχ 75 50 2 0 2 0 1 10 22 10 16 ō o õ o 0 0 0 0 100.0 100.0 UT 0 0 72.7 VÅ õ õ 72.7 0 WA 23 14 Ó Ó 0 0 3 60.9 o o WI 41 32 Ó 0 0 0 78.0 80.5 1 ŴŴ 0 40.0 40.0 5 2 0 0 0 Ö 1217 700 13 1 23 20 3 156 57.5 75.3 _____ -----

TRANSITIONAL

| ST | POS | US SR | US MD | | I US FMG | OST | CAN | NUS FMG | % USS | % TOTAL |
|----------------------|----------------------|---------------------|------------------|------------------|------------------|------------------|------------------|-------------------|--------------------------------|--------------------------------|
| AL AR AZ CA | 22 15 23 96 | 15 8 20 68 | 1 0 3 | 0000 | 0 0 0 2 | 0 0 1 7 | 0000 | 0 0 2 3 | 68.2 53.3 87.0 70.8 | 72.7 53.3 100.0 88.5 |
| CO CT DC DE | 12 23 25 4 | 10 5 13 3 | 0000 | 0 1 0 0 | 0 2 0 1 | 1 2 0 0 | 0000 | 1 10 5 0 | 83.3 21.7 52.0 75.0 | 100.0 87.0 72.0 100.0 |
| FL GA HI | 6 38 14 | 5 18 14 | 0 1 0 | 000 | 020 | 0 1 0 | 000 | 1 2 0 | 83.3 47.4 100.0 | 100.0 63.2 100.0 |
| IA IL IN LA | 6 90 28 36 | 1 60 20 9 | 0 1 1 | 0000 | 0 2 0 0 | 0 2 1 | 0 0 0 0 | 0 8 0 0 | 16.7 66.7 71.4 25.0 | 16.7 81.1 78.6 30.6 |
| MA MD MI | 47 10 121 | 19 0 59 | 1 0 1 | 000 | 1 0 2 | 000 | 000 | 8 8 38 | 40.4 0.0 48.8 78.6 | 61.7 80.0 82.5 100.0 |
| MN MO ND NJ | 14 18 6 33 | 11 10 4 17 | 0 0 0 1 | 0000 | 0002 | 0000 | 1 0 0 0 | 2 5 0 7 | 55.6 66.7 51.5 | 83.3 66.7 81.8 |
| NY OH OK OR | 61 73 6 7 | 29 33 6 7 | 0000 | 0000 | 1 2 0 | 1 0 0 | 0 0 0 0 | 7 11 0 0 | 47.5 45.2 100.0 100.0 | 62.3 63.0 100.0 100.0 |
| PA PR RI SC | 149 6 3 10 | 72 0 0 9 | 0000 | 0000 | 4 0 1 0 | 1 0 0 | 0000 | 25 0 2 0 | 48.3 0.0 0.0 90.0 | 58.5 0.0 100.0 90.0 |
| SD TN | 8 31 | 3 28 | ŏ | 000 | ŏ | ů o | ů o | 0 0 | 37.5 90.3 | 37.5 90.3 |